Republic of Yemen

High Pharmacy Institute and Medical Sciences

Sana'a

الجمهورية اليمنية

المعهد العالي للصيدلة والعلوم الطبية

صنعاء

Drug Products (DP)

المنتجات الدوائية

اعداد

البروفيسور الدكتور / أحمد محمد السباتي

أستاذ الصيدلانيات والصيدلة السريرية والمهنية - كلية الصيدلة (جامعة صنعاء)
عميد كلية الصيدلة جامعة صنعاء (سابقاً) ، نائب رئيس الجامعة للشؤن الأكاديمية
وعميد كلية الصيدلة بجامعة ٢١ سبتمبر - استشاري الصيدلة السريرية
بمستشفى٤٨ النموذجي (٢٠٠٨ وحتى ٢٠١٦)

عميدالمعهد العالي للصيدلة والعلوم الطبية

2018-2019



TRADE NAME SECTION

في هذا القسم تم ترتيب المستحضرات الطبية حسب الأسم التجاري ويحتوي على معلومات مختصرة ومفيدة من حيث

الأسم التجاري (Trade Name) بشكله الصيدلاني (Dosage Form) والعبوة (Package)

الأسم والتركيب العلمي (Generic Name and Composition)

الفئة العلاجية (Therapeutic Category) والحالة المرضية التي يعطى لها (Disease)

الجرعة (Dose)

صورة المنتج (Product Picture)

الإجمالي الكلي للمنتجات	4101	وبنسبة	100.00%

Abbreviation : NSAID = Non-Steroidal Anti-Inflammatory Drugs

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
1,2,3 Syrup 120 gm	Pseudoephedrine+ Triprolidin +Paracetamol	**Respiratory drugs** Common Cold نزلات البرد	**HIKMA** **Jordan**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
123 Tablets 20 Film Coated Tablets	Pseudoephedrine+ Triprolidin +Paracetamol	**Respiratory drugs** Common Cold نزلات البرد	**Hikma** **Jordan**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
3v Tablets 20 Coated Tablets	vit B1 100mg+B6 200mg+B12 200Mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Julphar** **UAE**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
A TRICAN 250 Capsules	Tenonitrozole	**Antiprtozoal** Vaginal المهبل	**Unknown** **Unknown**	given by mouth in a dose of 250 mg twice daily with meals, for 4 days.	
A-B-worm Tablets tab	Albendazole	**Anthelmentic** Common Worms الديدان الشائعة	**NIDA** **Thailand**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
ACCU-CHEK Strips 10 Strips	Bood Glucose Tester	**Test equipmens** Test equipmens اجهزة تشخيصية	**ROCHE** **Germany**	As directed	
Acephyllin Syrup 100 ml	Aminophylline	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**AMRIYA PHARMA** **Egypt**	16 mg/kg/daily	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
ACEPIME	Vial		Cefepime Hydrochloride	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**OUBARY PHARMA**	**Syria**	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	
Acetagel-C	Capsules	50 Capsules	Acetaminophen 300 mg + Codeine 20 mg	**Non-Steroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Unknown**	**Unknown**	one capsule three times daily	
Acetylcistein	Sachets	10 Sachets	Acetylcysteine 200 mg	**Respiratory drugs**	Respiratory Disorders اضطرابات الجهاز التنفسي	**SEDICO**	**Egypt**	100- 200 mg two times daily	
Aciclovir 200 mg	Tablets	25 tap.	Acyclovir 200mg	**Antivirals**	Viral Infections الأصابات الفيروسية	**ACTAVIS**	**Unknown**	1 g t.i.d., 7 days.	
ACICONE-S	Tablets	20 Chewable Tabets	Magaladrate780 mg +Simethicone 25 mg	**Gastro Intestinal drugs**	Indigestion سوء الهضم	**Unknown**	**Unknown**	*tab = 40 -120 mg QID orall a.m * susp = 10 ml QID *sachets = one sachet QID	
Acicone-S	Suspension	120 ml	Magaldrate + Semithicone	**Gastro Intestinal drugs**	Indigestion سوء الهضم	**Unknown**	**Unknown**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Acicone-S	Tablets	20 Chewable Tablets	Magaldrate + Semithicone	**Gastro Intestinal drugs**	Indigestion سوء الهضم	**MUP**	**Egypt**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
ACICONE-S	Chewable Tablets		Magaldrate + Semithicone	**Gastro Intestinal drugs**	Indigestion سوء الهضم	**Unknown**	**Unknown**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Acicone-s 120	Suspension	120 ml for bottle	magaladrate 540 mg + Simethicone40 mg	**Gastro Intestinal drugs**	Indigestion سوء الهضم	**MUP**	**Egypt**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Aciderm	Solution	250 ml	Combination	**Antiseptic and Desinfectants**	Antiseptic مطهرات	**Unknown**	**Unknown**	As directed	
Aciran	Ampoules	10 amps	Ranitidine 50 mg / 2 ml	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**Pievico**	**Unknown**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Acne- Tec	Cream	50 gm	Combination	**Skin Disorders**	Acne حب الشباب	**AMC**	**Jordan**	Topically enouph amount two times daily	
Acne Zinc Lotion	Lotion	20 ml	Calamine	**Skin Disorders**	Acne حب الشباب	**PHARCO**	**Egypt**	topically as dusting powder, cream, lotion, or ointment	
Acnetrix	Gel	30 gm	unkown	**Skin Disorders**	Acne حب الشباب	**HZM**	**Syria**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
AcneVit Tube	Vitamin C Substances	**Vitamines and Menirals** Acne حب الشباب	**Serum** **Unknown**	25 to 250 mg daily in divided doses	AcneVit ANTI-ACNE SERUM
Acnovin Cream 25 gm	Kumkumadi Tailam	**Skin Disorders** Acne حب الشباب	**Unknown** **Unknown**	As directed	
Acretin 0.05% Cream 30 gm	Tretinoin	**Skin Disorders** Acne حب الشباب	**Jamjoum Pharma** **Saudi Arabia**	As directed	جمجوم فارما Acretin 0.05%
Actazone Asia 30 Tablets 20 tab	Pioglitazone Hydrochloride 30 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**ASIA** **Syria**	Minimum/Maximum Adult Daily Dose:30 mg (milligram) OR 1 Tablet	Actazone Asia 30
Actifed Syrup 100 ml	Triprolidine HCL 1.25 mg + Pseudoephedrine 30 mg + Guaifenesine 100 mg	**Respiratory drugs** Common Cold نزلات البرد	**gsk glaxosmithkline** **UK**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Actifed Tablets 24 Tablets	Pseudoephedrine+ Triprolidine +Guaifenesin	**Respiratory drugs** Common Cold نزلات البرد	**gsk glaxosmithkline** **UK**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	Actifed COLD
Actonorm Gel 200 ml	Al(OH)+Mg(OH) +Simethicone	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Unknown** **Unknown**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	Actonorm Gel

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
ACTOS	Tablets	30 Tablets	Pioglitazone HCL 30mg	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**A.P.M**	**Jordan**	Minimum/Maximum Adult Daily Dose:30 mg (milligram) OR 1 Tablet	
Actrapid HM	Vial	10 ml / vial	insulin human	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Novo Nordisk**	**Denmark**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	Actrapid HM
Actrapid HM pinfill	Vial	5 * 3ml	Soluble human insulin 100 iu / ml	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Novo Nordisk**	**Denmark**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	 Soluble insulin injection I.P.
Acugesic	Tramadol hydrochloride is an	10 cap	Tramadol Hydrochloride 50 mg	**Opioid analgesics**	Analgesic مهدئ الأوجاع	**unknown**	**Unknown**	Capsules	Acugesic 50mg Tramadol HCl 1 x 10 capsules
Acyclovir	Cream	15 g	Acyclovir 5 % w/w	**Antivirals**	Viral Infections الأصابات الفيروسية	**Global Pharma**	**Yemen**	1 g t.i.d., 7 days.	Acyclo Cream Antiviral 15g
Acyclovir 800 mg	Tablets	100 tap.	Acyclovir 800mg	**Antivirals**	Viral Infections الأصابات الفيروسية	**Unknown**	**Unknown**	1 g t.i.d., 7 days.	Acyclovir 800 mg
Adalat LA 30	Tablets	30 tab	Nifedipine 30 mg	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**BAYER**	**Germany**	10 to 40 mg twice daily	Adalat LA 30 Bayer 30 comprimés

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Adapalene Gel 30 gm / tube	Adapalene 0.1%	**Skin Disorders** Acne حب الشباب	**Unknown** **Unknown**	applied once daily at night as a 0.1% solution, cream, or gel to skin that has been cleansed and dried.	
Adenosin Forte Ampules 3 lyophilized ampoules+3ampoul	Adenosine Triphosphate 10 mg+cocaboxylase 50mg+Vit.B12 . 500	**Cardio Vascular System drugs** Arrhythmia عدم انتظام ضربات القلب	**NILE CO.** **Egypt**	1 ampoule I.M (only) daily or as directed by the physician.	
Adenosine Vial 12mg/4ml = 6mg/2ml = 3mg/ml	Adenosine (12mg/4ml = 6mg/2ml = 3mg/ml)	**Cardio Vascular System drugs** Arrhythmia عدم انتظام ضربات القلب	**Unknown** **Unknown**	Adults: bolus of 6 mg. If no effect after 1–2 min, 12-mg bolus. May repeat 12-mg dose × 2. Child: bolus of 0.05 mg/kg; repeat dosage every 2 min. Maximum 0.25	
Adol Syrup 60 ml	Paracetamol syrup 120mg/5ml	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Julphar** **UAE**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Adol Compound Tablets	Salicylamide + paracetamol + caffeine + codeine phosphate	**Respiratory drugs** Common Cold نزلات البرد	**Julphar** **UAE**	As directed	
Adol Drops Drops 15 ml	Paracetamol drops 100mg/ml.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Julphar** **UAE**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
ADOL EXTRA Caplets 24 cap	Paracetamol 500 mg + Caffeine 65 mg	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Julphar** **UAE**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Adol Supp 125 Suppositoris 10 supp,	Paracetamol supp, 125mg.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Julphar** **UAE**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Adol Supp 250 Suppositoris 10 supp,	Paracetamol supp, 250mg.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Julphar** **UAE**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
ADRENALINE Ampoules 10 amp x 1ml	Adrenaline 1 mg / 1 ml	**Cardio Vascular System drugs** Anaphylactic Shock الصدمة الأغمائية	**ROTEXMEDICA** **Germany**	Adrenaline is usually given by intramuscular injection, subcutaneously;1 in 10 000 or 1 in 100 000) by very slow intravenous injection or by slow intravenous infusion.	 ADRENALINE INJECTION BP 1 MG EPINEPHRINE INJECTION BP 1 MG
Advil-200 Tablets 50 coated tablets	Ibuprofen tablet 200mg.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**Pfizer** **USA**	Oral doses of400 mg to 1.2 g daily .	ADVANCED MEDICINE FOR PAIN Advil Tablets
Adwiflam Ampoules 3 ampoules	Diclofenac Potassium ampuole 75mg/3ml.	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Adwia** **Egypt**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	Adwiflam Anti-inflammatory, Analgesic & Antipyretic
Adwiflam 50 ER Capsules 10 capsules	Diclofenac Potassium	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**ADWIA** **Egypt**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	Adwiflam 50 ER
Adwiflam Supp Suppositoris 5 supp/packet each of 75 mg	Diclofenac potassium 75 mg	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**ADWIA** **Egypt**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	Adwiflam 5 Suppositories Anti-inflammatory, Analgesic

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
AERIUS Syrup 150 ml	Desloratadine	**Antihistamines** Allergy الحساسية	**Schering-Plough** **Belgium**	5 mg once daily. Children 2.5 mg once daily	
Aerocort Inhlaer 200 Metered Dose / bottle	Beclomethasone+ Salbutamol	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	Use the missed dose as soon as remembered. Use the remaining doses for that day at evenly spaced intervals	
AFATAC-150 Tablets 100 tabs	Ranitidine150 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**RFA** **Yemen**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Afeel Tablets 20 tab	Chlorphenamine Maleate	**Antihistamines** Common Cold نزلات البرد	**BIOPHARM** **Yemen**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Afeel Ampoules 50 amp	Chlorphenamine Maleate	**Antihistamines** Common Cold نزلات البرد	**BIOPHARM** **Yemen**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Afeel Ampoules 3 amp	Chlorphenamine Maleate 10 mg / 1 ml	**Antihistamines** Common Cold نزلات البرد	**BIOPHARM** **Yemen**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Afeel Syrup 100 ml	Chlorphenamine Maleate	**Antihistamines** Common Cold نزلات البرد	**BIOPHARM** **Yemen**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
A-ferin Capsules 30 Cap	Pseudoephedrine +Paracetamol +Codiene	**Respiratory drugs** Common Cold نزلات البرد	**Bilim** **Turkey**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
A-ferin hot Sachets 10 Sachets	Pseudoephedrine 50 mg + Paracetamol 500 mg	**Respiratory drugs** Common Cold نزلات البرد	**Bilim** **Turkey**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
A-ferin plus Pediatric / Syrup 100 ml	Pseudoephedrine +Paracetamol+Chloraphiniramine	**Respiratory drugs** Common Cold نزلات البرد	**Bilim** **Turkey**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	A-ferin PLUS
AKAMON-3mg Tablets 30 tablets	Bromazepam tablets 3mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Medochemie** **Unknown**	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily have occasionally been given. Initial doses for elderly and	AKAMON 3mg Bromazepam
Akisol-2 Tablets 100 tablet	Benzhexol(Trihexyphenidyl) tablet 2mg	**Central Nervous system drugs** Parkinson's disease مرض الرعاش	**RAM PHARMA** **Jordan**	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Akisol-5 Tablets 100 tablets	Benzhexol(Trihexyphenidyl) tablet 2mg	**Central Nervous system drugs** Parkinson's disease مرض الرعاش	**RAM PHARMA** **Jordan**	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Albenda 400 mg Suspension 20 ml	Albendazole	**Anthelmentic** Common Worms الديدان الشائعة	**Julphar** **UAE**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	Albenda 400mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
ALBEX Tablets 2 f/c Chewable Tablets	Albendazole 200 mg / tablet	**Anthelmentic** Common Worms الديدان الشائعة	**Shiba pharma** **Yemen**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	ALBEX Albendazole 200 Anthelmintic 2 f/c chewable Tablets Shiba Pharma
ALBEX Suspension 20 ml	Albendazole 100 mg / 5 ml	**Anthelmentic** Common Worms الديدان الشائعة	**Shiba pharma** **Yemen**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	ALBEX Shiba Pharma
ALBEX Tablets 1 f/c Chewable tablet	Albendazole 400 / tablet	**Anthelmentic** Common Worms الديدان الشائعة	**Shiba pharma** **Yemen**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	ALBEX Albendazole 400 Anthelmintic 1 f/c chewable Tablet Shiba Pharma
Albothyl Suppsitories 6 Vaginal supp	Miconazole Nitrate	**Antifungals** Vaginal المهبل	**Unknown** **Unknown**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Alcipro 2 Tablets 20 tabs	Ciprofloxacin 250 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	250 to 750 mg twice daily depending on the severity and nature of the infection	20 Tablets Alcipro 250 Ciprofloxacin 250mg RFA
Alcipro 500 Tablets 10 tabs	Ciprofloxacin 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	250 to 750 mg twice daily depending on the severity and nature of the infection	Alcipro 500 10 Tablets Ciprofloxacin Tablets 500 mg RFA
Alcipro 750 Tablets 10 tabs	Ciprofloxacin 750 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	250 to 750 mg twice daily depending on the severity and nature of the infection	Alcipro 750 Ciprofloxacin Tablets 750 mg 10 Tablets RFA

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
ALDEZOL pediatric oral suspensiohn 100 ml	Metronidazole 200 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**RFA** **Yemen**	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
ALDEZOL 250 Tablets 20 Tablet	Metronidazole 250 MG	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**RFA** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
ALDEZOL 500 Tablets 20 Tablet	Metronidazole 500 MG	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**RFA** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
ALDEZOL Plus Tablets 20 tab	Metronidazole 200mg+ diloxnide 250mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**RFA** **Yemen**	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
ALDEZOL Plus pediatric oral suspensiohn 100 ml	Metronidazole 200 mg+Diloxanide 125 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**RFA** **Yemen**	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Aldomet Tablets 30 tab	Methyldopa 250 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**unknown** **Unknown**	250 - 500 mg of methyldopa two or three times daily - children is 10-60 mg/kg daily in 2 to 4 divided doses	
Aldomythyl Ampoules 30 tab	Aldomythyl	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	250 - 500 mg of methyldopa two or three times daily - children is 10-60 mg/kg daily in 2 to 4 divided doses	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Alendrotab 70 mg Tablets 4 Tablet	Sodium Alendronate 70 mg	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Shiba pharma** **Yemen**	Adults: 10 mg/d. Elderly: 10 mg/d. Children: Safety and effectiveness not established in children <18 years.	Alendrotab 70 mg Sodium Alendronate 4 Tablets Shiba Pharma
Alerid Tablets 10 Tablets	Cetirizine Hydrochloride	**Antihistamines** Allergy الحساسية	**CIPLA** **India**	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	Alerid Tablet Cipla
Alerid Syrup 60 ml	Cetirizine Hydrochloride	**Antihistamines** Allergy الحساسية	**CIPLA** **India**	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	60 ml Alerid Cipla
Alerid -D Extended Release Tablets 10 Tablets	Cetrizine + Pseudoephedrine	**Respiratory drugs** Common Cold نزلات البرد	**CIPLA** **India**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	Alerid-D Cipla
Alertadin Tablets 10 tablets	Loratadine	**Antihistamines** Allergy الحساسية	**Y.E.PHARMA** **Yemen**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	Alertadin 10 mg LORATADINE 10 mg
Alertadin Syrup 60 ml	Loratadine	**Antihistamines** Allergy الحساسية	**Y.E.PHARMA** **Yemen**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	60 ml Alertadin Syrup Children's Non-sedative Antihistamine
ALEZET Tablets 20 tab	Cetirizine Hydrochloride 10 mg	**Antihistamines** Allergy الحساسية	**RFA** **Yemen**	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	ALEZET® 20 Tablets Cetirizine HCl 10mg RFA

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
ALEZET	Syrup	60 ml	Cetirizine Hydrochloride 5mg/5 ml	**Antihistamines**	Allergy الحساسية	**RFA**	**Yemen**	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	ALEZET Syrup
Alfacalcidol 0.25mcg	Soft Gelatin Capsules	30 Capsules	Alpha calciferol 0.25 mcg / cap	**Vitamines and Menirals**	Ricketsia الكساح	**Shiba pharma**	**Yemen**	Adult doses of 0.25 mcg daily or on alternate days , to a usual dose of 0.5 to 3 micrograms three times a week.	Alfacalcidol® 0.25mcg Shiba Pharma
Alfacip 0.25mcg	Capsules	10 Capsules	Alpha calciferol	**Vitamines and Menirals**	Ricketsia الكساح	**CIPLA**	**India**	As directed	Alfacalcidol Capsules Alfacip 0.25 mcg
Alfacip 1mcg	Capsules	10 Capsules	Alpha calciferol	**Vitamines and Menirals**	Ricketsia الكساح	**CIPLA**	**India**	As directed	Alfacalcidol Capsules Alfacip 1 mcg
Alfacort	Ointment	15 gm	Hydrocortisone 1%	**Corticosteroid**	Dermatitis الألتهابات الجلدية	**Julphar**	**UAE**	Concentrations usually used have ranged from 0.1 to 2.5%	Alfacort Ointment
Alfenta			Alfentanil Hydrochloride	**Central Nervous system drugs**	Anaesthetics General التخدير العام	**Unknown**	**Unknown**	IV only.Initial: 50–75 µg/kg, continuous infusion, ≥ 45 min. Maintenance (with nitrous oxide/oxygen): 0.5–3 µg/kg/min.	ضع صورة الدواء بنفس هذا الرقم
Algason Cream	Cream	40 gm	Diethylamine Salicylate + Menthol	**Non-Steroidal Anti-**	Analgesic مهدئ الأوجاع	**PHARCO**	**Egypt**	As directed	ALGASON ANTIRHEUMATIC - ANALGESIC

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
ALIROSA Capsules 30	evening primrose oil and garlic	**Natural products** Oil	**MEPACO** **Egypt**	1----2capsule tow times dialy	
Alkafen Capsules 10 Soft Gelatin Capsules.	Paracetamol 250mg+psedoephedrine 30mg+dextromethorphan 10+doxylamin	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Korea United Pharma** **Korea**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Cough Alkafen Quicklets Multi-Symptom 10
Alka-Misr Sachets 10 Sachets x 5 gm	Sodium chloride +Sodium bicarbonate	**Respiratory drugs** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**MISR** **Egypt**	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	Alka-Misr Alka-Misr
Alkapress Tablets 30 tablets	Amlodipine 5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Alhikma** **Unknown**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	Alkapress 5 30
Alkasid Suspension 200 ml / bottle	Al(OH) + Mg(OH) 300 mg+Simethicone 30 mg	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Julphar** **UAE**	10 ml four times daily	
Allercet Tablets 10 Tablets	Cetirizine Hydrochloride	**Antihistamines** Allergy الحساسية	**MICRO** **India**	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
ALLEX Tablets 10 x 10 Tablets	Unknown	**Antihistamines** Allergy الحساسية	**B.M Pharma** **Unknown**	As directed	ALLEX TABLETS Second Generation Antihistamine

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Allopurinol 100mg Tablet 28 tablet	Allopurinol 100mg	**Hyperuricaemia** Gout النقرس	**WOCKHADT** **UK**	100 to 300 up to 600 mg	Allopurinol 100mg
ALLOSPASMIN Tablets 10 tab	Combination	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Unknown** **Unknown**	As directed	
All-Vent Syrup 125 ml	Terbutaline+Bromhexine+Guaifenesine	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**BORG** **Egypt**	10 - 15 ml orally tid	All-Vent Syrup 125 ml Mucolytic Expectorant Bronchodilator
ALLVIl Ampoules 50 amp	Chlorphenamine Maleate 20 mg	**Antihistamines** Common Cold نزلات البرد	**HUAYANG** **China**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	ALLVIL 20mg
Almaprazol S.R Capsules 14 caps	Esomeprazole 20 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**ALMA** **HOMS - Syria**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	Almaprazol S.R esomeprazol 20 ALMA
ALMIRAL Ampoules 10 amp	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئة الأوجاع	**unknown** **Unknown**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Almivudine HBV Tablets 10 tab.	Lamivudine 100 mg	**Antivirals** Hepatic Disorders اضطرابات الكبد	**Alpha** **Syria**	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	10 Tablets Lamivudine Tablets 100mg ALMIVUDINE HBV Alpha

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose** الجرعة	**Product Picture** **صورة الدواء**
AloeDent Mouth Wash	Aloe Vera	**Skin Disorders** Mouth Wash الغسولات الفموية	**Unknown** **Unknown**	As directed	AloeDent Triple Action
Alopron-100mg Tablet	allopurinol-100mg	**Hyperuricaemia** Gout النقرس	**REMEDICA** **Unknown**	100 to 300 up to 600 mg	Alopron 100
ALPANAX 20 Tablets 20 tablets	Alprazolam tablet 0.25mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**BALSAM** **Syria**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	ALPANAX 0.25 mg 20 Tablets
ALPHAFEN Tablets 10 tab	Ibuprofen	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**unknown** **Unknown**	Oral doses of400 mg to 1.2 g daily .	ALPHAFEN Ibuprofen 400 mg PIC
Alphafen Tablets 20 tab	Ibuprofen 600 mg	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Alphamoun** **Egypt**	Oral doses of400 mg to 1.2 g daily .	
Alphanova Suspension 10 ml	Brimonidine Tartrate 0.15%	**Ophthalmic drugs** Eye العين	**Orchidia Pharma** **Egypt**	brimonidine tartrate 0.1, 0.15 or 0.2% are instilled two or three times daily.	Alphanova Orchidia
Alphanova plus Suspension 10 ml	Brimonidine Tartrate 0.2% + Timolol 0.5%	**Ophthalmic drugs** Eye العين	**Orchidia Pharma** **Egypt**	brimonidine tartrate 0.1, 0.15 or 0.2% are instilled two or three times daily.	Alphanova plus Orchidia

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
ALPHATRIM FORTE Tablets 2strip*10tablet	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Alpha** **Syria**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	ALPHATRIM FORTE
Alpranax 0.25 Tablets 30 tablets	Alprazolam tablet 0.25mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Hayat pharma** **Unknown**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Alpranax 0.5 Tablets 30 tablets	Alprazolam tablet 0.5mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Hayat pharma** **Unknown**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Alpraz Tablets 28 Tablets	Alprazolam tablet 0.5mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Sothema** **Morocco**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	Alpraz 0.5 mg
Alprazolam Tablets 30 Tablets	Alprazolam tablet 0.5mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**YEDCO** **Yemen**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	Alprazolam
Alsin- 100 Tablets 30 tablet	Acetylsalicylic Acid tablet 100mg.	**Cardio Vascular System drugs** Thrombosis الجلطات	**CIPLA** **India**	a daily dose of aspirin in the range of 75 to 150 mg should be effective	Alsin-100 Cipla
ALTIAZEM Tablets 20 tab	Diltiazem HCl	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**EIPICO** **Egypt**	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
ALTIAZEM Tablets 50 tabs	Diltiazem Hydrochloride 60 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**MENARINI** **Italy**	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	
ALZENTAL Suspension 20 ml	Albendazole	**Anthelmentic** Common Worms الديدان الشائعة	**SHIN POONG** **Korea**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Amaryl 1mg Tablets 30 tab	Glimepiride 1mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Sanofi Aventis** **France**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Amaryl 2mg Tablets 30 tab	Glimepiride 2mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Sanofi Aventis** **France**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Amaryl 3m Tablets 30 tab	Glimepiride 3mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Sanofi Aventis** **France**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Amaryl M SR Tablets 30 tab	Glimepiride 2mg+Metformin 500mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Sanofi Aventis** **France**	As directed	
Ambrox Syrup 100 ml	Ambroxol 15 mg / 5 ml	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Shiba pharma** **Yemen**	5 ml by mouth, in 2 or 3 divided doses.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ambrox Tablets 20 Tablet	Ambroxol 30 mg / tab	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Shiba pharma** **Yemen**	5 ml by mouth, in 2 or 3 divided doses.	 Ambrox Ambroxol Hydrochloride 20 Tablets Active Bronchial Mucolytic Shiba Pharma
AMEBAZOLE Tablets 2 tab	Secnidazole 1 gm / tab	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**EGYPHAR** **Egypt**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	2 Tablets AMEBAZOLE Secnidazole 1 gm
Amika Ampoules 2m / amp	Amikacin Sulfate	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطيرة	**Unknown** **Unknown**	IM, IV. : Adults, children, older infants: 15 mg/kg in 2–3 divided doses, 7–10 days. Maximum: 15 mg/kg/d. Once daily dosing of amikacin has been advocated	
Amikacin 250 mg Vial 1box*10 vials	Amikacin Sulfate	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطيرة	**ILDONG** **Korea**	vial 500mg &250mg &125mg &100mg	250mg ILDONG Amikacin ILDONG PHARM.CO.,LTD.
Amikacin 500 mg Vial 1box*10vial (1vial 2 ml)	Amikacin Sulfate	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطيرة	**ILDONG** **Korea**	vial 500mg &250mg &125mg &100mg	ILDONG Amikacin 500mg
Amikacin Normon 125 mg Vial 2 ml	Amikacin Sulfate 62.5 mg / ml	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطيرة	**Normon** **Spain**	IM, IV. : Adults, children, older infants: 15 mg/kg in 2–3 divided doses, 7–10 days. Maximum: 15 mg/kg/d. Once daily dosing of amikacin has been advocated	AMIKACIN NORMON 125 mg 62.5 mg/ml
amikacin normon 500 mg Vial 2 ml	Amikacin Sulfate 250 mg / ml	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطيرة	**Normon** **Spain**	vial 500mg &250mg &125mg &100mg	VIAL OF 2 ml AMIKACIN NORMON 500 mg 250 mg/ml INJECTABLE FOR INTRAMUSCULAR OR INTRAVENOUS USE

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Amino 1000 Tablets 30 tab	Amino Acids	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Sentinel**	As directed	Sentinel Amino 1000 Predigested Amino Acids
Aminophylline Ampoules 100 amp X 10 ml	Aminophylline 25 mg/ml	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**Renaudin-france** **France**	16 mg/kg/daily	
Amiodarone Tablets Tablets 28 Tablet	Amidarone 200 mg / tablet	**Cardio Vascular System drugs** Arrhythmia عدم انتظام ضربات القلب	**Unknown** **Unknown**	200 mg three times daily for a week, then 200 mg twice daily for a week, and then a usual maintenance dosage of 200 mg or less daily,	Amiodarone Tablet 200 mg 28 Tablets
Amiram-25 Tablets 30 Tablet	Amitriptyline tablet 25 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**RAM PHARMA** **Jordan**	Oral, IM. : Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	 Amiram®-25 30 Tablets To be dispensed on medical prescription
Amlocard-5 Tablets 28 Tablets	Amlodipine	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**RAM PHARMA** **Jordan**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Amlocare Tablets 14 Tablet	Each tablet contains Amlodipine 5mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Pharmacare** **Yemen**	Oral only : Hypertension Adults: 2.5–10 mg/day. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
AMLODAK 10 Tablets 30 Tablet	Amlodipine 10 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**RFA** **Yemen**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	 AMLODAK® 10 Amlodipine 10 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
AMLODAK 5 Tablets 30 Tablet	Amlodipine 5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**RFA** **Yemen**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Amlo-Denk 5	Amlodipine 5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Denk Pharma** **Germany**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Amlodip Tablets	Amlodipine	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Amlodipine 10 mg 28 Tablet	Amlodipine	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ACTAVIS** **Unknown**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Amlodipine oubari Tablets 30 Tablet	Amlodipine	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**OUBARY PHARMA** **Syria**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Amlodura Tablets 30 Tablet	Amlodipine 5 mg / tab	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Shiba pharma** **Yemen**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Amlopin 5 Capsules 20 Tablet	Amlodipine	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Y.E.PHARMA** **Yemen**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Amlopres-5 Tablets 10 Tablet	Amlodipine	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**CIPLA** **India**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
AMOCLAN FORTE Suspension 100 ml	Amoxicillin 250 mg + Clavulanic Acid 62.5 mg = 312 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Hikma** **Jordan**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Amol Suppositoris 10 supp.	Paracetamol supp 250mg.	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Shaphaco** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Amol Tablets 20 tablets	Paracetamol 500mg.	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Shaphaco** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Amol Oral /Drops 15 ml	Paracetamol drops 100mg/ml.	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Shaphaco** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Amol Suspension 60 ml	Paracetamol syrup 120mg /5ml.	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Shaphaco** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Amol Syrup 60 ml	Paracetamol syrup 120mg /5ml.	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Shaphaco** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Amol Tablets 200 tablets.	Paracetamol tablet 500mg .	**NSAID** Antipyretic - Analgesic مهدئة الأوجاع والحمى	**Shaphaco** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Amol Paracetamol Analgesic - Antipyretic
Amol -6 plus Syrup 100ml	Paracetamol syrup 250mg /5ml.	**NSAID** Antipyretic - Analgesic مهدئة الأوجاع والحمى	**Shaphaco** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	100 ml Amol Analgesic - Antipyretic
Amol Cold Flu Tablets 20 Tablets	Pseudoephedrine +Paracetamol+Chloraphiniramine	**Respiratory drugs** Common Cold نزلات البرد	**Shaphaco** **Yemen**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	Cold & Flu Amol Powerful relief from Cold & Flu Symptoms Gentle on The Stomach
Amol-Cold&Flu Tablets 20 tablets	Paracetamol 500mg + Pseudoephedrine 30mg + Diphenhydramin 25mg per tablet.	**NSAID** Antipyretic - Analgesic مهدئة الأوجاع والحمى	**Shaphaco** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Cold & Flu Amol Powerful relief from Cold & Flu Symptoms Gentle on The Stomach
Amol-EXTRA Tablets 200 tablets.	Paracetamol tablet 500+65 caffine/tablet.	**NSAID** Antipyretic - Analgesic مهدئة الأوجاع والحمى	**Shaphaco** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Amol Extra Fast Effective Pain Relief
Amoxacin Dry syrup 100ml	Amoxicillin 250 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shiba pharma** **Yemen**	125 to 250 mg every 8 hours	Amoxacin 250 mg/5ml Antibiotic 100 ml Powder for oral suspension Shiba Pharma
Amoxacin Capsules 20 Cap	Amoxicillin 500 mg / cap	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shiba pharma** **Yemen**	250 - 1000 mg three times daily	Amoxacin 500 Amoxicillin 20 Capsules Broad spectrum antibiotic Shiba

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Amoxacin Syrup 100 ml	Amoxicillin 125 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shiba pharma** **Yemen**	125 to 250 mg every 8 hours	
AMOXICAP 500 Capsules 100 capsule	Amoxicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Hovid** **Malaysia**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Amoxicillin capsules 10strip*10capsules	Amoxicillin 500 mg / capsule	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Korea United Pharma** **Korea**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Amoxicillin Capsules 20 capsule	Amoxicillin 500 mg / cap	**Antibiotics** الأصابات الميكروبية Microbial Infections	**LABORATE** **India**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Amoxicillin Suspension 100 ml	Amoxicillin 125 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Ipca**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Amoxicillin Tablets 10 strip*10 tab	Amoxicillin 250 mg / tab	**Antibiotics** الأصابات الميكروبية Microbial Infections	**MICRO** **India**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Amoxicillin Tablets 10 x 10 tab	Amoxicillin 250 mg / tab	**Antibiotics** الأصابات الميكروبية Microbial Infections	**MILAN** **India**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Amoxicillin - 500 Capsules 20strip*10capsules	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**YEDCO** **Yemen**	250 - 1000 mg three times daily	أموكسيسللين - ٥٠٠
Amoxicillin Fort Suspension 100 ml	Amoxicillin 250 mg /5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**YEDCO** **Yemen**	125 to 250 mg every 8 hours	Amoxicillin Forte
Amoxidrex Dry Suspension 1bottel*100ml	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Phamadex** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Amoxil Capsules 10strip*10capsules	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**gsk glaxosmithkline** **UK**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Amoxil Powder for Syrup 100 ml	Amoxicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**gsk glaxosmithkline** **UK**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	Amoxil™ 125 mg/5 ml
Amoxil Fort Dry Syrup 1bottel*100ml	Amoxicillin 250 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**gsk glaxosmithkline** **UK**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	Amoxil™ Forte
Amoxitop Capsules 20 cap	Amoxicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Y.E.PHARMA** **Yemen**	250 - 1000 mg three times daily	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
AMPAVIT Ampoules 10 amp of 1 ml	Vitamin B Substances	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**ANB Laboratories CO LTD** **Thailand**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampicillin Vial 10 vial	Ampicillin 1 gm	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Vitalis** **USA**	Oral, IV, IM.: Adults PO 500 mg q6h. Children >20 kg: PO 250 mg q6h. Children <20 kg: PO 50 mg/kg/d in divided doses q6–8h. Children >40 kg: IV, IM 250–	
Ampicillin Capsules 20 cap	Ampicillin 500 mg / cap	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	Adults : 1 - 2 Capsule four times daily.	
Ampicillin Syrup 100 ml	Ampicillin 250 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	125 to 250 mg every 6 hours	
Ampiluxe 500 Capsules 100 cap	Ampicillin + Cloxacillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**ALPHA** **Syria**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Ampixol - 500 Capsules 200 cap	Ampicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**YEDCO** **Yemen**	Adults : 1 - 2 Capsule four times daily.	
AMPY Powder for Suspension 80 ML	Ampicillin 250mg/5ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	125 to 250 mg every 6 hours	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
AMPY Capsules 20 caps	ampicillin500 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	Adults : 1 - 2 Capsule four times daily.	AMPY Ampicillin 500 mg Broad Spectrum Antibiotic
AMPY C Powder for Suspension 80 ML	ampicillin 125 mg/cloxacillin 125 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	Children 2 – 10 years : 5 ml -10 ml four times daily. Children under 2 years : 2.5 ml - 5 ml four times daily.	
AMPY C Capsules 100 caps	ampicillin500 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	Adults : 1 - 2 Capsule four times daily.	AMPY C Ampicillin and Cloxacillin 500 mg Broad Spectrum Antibiotic
Amri-k Amp Ampoules 5 Ampoules of 1ml	Vit k (phytomenadion) 10mg	**Vitamines and Menirals** Haemorrhage النزيف	**AMRIYA PHARMA** **Egypt**	0.5 to 5 mg by slow intravenous injection or up to 5 mg orally	Amri-K Haemostatic
Amritrim Suspension 1bottel*100ml	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**AMRIYA PHARMA** **Egypt**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	100 ml SUSPENSION AMRITRIM
Amrizole 500 Tablets 20 Tablet	Metronidazole 500 mg / tab	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**AMRIYA PHARMA** **Egypt**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	Amrizole 500 20 tablets
Amrizole 250 Tablets 20 Film coated tablets	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**AMRIYA PHARMA** **Egypt**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	Amrizole Metronidazole 250 mg Antiprotozoal - Anaerobicidal 20 Film coated tablets

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Amrizole suspension	Suspension	120 ml	Benzoyl metronidazole 200 mg / 5 ml	**Antiprtozoal**	Amoebiasis , Gardiasis جارديا واميبيا	**AMRIYA PHARMA**	**Egypt**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	Oral suspension Amrizole Benzoyl metronidazole
AMRIZYME	Capsules	20 cap	Unknown	**Gastro Intestinal drugs**	Indigestion سوء الهضم	**AMRIYA PHARMA**	**Egypt**	As directed	AMRIZYME 20 CAPSULES AMRIT MEDICAL LAB. ALEPPO-SYRIA
Amrystar	Tablets	30 Tablet	Glimepiride 1 mg / tablet	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Shiba pharma**	**Yemen**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	Amrystar® 1mg Glimepiride Oral Hypoglycemic Shiba Pharma
Amrystar	Tablets	30 Tablet	Glimepiride 2 mg / tablet	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Shiba pharma**	**Yemen**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	Amrystar® 2mg Glimepiride Oral Hypoglycemic Shiba Pharma
Amrystar	Tablets	30 Tablet	Glimepiride 3 mg / tablet	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Shiba pharma**	**Yemen**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	Amrystar® 3mg Glimepiride Oral Hypoglycemic Shiba Pharma
Amtil	Tablets	30 F.C.Tablet	Amitriptyline 25 mg / tablet	**Central Nervous system drugs**	Mental Disorders الأمراض العقلية	**Shiba pharma**	**Yemen**	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	Amtil® 30 f.c Tablets Amitriptyline HCl 25mg Shiba Pharma
AMYN-500	Capsules	10 strip*10 Capsules	Amoxicillin*	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**Kopran**	**India**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	AMYN-500 AMOXICILLIN CAPSULES BP 500mg

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Anafranil			Clomipramine Hydrochloride	**Central Nervous system drugs**	Mental Disorders الأمراض العقلية	**NOVARTIS**	**Switzerland**	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	Anafranil SR 75 NOVARTIS
Anafranil SR	Divitabs	20 Divitabs	Clomipramine Hydrochloride 75 mg	**Central Nervous system drugs**	Mental Disorders الأمراض العقلية	**NOVARTIS**	**Switzerland**	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	Anafranil SR 75 NOVARTIS
ANALCAM	Tablets	10 tablets.	Tenoxicam tablet 20mg	**Nonsteroidal Anti-**	Analgesic مهدئات الأوجاع	**Duopharma**	**Malaysia**	maximum dose 20 mg one time daily (for two weeks only)	ANALCAM tablet 20mg 1 x 10's
Analpan	Ampoules	20 ampoules	Diclofenac Sodium ampoule 75mg/3ml.	**Nonsteroidal Anti-**	Analgesic مهدئات الأوجاع	**DUO pharma**	**Unknown**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Anaplate-75mg	Tablets	20 tablet	dipyridamole	**Cardio Vascular System drugs**	Thrombosis الجلطات	**SEDICO**	**Egypt**	ADULTS: PO 1 capsule (200 mg extended-release dipyridamole/25 mg aspirin) bid, 1 in morning and 1 in evening. Do not crush or chew.	Anaplate 75
Anax-0.25	Tablets	30 Tablet	Alprazolam 0,25	**Central Nervous system drugs**	Anxiety, Insumnea الأرق والقلق	**RFA**	**Yemen**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	30 Tablets ANAX-0.25 Alprazolam 0.25mg RFA
Anax-0.5	Tablets	30 Tablet	Alprazolam 0,5	**Central Nervous system drugs**	Anxiety, Insumnea الأرق والقلق	**RFA**	**Yemen**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	30 Tablets ANAX-0.5 Alprazolam 0.5mg RFA

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Anax-1 Tablets 30 Tablet	Alprazolam	**Central Nervous system drugs** Anxiety, Insumnea الأرق و القلق	**RFA** **Yemen**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Anazol Suspension 120ml	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا و اميبيا	**JPI** **Saudi Arabia**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
ANAZOL 500 Tablets 20 TAB	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا و اميبيا	**JPI** **Saudi Arabia**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
ANDRIOL Capsules 10 cap	testosterone	**Hormones** Sex Hormones هرمونات جنسية	**ORGANON - MSD** **Unknown**	by mouth in an initial dose of 120 to 160 mg daily for 2 to 3 weeks, f maintenance dose of 40 to 120 mg daily. intramuscular injection as oily solution at a dose of 1 g every	
angiotec 10 Tablets 30 tab	Enalapril 10 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**JPM** **Jordan**	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Angiotec 5 Tablets 30 tablet	Enalapril 5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**JPM** **Jordan**	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
ANGIOZIDE Tablets 20 TAB	Enalapril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**JPM** **Jordan**	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Angised Tablets 100	Glyceryl Trinitrate 0.5 mg	**Cardio Vascular System drugs** Angina الذبحة الصدرية	**gsk glaxosmithkline** **UK**	One sublingual tablet (usual strength 300 to 600 micrograms) is placed under the tongue. ,for total of 3 doses within 15 minutes.	
Anikef 750 mg Parentral inj 1vial	Ceftriaxone Sodium 750 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Anolip Vial 1 Vial 10ml	Amphotericin B Lipid Complex Inj 50mg/10ml	**Antifungals** Dermatitis الألتهابات الجلدلية	**Samarth pharma** **Unknown**	IV, intrathecal, topical.: Adults: Initial: IV 0.25 mg/kg q2–6h. Maintenance: IV 0.25–1 mg/kg/d. Infants, children: Initial: IV 0.25 mg/kg/d. Maintenance: IV 0.25–1	
Anopil Ointment 25 gm	Herbal extract	**Antihaemorrhages** Haemorrhoids البواسير	**Unknown** **Unknown**	As directed	
anso3 Solid	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Blue BioTech Int.Germany** **Unknown**	As directed	
ANTI-AGE	Vitamine A, C, E, Selenium + Zinc + Beta _ Carotene	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**JUVAMINE** **France**	As directed	
Anticox II Ampoules 3 amp	Meloxicam 15 mg	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**ADWIA** **Egypt**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Anti-Cox II Capsules 10 cap	Meloxicam	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**ADWIA** **Egypt**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Anti-coxII 15 Ampoules 3 ampoules.	Meloxicam 15mg/ampoule.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**ADWIA** **Egypt**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Antinal Capsules 12 caps	nifuroxazide	**Gastro Intestinal drugs** Diarrhea الأسهال	**AMOUN** **Egypt**	* tabs = q I d * syrup = less two months 5 ml bid 2-12 months tid more 1 years = q I d	
Antinal Suspension 200 ml for bottle	nifuroxazide	**Gastro Intestinal drugs** Diarrhea الأسهال	**AMOUN** **Egypt**	* tabs = q I d * syrup = less two months 5 ml bid 2-12 months tid more 1 years = q I d	
Apidone Syrup 125 ml	Chlorphenamine Maleate 2 mg + Dexamethasone 0.5 mg	**Antihistamines** Common Cold نزلات البرد	**AMOUN** **Egypt**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
APIFORTYL Capsules 30 capsules	Vit. A 2000 I.U.Vit.B1-Nitrate 2 mg. Vit. B2 1 mg. Vit. B6 1 mg. Vit. B12 1 µg. Folic Acid 0.1	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**OCTOBER PHARMA** **Egypt**	As directed	
Apilox Syrup 100 ml	Ampicillin 125 mg + Cloxacillin 125 mg.	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Pharmacare** **Yemen**	Children 2 – 10 years : 5 ml -10 ml four times daily. Children under 2 years : 2.5 ml - 5 ml four times daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Apilox Capsules 20 cap	Ampicillin 250 mg + Cloxacillin 250 mg.	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Pharmacare** **Yemen**	Adults : 1 - 2 Capsule four times daily.	APILOX Ampicillin 250mg Cloxacillin 250mg 20 capsules Broad spectrum bactericidal Pharmacare
APISULFA-10 Eye drops 10 ml	Sulfabenzamide	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	As directed	APISULFA-10
Apitofen Syrup 100 ml	Pizotifen 0.25 mg / 5 ml	**Antihistamines** Appetizer Stimulant منشطات الشهية	**Shaphaco** **Yemen**	1.5 mg daily by mouth either in three divided doses or as a single dose at night	Apitofen® Syrup Alcohol-Free
Apitofen Tablets 20 tabs	Pizotifen 0.5 mg	**Antihistamines** Appetizer Stimulant منشطات الشهية	**Shaphaco** **Yemen**	1.5 mg daily by mouth either in three divided doses or as a single dose at night	Apitofen® 0.5 mg Pizotifen 20 filmcoated Tablets
Apperize Syrup 100 ml	Cyproheptadine Hydrochloride 2 mg / 5 ml	**Antihistamines** Appetizer Stimulant منشطات الشهية	**Pharmacare** **Yemen**	Children: (2-6yrs) : One teaspoonful two to three times daily, Children (over 6 yrs) & adults: 2 teaspoonfuls 2 to 3 times daily	Pharmacare
APPETON Tablets 60 chewable tablets	multivitamin with lysine	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**cotra pharma, malaysia** **Malaysia**	As directed	APPETON MULTIVITAMIN LYSINE
APPETON Oral /Drops 30 ml	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Unknown** **Unknown**	As directed	APPETON INFANT DROPS

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Apple-Lite	Tablets	30 tab	Herbal extract	**Gastro Intestinal drugs**	Appetite Suppressant سادات الشهية	**MEPACO**	**Egypt**	As directed	Apple-Lite Natural Appetite Suppressant
Aprazol	Capsules	14 caps	Lansoprazole	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**Bilim**	**Turkey**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	ANTIULCER Aprazol
Aquamarine	Capsules	60 capsules	Omega-3 Fish Oil 540 mg+Cod Liver Oil 540 mg+ EPA 116 mg + DHA 106 mg Vitami D (as	**Vitamines and Menirals**	Hyperlipidaemias زيادة الدهون في الدم	**VITABIOTICS**	**Unknown**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	VITABIOTICS AquaMarine 2 in 1 Omega-3 Oil Cod Liver Oil
Aquamarine	Syrup	250 ml	Omega 4.52 +cod liver oil 4.52 + DHA 878mg+EPA 968mg + VIT. A 200mcg+ vit. E	**Vitamines and Menirals**	Hyperlipidaemias زيادة الدهون في الدم	**VITABIOTICS**	**Unknown**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	VITABIOTICS AquaMarine 2 in 1 Omega-3 Cod Liver Oil
Aquax	Cream	150 gm	unkown	**Skin Disorders**	Dermatitis الألتهابات الجلدية	**Unknown**	**Unknown**	As directed	
ARCOXIA 120 mg			Etoricoxib	**Nonsteroidal Anti-**	Osteoarthritis التهابات العظام	**MSD**	**USA**	Oraly : In osteoarthritis 60 mg once daily, inrheumatoid arthritis 90 mg once daily, in gouty arthritis120 mg once daily .	ARCOXIA 120 mg Tablets 7 Tablets MSD
ARCOXIA 60 mg			Etoricoxib	**Nonsteroidal Anti-**	Osteoarthritis التهابات العظام	**MSD**	**USA**	Oraly : In osteoarthritis 60 mg once daily, inrheumatoid arthritis 90 mg once daily, in gouty arthritis120 mg once daily .	ARCOXIA 60 mg Tablets 14 Tablets MSD

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Arcoxia 90 mg Tablets 14 tablets	Etoricoxib tablet 90mg.	**Nonsteroidal Anti-** Osteoarthritis التهابات العظام	**MSD** **USA**	Oraly : In osteoarthritis 60 mg once daily, inrheumatoid arthritis 90 mg once daily, in gouty arthritis120 mg once daily .	
ARTADIN Tablets 10 tab	Loratadine	**Antihistamines** Allergy الحساسية	**KP** **Korea**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
ArteCare 80 mg Ampoules 80 mg / ml	Artemether	**Antimalarial medicines** Malaria الملاريا	**Unknown** **Unknown**	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
ARTEFAN KIT Tablets 3 tabs+6 tabs	malicur tablat contain- Sulfadoxine 500 mg + Pyrimethamine 25 mg +artefan	**Antimalarial medicines** Malaria الملاريا	**RFA** **Yemen**	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
ARTHRELLA Ointment	unkown	**Unknown** Unknown	**Unknown** **Unknown**	As directed	
Arthri-Flex	Glucosamine + Chondrotin	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Unknown** **Unknown**	As directed	
Artosine 100 Tablets 6+3 tab	Sulfadoxine 500 mg + Pyrimethamine 25 mg + artesunate 100 mg	**Antimalarial medicines** Malaria الملاريا	**Shaphaco** **Yemen**	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Artosine 50 Tablets 6+2 tab	Sulfadoxine 500 mg + Pyrimethamine 25 mg + artesunate 50 mg	**Antimalarial medicines** Malaria الملاريا	**Shaphaco** **Yemen**	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	Artosine 50mg Antimalarial
Artrofen gel Gel 50 gm	Ketoprofen	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Artrofen gel Tablets 30 tab	Ketoprofen 100 ng /tab	**NSAID** Analgesic مهدئات الأوجاع	**Global Pharma** **Yemen**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	Profast 100 Analgesic for acute pain GLOBAL PHARMA Co.
ASCAZIL Suspension 10ml	Albendazole	**Anthelmentic** Common Worms الديدان الشائعة	**ALSHAHBA** **Syria**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	 Suspension ASCAZIL
Ascorbic acid Sachets 10 sheats.	Vitamin c 1000mg/sheat.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**SEDICO** **Egypt**	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	Vitamin C-SEDICO EFF. INSTANT SEDICO Pharmaceutical Co.
Ascoril Syrup 100 ml	Each 10 ml contains 2 mg salbutamol + 4 mg bromhexine BP + 100 mg guaifenesin USP	**Respiratory drugs** Common Cold نزلات البرد	**Unknown** **Unknown**	As directed	Ascoril Expectorant Ascoril
ASEEL Tablets 4 tab	Tadalafil 20 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Global Pharma** **Yemen**	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	Aseel Tablets 20 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
ASEPRON Tablets 60 tab	Acetylsalicylic acid	**Cardio Vascular System drugs** Thrombosis الجلطات	**Unknown** **Unknown**	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Asist Ampoules 10 Amp	Acetylcysteine 300 mg	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Unknown** **Syria**	100- 200 mg two times daily	ASIST Mucolytic
Aspicot-100 Tablets 30 enteric coated tablets	Acetylsalicylic Acid tablet 100mg.	**Cardio Vascular System drugs** Thrombosis الجلطات	**Shaphaco** **Yemen**	a daily dose of aspirin in the range of 75 to 150 mg should be effective	ASPICOT 100
Aspicot-300 Tablets 30 enteric caoted tablets	Acetylsalicylic Acid 300mg.	**NSAID** Analgesic مهدئ الأوجاع	**Shaphaco** **Yemen**	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours . The dose as suppositories is 600 to 900 mg every 4 hours to a maximum of	ASPICOT 300
Aspicot-75 Tablets 30 enteric coated tablets	Acetylsalicylic Acid 75mg.	**Cardio Vascular System drugs** Thrombosis الجلطات	**Shaphaco** **Yemen**	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Aspin-100 Tablets 30 tablets.	Acetylsalicylic Acid 100mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**CIPLA** **India**	a daily dose of aspirin in the range of 75 to 150 mg should be effective	Aspin-100 Cipla
Aspin-100mg Tablets 30 Entric Coated Tablets	Acetylsalicylic Acid tablet 100mg.	**Cardio Vascular System drugs** Thrombosis الجلطات	**CIPLA** **India**	a daily dose of aspirin in the range of 75 to 150 mg should be effective	Aspin-100 Cipla

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Aspirem 75 Tablets 56 E.C.T	Acetylsalicylic acid	**Cardio Vascular System drugs** Thrombosis الجلطات	**Unknown** **Unknown**	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Aspirin Tablets 56 E.C.T	Acetylsalicylic acid 75 mg / tab	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Unknown** **Unknown**	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
ASPIRIN Tablets 20 tablet for children	Acetylsalicylic acid 100 mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**BAYER** **Germany**	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
ASPIRIN Tablets 30 Enteric Coated Tablets	Acetylsalicylic Acid 81 mg / tablet	**Cardio Vascular System drugs** Thrombosis الجلطات	**Shiba pharma** **Yemen**	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Aspirin 300mg Tablets 16tablet	Acetylsalicylic acid 300mg	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**UK** **Unknown**	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
ASPIRIN 75 Tablets 20 tablet	Acetylsalicylic acid 75mg / Tab	**Cardio Vascular System drugs** Thrombosis الجلطات	**Modern Pharama** **Yemen**	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
ASPIRIN protect Tablets 20 tablet	(aspirin protect 100mg) active ingredient acetylsalicylic acid+thrombocyte aggregation	**Cardio Vascular System drugs** Thrombosis الجلطات	**BAYER** **Germany**	a daily dose of aspirin in the range of 75 to 150 mg should be effective	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
ASPIRIN-C Tablets	Acetylsalicylic acid	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Unknown** **Unknown**	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
Aspirine-C Tablets (10 tab/strip) 2	Acetylsalicylic Acid + vit.c effer.tablet.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**BAYER** **Germany**	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
ASPO CID Tablets 30 tab	Pediatric Chewable tablets	**Unknown** Unknown	**CID** **Egypt**	As directed	ASPO CID PAEDIATRIC
Asthalin Inhaler Inhaler 200 metred doses	Salbutamol 200 mcg metered doses	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	2 -4 mg / or 2 buffs *qid	Salbutamol Pressurised Inhalation BP Asthalin Inhaler 200 Cipla
Asthalin Inhaler solution Inhaler 15 ml	Salbutamol	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	2 -4 mg / or 2 buffs *qid	Asthalin Cipla
Asthalin Respules Respules/inh 10 X 2.5 ml	Salbutamol	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	2 -4 mg / or 2 buffs *qid	Asthalin Respules Cipla
Asthalin Rotacaps Rotacaps 200 mcg	Salbutamol	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	2 -4 mg / or 2 buffs *qid	 Salbutamol Sulphate Rotacap 200 mcg Asthalin Rotacaps Cipla

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Asthalin-4 Tablets 10X 10 tab	Salbutamol 4 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	2 -4 mg / or 2 buffs *qid	10 x 10 Tablets Salbutamol Sulphate Tablet IP 4 mg Asthalin-4 Tablet Cipla
ASTOMED Syrup 100 ml	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**MEDICO LABS** **Syria**	adult dose 1-2 mg/bid or pead. 1 mg /bid	ASTOMED Ketotifen
Asu-Denk Tablets 3 tab / Sigle dose	500 mg Sulfamethoxypyridazine +25 mg Pyrimethamine +Artesunate 200 mg	**Antimalarial medicines** Malaria الملاريا	**Denk Pharma** **Germany**	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	Asu-Denk fixed dose
Atacand 8 Tablets 28 tab	Candesartan Cilexetil 8 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Unknown**	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	Atacand 8 mg
Atarax Syrup 200 ml	Hydroxyzine Syrup 10mg/5ml	**Antihistamines** Allergy الحساسية	**UCB** **Unknown**	Adult :25 to 100 mg four times daily , Children : 2.5 mg/kg daily	Atarax Hydroxyzine hydrochloride syrup 200 ml
Atarax 10 mg Tablets 25 tab	Hydroxyzine HCL	**Antihistamines** Allergy الحساسية	**UCB** **Unknown**	Adult :25 to 100 mg four times daily , Children : 2.5 mg/kg daily	Atarax 10 mg
Atarax-25 Tablets 25 tablets	Hydroxyzine tablet 25mg	**Antihistamines** Allergy الحساسية	**UCB** **Unknown**	Adult :25 to 100 mg four times daily , Children : 2.5 mg/kg daily	 Atarax 25 mg Hydroxyzine hydrochloride ucb 25 film-coated tablets

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
ATENO 100 mg Tablets 20 f.c.t	Atenolol 100 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**EIPICO** **Egypt**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	ATENO Atenolol 100 mg
ATENO 50 mg Tablets 20 f.c.t	Atenolol 50 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**EIPICO** **Egypt**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	ATENO Atenolol 50 mg
Atenolo denk 50	Atenolol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	Atenolol Denk 50
ATENOLOL 50 mg Tablets 14 tab	Atenolol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**KAHIRA PHARM** **Egypt**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	ATENOLOL 50 mg
Atenolol Denk 50 Tablets 100 c.t	Atenolol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Denk Pharma** **Germany**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	Atenolol Denk 50
Atenolol-100 Tablets 30 tab	Atenolol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**BALSAM** **Syria**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	ATENOLOL - 100
ATEROZ Tablets 30 f.t	Atorvastatin Calcium 20 mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Bilim** **Turkey**	Oral only.: ADULTS: PO 10 to 80 mg/day.	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
ATEROZ-10mg Tablets 30 film coated tablet	Atorvastatin10mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Bilim** **Turkey**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
ATEROZ-20mg tablet 30film tablet	atorvastatin20mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Bilim** **Turkey**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
ATOR Tablets 10 tab	Atorvastatin (as atorvastatin calcium).........10, 20 or 40 mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**EIPICO** **Egypt**	Oral only.: ADULTS: PO 10 to 80 mg/day.	ATOR Atorvastatin 20 mg 30 F.C. tablets
ATOR Tablets 10 tab	Atorvastatin (as atorvastatin calcium). 40 mg / tab	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**EIPICO** **Egypt**	Oral only.: ADULTS: PO 10 to 80 mg/day.	ATOR Atorvastatin 40 mg 30 F.C. tablets
ATOR Tablets 10 tab	Atorvastatin (as atorvastatin calcium). 10 mg / tab	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**EIPICO** **Egypt**	Oral only.: ADULTS: PO 10 to 80 mg/day.	ATOR Atorvastatin 10 mg EIPICO 7 TABLETS
Atoris Tablets 30 tab	Atorvastatin (as atorvastatin calcium). 40 mg / tab	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**KRKA** **India**	Oral only.: ADULTS: PO 10 to 80 mg/day.	Atoris 40 mg film-coated tablets 30 film-coated tablets KRKA
Atoris Tablets 30 tab	Atorvastatin (as atorvastatin calcium). 10 mg / tab	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**KRKA** **India**	Oral only.: ADULTS: PO 10 to 80 mg/day.	Atoris 10 mg film-coated tablets 30 film-coated tablets KRKA

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Atoris Tablets 30 tab	Atorvastatin (as atorvastatin calcium). 20 mg / tab	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**KRKA** **India**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Atorlip-10 Tablets 3*10 tablet	atorvastatin10mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**CIPLA** **India**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Atorlip-20 Tablets 3 x 10 tab	Atorvastatin Calcium 20 mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**CIPLA** **India**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
atorlip-40mg Tablets 10 tablet	atorvastatin40mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**CIPLA** **India**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Atorva 10 Tablets 30 tab	Atorvastatin Calcium	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Modern Pharama** **Yemen**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Atorva Plus Tablets 30 tab	Atorvastatin Calcium 10 mg + Ezetimibe 10 mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Modern Pharama** **Yemen**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Atorva-20mg Tablets 30 film coated tablet	atorvastatin20mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Modern Pharama** **Yemen**	Oral only.: ADULTS: PO 10 to 80 mg/day.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Atorvast 20 Caplets 30 caplets	Atorvastatin Calcium	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**JOSWE** **Jordan**	Oral only.: ADULTS: PO 10 to 80 mg/day.	Atorvast 20
atorvast-20mg caplet 30film coated caplet	atorvastatin20mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**JOSWE** **Jordan**	Oral only.: ADULTS: PO 10 to 80 mg/day.	Atorvast 20
atorvex-20mg tablet 30film coated tablet	atorvastatin20mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**ASIA** **Syria**	Oral only.: ADULTS: PO 10 to 80 mg/day.	Atorvex 20 mg
Atorvist-10mg Tablets 30 film coated tablet	Atorvastatin10 mg / tablet	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Shiba pharma** **Yemen**	Oral only.: ADULTS: PO 10 to 80 mg/day.	Atrovist 10 mg Lipid lowering agent Shiba Pharma
Atorvist-20mg Tablets 30 film coated tablet	Atorvastatin 20 mg / tablet	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Shiba pharma** **Yemen**	Oral only.: ADULTS: PO 10 to 80 mg/day.	Atrovist 20 mg Lipid lowering agent Shiba Pharma
Atraprim DS Tablets 10 Strip*10 Tablets	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	ATRAPRIM DS
Atropine sulphate Ampoules 1mg / ml(ampoule)	Atropine	**Central Nervous system drugs** Anaesthetics General التخدير العام	**MISR** **Egypt**	IV, IM, SC, oral, topical (ophthalmic). Adults: PO, 0.3–1.2 mg q 4–6 hr. Children 29.5–41 kg: PO 0.4 mg q4–6h. Children 3.2–7.3 kg: PO 0.1 mg q4–6h.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Atrovist 10 mg Tablets 30 tablet	Atorvastatin 10 mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Shiba pharma** **Yemen**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Atrovist 20 mg Tablets 30 tablet	Atorvastatin 20 mg / tablet	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Shiba pharma** **Yemen**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Atrovist 40 mg Tablets 10 tablet	Atorvastatin 40 mg / tablet	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Shiba pharma** **Yemen**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Augma 325 mg Tablets 20 tablet	Amoxicillin 200 mg + Clavulanate Potassium 125 mg = 325 mg / tablet	**Antibiotics** الأصابات الميكروبية Microbial Infections	**YEDCO** **Yemen**	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Augma 625 mg Tablets 20 tablet	Amoxicillin 500 mg + Clavulanate Potassium 125 mg = 625 mg / tablet	**Antibiotics** الأصابات الميكروبية Microbial Infections	**YEDCO** **Yemen**	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Augmaclav 1000 Tablets 15 tabs	Amoxicillin 875 mg +Clavulanate Potassium 125mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global Pharma** **Yemen**	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Augmaclav 156 Powder for Suspension 100 ml	Amoxicillin + Clavulanate Potassium 156 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global Pharma** **Yemen**	125 to 250 mg every 8 hours	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
Augmaclav 312 Powder for Suspension 100 ml	Amoxicillin + Clavulanate Potassium 312 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global Pharma** **Yemen**	125 to 250 mg every 8 hours	
Augmaclav 62.5 powder for infant drops 20 ml	Amoxicillin + Clavulanate Potassium 62.5 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global Pharma** **Yemen**	125 to 250 mg every 8 hours	
Augmaclav 625 Tablets 20 tabs	Amoxicillin 500 mg +Clavulanate Potassium 125mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global Pharma** **Yemen**	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
AUGMEN Dry Syrup 80 ml	(Amoxicillin + clavulanate acid 457 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	125 to 250 mg every 8 hours	
AUGMEN Dry Syrup 100 ml	Amoxicillin 125 mg +Clavulanate Potassium 31mg = 156 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	125 to 250 mg every 8 hours	
AUGMEN Infant Drops 20 ml	Amoxycillin 50 mg + Clavulanic acid 12.5 mg = 62.5 mg / ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	125 to 250 mg every 8 hours	
Augmen 1000 mg Tablets 3strip*5tablet	Amoxicillin 875 mg + Clavulanate Potassium 125 mg = 1000 mg / tablet	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	250 - 1000 mg three times daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Augmentin 1 gm Tablet 2strip*7tablet	Amoxicillin 875 mg + Clavulanate Potassium 125 mg = 1000 mg / tablet	**Antibiotics** الأصابات الميكروبية Microbial Infections	**gsk glaxosmithkline** **UK**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Augmentin 625 mg Tablets 2strip*10tablet	Amoxicillin/Clavulanate Potassium	**Antibiotics** الأصابات الميكروبية Microbial Infections	**gsk glaxosmithkline** **UK**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	Augmentin 20 tablets 625 mg
AUGMITOP drops 15 ml	Amoxicillin 500 mg + Clavulanate Potassium 125 mg = 625 mg / tablet	**Respiratory drugs** Common Cold نزلات البرد	**Global Pharma** **Yemen**	125 to 250 mg every 8 hours	Guafine Oral Pediatric Drops Antitussive 15 ml
AUGMITOP Tablets 20 tablet	Amoxicillin 500 mg + Clavulanate Potassium 125 mg = 625 mg / tablet	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Y.E.PHARMA** **Yemen**	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	AUGMITOP 625
Augmoks Powder for Suspension 100 ml	156 mg / 5 ml Amoxicillin 125 mg +Clavulanate Potassium 31.25mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shaphaco** **Yemen**	125 to 250 mg every 8 hours	
Augmoks Powder for Suspension 100 ml	312 mg / 5 ml Amoxicillin 250 mg +Clavulanate Potassium 62.5 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shaphaco** **Yemen**	125 to 250 mg every 8 hours	
Augmoks Oral /Drops 20 ml	62.5 mg / 1 ml Amoxicillin 50 mg +Clavulanate Potassium 12.5 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shaphaco** **Yemen**	125 to 250 mg every 8 hours	Augmoks 62.5mg/1ml

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Augmoks 1 gm Tablets 14 tabs	Amoxicillin 875 mg +Clavulanate Potassium 125mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shaphaco** **Yemen**	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Augmoks 625 mg Tablets 20 tabs	Amoxicillin 500 mg +Clavulanate Potassium 125mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shaphaco** **Yemen**	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Augmorix Suspension 100 ml	Amoxicillin 125 mg +Clavulanate Potassium 31mg = 156 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shiba pharma** **Yemen**	Children up to 10 years 125 to 250 mg every 8 hours or Three times daily	
Augmorix Suspension 100 ml	Amoxicillin 250 mg + Clavulanate Potassium 62 = 312 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shiba pharma** **Yemen**	Children up to 10 years 125 to 250 mg every 8 hours or Three times daily	
Augmorix Tablets 20 tablet	Amoxicillin 500 mg + Clavulanate Potassium 125 mg = 625 mg / tablet	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shiba pharma** **Yemen**	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Augmorix 1 gm Tablets 14 tablet	Amoxicillin 875 mg + Clavulanate Potassium 125 mg = 1000 mg / tablet	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shiba pharma** **Yemen**	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Auropodox 200	Cefpodoxime Proxetil	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Aurobindo** **Unknown**	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Auroxone Ampoules 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Aurobindo** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	 AUROXONE 250 Ceftriaxone for Injection USP 250 mg
Auxime Ampoules 1 ampoule	Cefotaxime Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Aurobindo** **Unknown**	vial 1000mg & 500mg & 250mg	 AUXIME 1000 Cefotaxime for Injection USP 1000 mg
Avalox Tablet 1strip*5tablet	Moxifloxacin HCl	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**BAYER** **Unknown**	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
Avazir Suspension 10 ml	Tobramycin 0.3%	**Antibiotics** Eye العين	**Orchidia Pharma** **Egypt**	As directed	
AVIFLOX 200 Tablets 10 tabs	Ofloxacin 200 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	tab 400mg & 200mg	10 Tablets AVIFLOX 200 Ofloxacin 200mg
AVIFLOX 400 Tablets 10 tab	Ofloxacin400 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**RFA** **Yemen**	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	10 Tablets Ofloxacin 400mg AVIFLOX 400
AVOCAINE DPRAY Spray bottle of 10% w/w in 50ml	lidocaine	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**Avalon Pharma** **Unknown**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	AVOCAINE SPRAY Avalon Pharma

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
AXIN Tablets 10 tab	Unknown	**Central Nervous system drugs** NEUROTROPHIC	**unknown** **Unknown**	As directed	
Axomax	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Azee Suspension ///	Azithromycin 200 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**CIPLA** **India**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Aziatop Control Capsules 14	Pantoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**ELEA** **Argentina**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
AZICIN 250 Tablets 6 tabs	Azithromycin 250 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	500mg & 250mg	
AZICIN 500 Tablets 3 tabs	Azithromycin 500 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	500mg & 250mg	
Azicure 500 Tablets 3 tabs	Azithromycin 500 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shaphaco** **Yemen**	500mg & 250mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Azifort Capsules 6 caps	Azithromycin250 mgl	**Antibiotics** الأصابات الميكروبية Microbial Infections	**YEDCO** **Yemen**	500mg & 250mg	
Azilide	Azithromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Azimax Capsules 1strip*6capsules	Azithromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**CIPLA** **India**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Azithrex-500 Capsules 1x 3 cap	Azithromycin 500 mg / cap	**Antibiotics** الأصابات الميكروبية Microbial Infections	**LABORATE** **India**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Azithrocine Capsules 6 cap	Azithromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Azithrokern Powder for Suspension 15 ml	Azithromycin 200 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**KERN pharma** **Korea**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Azmavent Solution 100 ml	Salbutamol 2 mg / 5 ml	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**Global Pharma** **Yemen**	2 -4 mg / or 2 buffs *qid	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Azmavent Syrup 100 ml	Salbutamol l	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**Global Pharma** **Yemen**	2 -4 mg / or 2 buffs *qid	
Azmex Syrup 100 ml	Guaifenesin+Bromohexine +Terbutaline	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**ALPHA** **Syria**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Azoflox in Chlamydia or Chlamydophila 10 c.t	Ofloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Avenzor** **Syria**	Tablets	
AZOL Suspension 20 ml	Albendazole 100 mg / 5 ml	**Anthelmentic** Common Worms الديدان الشائعة	**Modern Pharama** **Yemen**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
AZOL Tablets 2 tab	Albendazole 200 mg / tab	**Anthelmentic** Common Worms الديدان الشائعة	**Modern Pharama** **Yemen**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Azonit-D Cream 20 gm	Isoconazole	**Antifungals** Dermatitis الألتهابات الجدلدية	**Pharma International** **Jordan**	600 mg or 300 mg daily for 3 days, or as a 1% vaginal cream daily for 7 days. For skin infections a 1% or 2% cream or other topical formulation has been used.	
Azro 500	Azithromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Azro Syrup Dry syrup 1bottel*15ml	Azithromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Zentiva** **Unknown**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	Azro Azithromycin 15 ml Azalide antibiotic
Azro Tablets Tablet 1strip*3tablet	Azithromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Zentiva** **Unknown**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	Azro® 500 3 film coated tablets Azalide antibiotic ZENTIVA
Azrolid Tablet 1strip*3tablet	Azithromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**AMRIYA PHARMA** **Egypt**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Azromax Tablets 3 tab	Azithromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Y.E.PHARMA** **Yemen**	500mg & 250mg	AZROMAX Azithromycin 500 mg Y.E.PHARMA
Azrotek Dry Syrup 15 ml	Azithromycin 200 mg /5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	Dry syrup 300mg & 200mg	Azrotek Antibiotics Pediatric Drops 15 ml
Azrotek Capsules 3 cap	Azithromycin 200 mg /cap	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	500mg & 250mg	Azrotek 200 Antibiotics
Azrotek Capsules 3 cap	Azithromycin 500 mg /cap	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	500mg & 250mg	Azrotek 500 Antibiotics

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Baby Cone Emulsion 15 ml	Simeticone (dimeticones)	**Gastro Intestinal drugs** Indigestion سوء الهضم	**KANAWATI** **Syria**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	بيبي كون Baby Cone KANAWATI
BABY RELEF Suppositoris 5 sup	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**PHARCO** **Egypt**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	BABY RELIEF 12.5
Bactall 500 tablet 1strip*10tablet	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**JPM** **Jordan**	250 to 750 mg twice daily depending on the severity and nature of the infection	BACTALL 500
BACTOX 500 mg Capsules 10 strip*10 capsules	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**INNOTECH** **France**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	BACTOX 500 mg
Bactrim Syrup 1bottel*100ml	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**ROCHE** **Germany**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Bactrim Sulfamethoxazole + Trimethoprim 200/40 mg
Bactrim	Sulfamethoxazole 200 +	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Bactrim Sulfamethoxazole + Trimethoprim 200/40 mg
Bactroban Cream 15 gm	Mupirocin	**Antibiotics** Dermatitis الألتهابات الجلدلية	**gsk glaxosmithkline** **UK**	As directed	Bactroban CREAM 15 g

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Baldol Tablets 20 tablets	Haloperidol tablet 5mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**BALSAM** **Syria**	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	BALDOL 5 mg 20 Tablets
Baldol Tablets Tablets 20 tablets	Haloperidol tablet 5mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**BALSAM** **Syria**	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	BALDOL 10 mg
BALERGOT-C Tablets 20 tablets	Unknown	**Cardio Vascular System drugs** Cardio Vascular الأوعية الدموية والقلب	**BALSAM** **Syria**	As directed	
Bali Mouth Wash	Herbal extract	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	
Balsam Syrup 120 ml	Herbal extract cough &common cold	**Respiratory drugs** Common Cold نزلات البرد	**SIGMA** **Egypt**	As directed	
BALSAMOL Suppositoris 10 sup	Paracetamol 325 mg	**Non-Steroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**BALSAM** **Syria**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Balsoban Tablets 100 tabs	Hyoscine- N-Butylbromide	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Unknown** **Unknown**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	Balsoban Hyoscine Butylbromide Tablets BP 10 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Baltan-2 Tablets 100 Tablets	Benzhexol (Trihexyphenidyl) tablet 2mg	**Central Nervous system drugs** Parkinson's disease مرض الرعاش	**BALSAM** **Syria**	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Baltan-5 Tablets 100 tablets	Benzhexol(Trihexyphenidyl) tablet 5mg	**Central Nervous system drugs** Parkinson's disease مرض الرعاش	**BALSAM** **Syria**	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Banthoheal Ointment 30 gm	Dexpanthenol 5 % w/w	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Global Pharma** **Yemen**	2 or 5% for the treatment of various minor skin disorders	
Barkacine Oral /Drops 30 ml	Bromhexine	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**BPI BARAKAT** **Unknown**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
BATRIM Tablets 20 tab	Sulphamethoxazole 400 mg + Treimethoprim 80 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
BATRIM Suspension 60 ml	Sulphamethoxazole 200 mg + Treimethoprim40 mg / 5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Batrim Forte Tablets 10*10 tab	Sulphamethoxazole 800 mg + Treimethoprim160 mg / tablet	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
B-Cor 2.5 Tablets 30 tab	Bisoprolol Fumarate 2.5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**JOSWE** **Jordan**	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Be Sure Solution 200 ml	Combination	**Antiseptic and Desinfectants** Antiseptic مطهر	**PURITY Pharma** **Unknown**	As directed	
Beauty Solution 250 ml	Combination	**Antiseptic and Desinfectants** Vaginal المهبل	**Unknown** **Unknown**	As directed	
Beclate 150 Nasal /Spray 7.5 ml (150 metered doses)	Beclomethasone dipropionate 150 doses (50 mcg/dose)	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	Aerosol, powder inhalers 400 mcg daily, in 2 to 4 divided doses for maintenance; 600 to 800 mcg daily.	
Beclate 200 Nasal /Spray 200 meterd doses (50mcg/dose)	Beclomethasone dipropionate 150 metered doses (……)	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	Aerosol, powder inhalers 400 mcg daily, in 2 to 4 divided doses for maintenance; 600 to 800 mcg daily.	
Beclate- 50 Inhaler 200 metered dose	Beclometasone Dipropionate	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	Aerosol, powder inhalers 400 mcg daily, in 2 to 4 divided doses for maintenance; 600 to 800 mcg daily.	
Becovit Capsules 30 caps	Vit. B Complex	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**YEDCO** **Yemen**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Becovit Syrup 100 ml	Vit. B Complex	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**YEDCO** **Yemen**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Becozem forte tablet 20coated tablet	vitB1+vitB6+vitB 12	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**ASIA** **Syria**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
becozyme forte Dragees 20 Dragees	vitB1 15mg+vitB2 15mg+vitB1210microgram+calcium pantothenate	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**BAYER** **Germany**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Becozyme forte Tablets 20 tablets	Vit. B Complex tablet.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Bayer** **Germany**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Belcid Suspension 15 ml / 240 ml	Each 15 ml contain Al(OH) 918 +Mg(OH) 300 +Simethicone 60 mg	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Biolab** **Unknown**	10 ml four times daily	
Belcid	A combination of aluminium and magnesium hydroxides and sulfates.	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Unknown** **Unknown**	2 g by mouth	
BELHACID Tablets 4 tab	Praziquantel 600 mg	**Anthelmentic** Schistosomiasis (Bilharziasis) البلهارسيا	**Modern Pharama** **Yemen**	Adults and children is given on one day as three doses of 20 mg/kg at intervals of 4 to 6 hours or it is given as a single dose of 40 to 60 mg/kg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Bendex suspension Suspension 10 ml	Albendazole	**Anthelmentic** Common Worms الديدان الشائعة	**CIPLA** **India**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Bendex suspension Suspension 10 ml	Albendazole	**Anthelmentic** Common Worms الديدان الشائعة	**CIPLA** **India**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Bendex-400 Tablets 20 tab	Albendazole	**Anthelmentic** Common Worms الديدان الشائعة	**CIPLA** **India**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Bendoverm Suspension 30 ml	Albendazole 100 mg / 5 ml	**Anthelmentic** Common Worms الديدان الشائعة	**Unknown** **Unknown**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Bendoverm Tablets 6 tab	Albendazole	**Anthelmentic** Common Worms الديدان الشائعة	**SIGMA** **Egypt**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
BENOX Solution 10 ml	Benoxinate Hydrochloride 0.4%	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**EIPICO** **Egypt**	One drop instilled into the conjunctival sac anaesthetises the surface of the eye sufficiently to allow tonometry after 60 seconds and a further drop after 90 seconds provides	
Ben-Oxide mild Gel 30 gm	Unknown	**Skin Disorders** Acne حب الشباب	**Domin pharma** **Unknown**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Benuron-125 Suppositoris 10 supp,	Paracetamol supp, 125mg.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Bene-Arzneimittel** **Germany**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Benuron-250 Suppositoris 10 supp	Paracetamol supp, 250mg.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Bene-Arzneimittel** **Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Benzathine Penicillin Vial 1 vial	Penicillin G Benzathine 1,200,000 I.U	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Vitalis** **USA**	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Benzathine Penicillin Vial 10 vial	Benzathine Benzylpenicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Vitalis** **USA**	1.2 million units or more as directed	
BENZOL Tablets 2 tab	Albendazole	**Anthelmentic** Common Worms الديدان الشائعة	**Global Pharma** **Unknown**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
BENZOL Suspension 20 ml	Albendazole 100 mg / 5 ml	**Anthelmentic** Common Worms الديدان الشائعة	**Global Pharma** **Yemen**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Benzyl Benzoate	Benzyl Benzoate	**Skin Disorders** Scabies الجرب	**Unknown** **Unknown**	A 25% emulsion is applied to the whole body, usually from the neck down, three applications at 12-hour intervals, without bathing, may be made, followed by bathing	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Bepanthen Plus Cream	Dexpanthenol + Chlorhexidine Hydrochloride	**Antiseptic and Desinfectants** Antiseptic مطهرات	**BAYER** **Germany**	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Bepra tab 14 tabs	Rabeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**GLOBAL NAPI** **Egypt**	*20 mg once daily * 10 mg bid	
Beramol Syrup 60 ml	Paracetamol syrup 120mg/5ml.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**BMP** **Thailand**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
BERAMOL Drops 15 ml	Paracetamol drops .. ./ 1 ml.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**BMP** **Thailand**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Betacin Cream 15 gm	Betamethasone 0.1 % w/w	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Modern Pharama** **Yemen**	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Betacin-N Cream 15 gm	Betamethasone 0.1 % w/w + neomysin sulphate 0.5% w/w	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Modern Pharama** **Yemen**	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Betacort Cream 15 g	Betamethasone	**Corticosteroid** Dermatitis الألتهابات الجلدية	**YEDCO** **Yemen**	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Betacort Ointment 15 g	Betamethasone	**Corticosteroid** Dermatitis الألتهابات الجلدية	**YEDCO** **Yemen**	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
BETAGAN	Levobunolol Hydrochloride 0.5%	**Cardio Vascular System drugs** Eye العين	**ALLERGAN** **Denmark**	0.5% ophthalmic solution instilled once or twice daily;	
Betaloc 100 Tablets 28 tab	Metoprolol Fumarate	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Sweden**	100- 200 mg daily by mouth	
Betaloc 50 mg Tablets 30 tab	Metoprolol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Sweden**	100- 200 mg daily by mouth	
BETAMOX Granules for syrups 100 ml	Amoxicillin Trihydrate 250 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Betarose Solution 120 ml	Combination	**Health Care** Feminine wash الغسولات الأنثوية	**Panax pharma** **Egypt**	As directed	
Betaserc 16 mg Tablets 60 tablets	Betahistine tablet 16mg	**Antihistamines** Vertigo الدوار او الدوخة	**ABBOTT** **USA**	Betahistine 8mg (1-2 tablets three times daily) . And Betahistine 16mg (0.5-1 tablet three times daily)	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Betaserc 8 mg Tablets 100 tab	Betahistine Hydrochloride 8 mg	**Antihistamines** Vertigo او الدوار الدوخة	**ABBOTT** **USA**	Betahistine 8mg (1-2 tablets three times daily) . And Betahistine 16mg (0.5-1 tablet three times daily)	Betaserc 8 Abbott
Betasone oin Ointment 15 gm	Betamethasone	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Julphar** **UAE**	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	BETASONE OINTMENT
Betaval 	Betamethasone	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Betaval-N Ointment 15 gm	Betamethasone 0.1% + Neomycin 0.5%	**Corticosteroid** Dermatitis الألتهابات الجلدية	**A.P.M** **Jordan**	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	BETAVAL - N ointment
Betnocin Cream 15 gm	Betamethasone o.1 %	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Global Pharma** **Yemen**	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	Betnocin Cream
Betnocin Ointment 15gm	Betamethasone	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Global Pharma** **Unknown**	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	Betnocin Ointment
Betnocin 	Betamethasone 0.1%	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Betocin Ointment 15 gm	Betamethasone 0.1 % w/w	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Global Pharma** **Yemen**	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	Betnocin Ointment
Betocin-N Ointment 15 gm	Betamethasone 0.1 % w/w + Neomycin sulphate 0.5 % w/w	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Global Pharma** **Yemen**	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	Betnocin-N Ointment
Betocin-N Cream 15 gm	Betamethasone 0.1 % w/w + Neomycin sulphate 0.5 % w/w	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Global Pharma** **Yemen**	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	Betnocin-N Cream
Betonate Cream 15 gm	Betamethasone 0.1 % + Neomycin sulphate 0.5 %	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Shaphaco** **Yemen**	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	Betonate-N Cream
Betonate Ointment 15 gm	Betamethasone 0.1 %	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Shaphaco** **Yemen**	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Betonate Cream 15 gm	Betamethasone 0.1 %	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Shaphaco** **Yemen**	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	Betonate Cream
Betonate-N Ointment 15 gm	Betamethasone 0.1% + Neomycin 0.5%	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Shaphaco** **Yemen**	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	Betonate-N Ointment

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Bezol	Suspension	10 ml	Albendazole 100 mg / 5 ml	**Anthelmentic**	Common Worms الديدان الشائعة	**Shaphaco**	**Yemen**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
BEZOL 200	Tablets	2 tablet	Albendazole 200 mg	**Anthelmentic**	Common Worms الديدان الشائعة	**Shaphaco**	**Yemen**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
BEZOL 400	Tablets	1 tablet	Albendazole 400 mg / tablet	**Anthelmentic**	Common Worms الديدان الشائعة	**Shaphaco**	**Yemen**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Bifed	Syrup	100 ml	Pseudoephedrine 30 mg + Triprolidine 1.25 mg / 5 ml	**Respiratory drugs**	Common Cold نزلات البرد	**Shiba pharma**	**Yemen**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Bifed-D	Syrup	100 ml	Pseudoephedrine 30 mg + Triprolidine 1.25 mg + Dextromethorphan 10 mg / 5 ml	**Respiratory drugs**	Common Cold نزلات البرد	**Shiba pharma**	**Yemen**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Bifed-E	Syrup	100 ml	Pseudoephedrine+ Triprolidine+Guaiphenesin	**Respiratory drugs**	Common Cold نزلات البرد	**Shiba pharma**	**Yemen**	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Bilichol cap	Capsules	24 cap	alphapinine +beta pinine +broneol+cineol	**Gastro Intestinal drugs**	Indigestion سوء الهضم	**PHARCO**	**Egypt**	3-5 drop of liquid 4-5 times daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Bio-Cal Tablets 60 Chewable tab	Ca+ Vit D	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**OSHINE** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Bio-Cal Tablets 60 chewable Tablets	calcium 200mg , Aquamin 666.67 mg,vit D3 100 I.U/tab.	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Shine** **unk**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	shine Bio-Cal
Biocide Solution	Combination	**Antiseptic and Desinfectants** Vaginal المهبل	**BioHEALTH** **Unknown**	As directed	
Biodal Tablets 30 tab	Vit.D 5000 I.U,50000 I.U	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Unknown** **Unknown**	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	Biodal Vitamin D
BIOFAR Tablets	Calcium +Vitamin D + Vitamin C	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**SANS** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	BIOFAR CALCIUM
Biofenid-100 Tablets 30 tablet	Ketoprofen tablet 100mg .	**NSAID** Analgesic مهدئات الأوجاع	**Biopharm** **Yemen**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 tablets.	Biofenid 100 mg
Biofloxin Tablets 1strip*10tablet	Ofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**BIOPHARM** **Yemen**	tab 400mg & 200mg	Biofloxin Ofloxacin 400 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Biofloxin Tablets 2 Film Coated Tablets	Ofloxacin 200 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**BIOPHARM** **Yemen**	tab 400mg & 200mg	
Biofreeze Tube 55 gm	Menthol	**Respiratory drugs** Common Cold نزلات البرد	**BIOFREEZE** **Unknown**	As directed	
Biofreeze sachets gel 100 x 5 gm	Menthol	**Respiratory drugs** Common Cold نزلات البرد	**BIOFREEZE** **Unknown**	As directed	
Biogent Ampoules 5 amp	Gentamicin Sulfate 80 mg / 2 ml	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطرة	**YEDCO** **Yemen**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
BIOGRA Tablets 4 tab	Sildenafil Citrate 50 mg/ tablet	**Sex Stimulants** Sex Stimulants منشطات جنسية	**BIOPHARM** **Yemen**	25 - 100 mg depending on response, about one hour before sexual intercourse	
Biolid Gel 30 gm	Lidocaine 3%	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**Unknown** **Unknown**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
BIOLINC Vial 10 vials	Lincomycin 600 mg /2ml	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**BIOLINC** **Unknown**	Cap 500mg Vial 600mg & 300mg	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Biomol	Suspension	60 ml	Paracetamol tablet 125 mg / 5 ml	**NSAID**	Antipyretic - Analgesic مهدئة الأوجاع والحمى	**Biopharm**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Biomol Amp	Ampoules	5 ampules x 2 ml	Paracetamol 150 mg/1ml	**NSAID**	Antipyretic - Analgesic مهدئة الأوجاع والحمى	**Biopharm**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Biomol Tablets	Tablets	20 tablets	Paracetamol tablet 500mg.	**NSAID**	Antipyretic - Analgesic مهدئة الأوجاع والحمى	**Biopharm**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Biomol-Extra	Tablets	20 tablets.	Paracetamol 500mg+caffeine 65mg per tablet.	**NSAID**	Antipyretic - Analgesic مهدئة الأوجاع والحمى	**BIOPHARM**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Biomox 250 mg	Suspension	80ml	Amoxicillin*	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**SEDICO**	**Egypt**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
BIOMYCINE	Ointment	5 gm	Tetracycline	**Antibiotics**	Eye العين	**Unknown**	**Unknown**	Cap 500 mg & 250mg	
Biophage	Tablets	20 tab	Metformin HCL 500mg	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**BIOPHARM**	**Yemen**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
bioramipril Capsules 30 caps	Ramipril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**BIOME** **Unknown**	1.25 - 5 mg once daily is given by mouth	Bioramipril 5 30 Capsules
Biospan Tablets 20 tab	Hyoscine-N-Butylbromide 10 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**BIOPHARM** **Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	Biospan 10 mg
biospn Ampoules 5 amps x 1 ml	Hyoscine-N-Butylbromide 20 mg / 1 ml	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**BIOPHARM** **Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	Biospan 20 mg / 1 ml
Biostan Forte Tablets 20film caoted tablets.	Mefenamic Acid tablet 500mg	**NSAID** Analgesic مهدئ الأوجاع	**Biopharm** **Yemen**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	Biostan forte
Bio-tase chewable tab 20 chewable tabs	Enzyme digestion	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Y.S.P.** **Malaysia**	One tablet three times daily during or after meals.	BIO-TASE Enzymatic Digestant
Bioxime Dry syrup 1bottel*50ml	Cefuroxime 125 mg / 5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Pharmacare** **Yemen**	Infants and children 10 mg/kg twice daily to a maximum of 250 mg daily.	Bioxime Dry Syrup Broad Spectrum Antibiotic Shake well before use Pharmacare
Bioxime 250 Tablets 1strip*10tablet	Cefuroxime 250 mg / tab	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Pharmacare** **Yemen**	Children 10-20 mg/kg twice daily to a maximum of 250 mg daily.	Bioxime 250 Broad Spectrum Antibiotic Pharmacare

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Bioxime 500 Tablets 16 tab	Cefuroxime 500mg / tab	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Pharmacare** **Yemen**	Oral doses for adults are 250 to 500 mg twice daily, children 10-20 mg/kg twice daily to a maximum of 250 mg daily	
Bisacodyl tab 30 tabs	Bisacodyl	**Gastro Intestinal Drugs** Constipation الأمساك	**KarKa = Solvania** **Unknown**	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
Bisacodyl Tablets 105 tab	Bisacodyl	**Gastro Intestinal drugs** Constipation الأمساك	**KRKA** **India**	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
Bisacodyl Tablets 105 tab	Bisacodyl	**Gastro Intestinal drugs** Constipation الأمساك	**KRKA** **India**	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
bislock Tablets 30 tab	Bisoprolol Fumarate	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Bisocard Tablets 30 tab	Bisoprolol fumarate.	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**GLOBAL NAPI** **Egypt**	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Bisocard Plus Tablets 30 tab	Bisoprolol + Hydrochlorothiazide	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**GLOBAL NAPI** **Egypt**	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Bisodol Tablets Tablets 100 tab	$CaCo_3+MgCO_3+NaHCo_3$	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Forest lab** **UK**	one or two tab T I D	
Bisol Tablets 20 tab	Bromhexine 8 mg / tab	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Shiba Pharma** **Yemen**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Bisol Syrup 100 ml	Bromhexine 4 mg	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Shiba Pharma** **Yemen**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
BISOLOL	Bisoprolol Fumarate	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Bisolve Oral /Drops 15 ml	Bromhexine (2mg / ml)	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Shaphaco** **Yemen**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
Bisolvon Tablets 20 Tablet	Bromhexine (8 mg /tablet)	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Boehringer Ingelhim** **Germany**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Bisolvon Ampoules 5 amp of 2 ml	Bromhexine 8 mg	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Boehringer Ingelhim** **Germany**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Bisolvon Elixir 115 ml	Bromhexine 4 mg/5ml	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Boehringer Ingelheim** **Germany**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
bistol	Bisoprolol Fumarate	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
BIZOCOR Tablets 20 tab	Bisoprolol Fumarate 5 mg and 10 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASIA** **Syria**	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
BIZOCOR Tablets 20 tab	Bisoprolol Fumarate 10 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASIA** **Syria**	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Bizocor plus Tablets 20 tab	Bisoprolol Fumarate	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASIA** **Syria**	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Blokium Diu Tablets 15 TAB	Atenolol + Chlorthalidone	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ALMIROLL PRODESFARM** **Unknown**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Blopress 8 mg Tablets 28 tab	Candesartan Cilexetil	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**A.P.M** **Jordan**	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Blox Tablets 100 ml	Vit. B Complex compaination+D-Panthenol 5mg+Nicotinamide 20mg/5ml.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**RFA** **Yemen**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
BLOX-L 100ml	vit B1 2mg+vit B2 2.5mg+vit B6 0.75 mg+vit B 12 2mcg+Vit C 100mg+nicotamide	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**RFA** **Yemen**	Adult : 5 ml three times a day , Children : 2.5 - 5 ml two times a day .	
B-M anticough Syrup 60 ml	Chlorpheniramin ... mg+Ammonium chlorid .. mg+Sodium citrate .. Mg	**Antihistamines** Common Cold نزلات البرد	**BMP** **Thailand**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
B-M-ANTICOUGH Syrup 60 ml	Combination	**Respiratory drugs** Common Cold نزلات البرد	**BMP** **Thailand**	As directed	
B-M baby Cough Syrup 60 ml	Chlorpheniramin 2 mg+Ammonium chlorid 88 mg+Sodium citrate 36 mg	**Antihistamines** Common Cold نزلات البرد	**BMP** **Thailand**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
B-M- BABY COUGH SYRUP Syrup 60 ml	Chlorpheniramine 2 mg + Ammonium Chloride 88 mg + Sodium Citrate 36 mg	**Respiratory drugs** Common Cold نزلات البرد	**Unknown** **Unknown**	As directed	
Bone-vit soflets 24 soflets	calcium,,vitamin D3	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Global Pharma** **Yemen**	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Bonnisan	Solution	120 ml	Herbal extract	**Natural products**	Health Care الصحة العامة	**Himalaya Drug Co**	**India**	As directed	
Borgasone	Ointment	20 gm	Mometasone Furoate	**Corticosteroid**	Dermatitis الألتهابات الجلدية	**BORG**	**Egypt**	Once daily	
Borgasone	Lotion	20 ml	Mometasone Furoate	**Corticosteroid**	Dermatitis الألتهابات الجلدية	**BORG**	**Egypt**	Once daily	
Borgasone	Cream	20 gm	Mometasone Furoate 0.1%	**Corticosteroid**	Dermatitis الألتهابات الجلدية	**BORG**	**Egypt**	Once daily	
Bothil	vaginal ovules	6 vaginal ovules	Policresulen 90 mg	**Antihaemorrhages**	Vaginal المهبل	**Global Pharma**	**Yemen**	As directed	
Bralix	Tablets	30 tab	Combination	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**unknown**	**Unknown**	As directed	
Brevibloc	250 mg/ml		Esmolol Hydrochloride	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**Unknown**	**Unknown**	loading dose of 500 micrograms/kg given over 1 minute is followed by an initial maintenance infusion of 50 micrograms/kg per minute for 4 minutes.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Brexin	Piroxicam	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئة الأوجاع والحمى	**Unknown** **Unknown**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
BRISTAFLAM Tablets 20 Coated Tablets	Aceclofenac 100 mg	**Non-Steroidal Anti-** Analgesic مهدئة الأوجاع	**Unknown** **Unknown**	Adult: PO Ankylosing spondylitis; Osteoarthritis; Rheumatoid arthritis 100 mg twice daily.	BRISTAFLAM
BRODEX Syrup 100 ml	Bromohexin 8 mg + Dextromethorphan 10 mg + Ammonium chloride 100 mg	**Respiratory drugs** Common Cold نزلات البرد	**ALPHA** **Syria**	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	BRODEX Syrup
BROMAZ 3 Tablets 30 tablets	Bromazepam tablets 3mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**RFA** **Yemen**	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily . For elderly should not exceed 3 mg daily in divided doses.	
Bromhexin Syrup 100 ml	Bromhexine (……)	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**MEDICO LABS** **Syria**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Broncare Syrup 120 ml	Bromhexine (……)	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**BIOPHARM** **Yemen**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Bronchen Syrup 100 ml	Herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**YEDCO** **Yemen**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Bronchicum Elixir 100 ml	Thyme extract 5 g+ Primula root extract 2.5 g	**Respiratory drugs** Common Cold نزلات البرد	**Sanofi Aventis** **France**	As directed	
Bronchicum Elixir S Elixir 100 ml	Thyme liquid extract 5 gm + Primula liquid extract 2.5 gm	**Respiratory drugs** Common Cold نزلات البرد	**Sanofi Aventis** **France**	As directed	
Broncho Syrup 120 ml	herbal extract cough &common cold	**Respiratory drugs** Common Cold نزلات البرد	**MEPACO** **Egypt**	As directed	
Bronchofree Capsules 20 cap	Guaiphenisin+ Diphenhydramin +benzonatete ??	**Respiratory drugs** Common Cold نزلات البرد	**ADWIA** **Egypt**	As directed	
Broncholar Syrup 100 ml	Chlorphenamine Maleate	**Antihistamines** Common Cold نزلات البرد	**Dar Al Dawa** **Jordan**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Bronchomed Syrup 100 ml	Thyme liquid extract 250 mg + Primulae root dried extract 16.25 mg	**Respiratory drugs** Common Cold نزلات البرد	**Global Pharma** **Yemen**	As directed	
Bronchophane Syrup 125 ml	Terbutaline+Guaifenesine	**Respiratory drugs** Common Cold نزلات البرد	**EIPICO** **Egypt**	10 - 15 ml orally tid	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Broncho-Vaxom			Combination	**Respiratory drugs**	Respiratory Disorders اضطرابات الجهاز التنفسي	**Unknown**	**Unknown**	As directed	Broncho-Vaxom 30 Adults / Adultes
Bronex	Oral /Drops	15 ml	Pseudoephedrine + Guaifenesin	**Respiratory drugs**	Common Cold نزلات البرد	**MUP**	**Egypt**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Bronkovent	Syrup	100 ml	Bromhexine	**Respiratory drugs**	Respiratory Disorders اضطرابات الجهاز التنفسي	**ZYNOVA**	**Unknown**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	Bronkovent Syrup
Brophalarg	Syrup	120 ml	Ketotifen Fumarate	**Respiratory drugs**	Bronchitis التهاب الشعب الهوائية	**RAMEDA**	**Egypt**	Syrup	
Brufemol	Syrup	100 ml	Ketotifen 100 mg/ 5 ml	**Respiratory drugs**	Bronchitis التهاب الشعب الهوائية	**BIOPHARM**	**Yemen**	adult dose 1-2 mg/bid or pead. 1 mg /bid	
Brufen	Syrup	100 ml	Ibuprofen syrup 20mg/ml	**Nonsteroidal Anti-**	Analgesic مهدئات الأوجاع	**ABBOTT**	**USA**	Oral doses of400 mg to 1.2 g daily .	Brufen Paediatric Syrup Antipyretic Anti-inflammatory Analgesic
BRUFEN 400	Tablets	24 tab	Ibuprofen	**Non-Steroidal Anti-**	Analgesic مهدئات الأوجاع	**ABBOTT**	**USA**	Oral doses of400 mg to 1.2 g daily .	BRUFEN 400 Ibuprofen Tablets B.P. 24 Tablets

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Bruflam-200 Tablets 10x 10 tab	Ibuprofen	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**CIPLA** **India**	Oral doses of400 mg to 1.2 g daily .	Bruflam-200 Cipla
Bruflam-400 Tablets 10 x 10 tab	Ibuprofen	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**CIPLA** **India**	Oral doses of400 mg to 1.2 g daily .	Bruflam - 400 Cipla
B-Tone Syrup 100 ml	Each 5 ml contains :Vitamin B1 (thiamine) 1.5 mg +Vitamin B2 (riboflavin) 1.7 mg +Vitamin	**Vitamines and Menirals** Neuritis; vitamin B deficiency	**Pharmacare** **Yemen**	½ - 2 teaspoonfuls daily.	B-TONE Syrup Pharmacare
Budecort -200 ROTACAPS 30 Capsules	Budesonide 200 mcg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	200 - 300 mic g/BID	budecort 200 Cipla
Budecort-400 ROTACAPS 30 Capsules	Budesonide 400 mcg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	200 - 300 mic g/BID	Budesonide Rotacap (400 mcg) Budecort 400 Rotacaps Cipla
Budenase AQ Nasal/spray 7.5 ml	Budesonide	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	2 inh /bid or 200 - 300 mic g/BID	
Buscocil Syrup 60 mg for bottle	Hyoscine- N-Butylbromide	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Global Pharma** **Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	Busconil Antispasmodic Syrup 60 ml

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Buscocil	Tablets	20 Tablets	Hyoscine- N-Butylbromide	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**Global Pharma**	**Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
buscocin	Tablets	20 Tablets	Hyoscine- N-Butylbromide	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**Y.E.PHARMA**	**Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Buscocin	Syrup	60 ml for bottle	Hyoscine- N-Butylbromide	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**Y.E.PHARMA**	**Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
buscomol	Tablets	20 Tablets	Hyoscine-N-Butylbromide 10 mg + paracetamol 500 mg	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**Delta pharma**	**Egypt**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Busconil	Oral /Drops	15 ml	Hyoscyamine 0.125 mg / 1 ml	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**Unknown**	**Unknown**	150 to 300 micrograms up to four times daily by mouth	
Buscopan	Tablets	20 tabs	Hyoscine-N-Butylbromide 10 mg / tablet	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**Boehringer Ingelhim**	**Germany**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Buscopn	Ampoules	5 amp	Hyoscine N-Butylbromide	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**Boehringer Ingelhim**	**Germany**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Busiral Tablets 20 tablet	Buspirone tablet 10mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**shiba pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Butacid Tablets 20 Tablets	Hyoscine- N-Butylbromide	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**CID** **Egypt**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Butacid Tablets 20 tab	Hyoscine-N-Butylbromide 10 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**CID** **Egypt**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Butalen 4 mg Tablets 20 tab	Salbutamol 4mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**julphar** **UAE**	2 -4 mg / or 2 buffs *qid	
Butalin Tablets 20 tab	Salbutamol 2 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**julphar** **UAE**	2 -4 mg / or 2 buffs *qid	
Butaxin Syrup 125 ml	Butamirate citrate	**Respiratory drugs** Common Cold نزلات البرد	**IBN Al Haytham** **Syria**	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Butaxin Oral /Drops 25 ml	Butamirate citrate	**Respiratory drugs** Common Cold نزلات البرد	**IBN Al Haytham** **Syria**	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
BY-Cal Tablets 60 tab	Ca+ Vit D	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**By health** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Byrofen Caplets 20 cap	Ibuprofen400 mg	**NSAID** Analgesic مهدئ الأوجاع	**Shiba pharma** **Yemen**	Oral doses of400 mg to 1.2 g daily .	
Byrofen Drops 20 ml	Ibuprofen 40 mg / 1 ml	**NSAID** Analgesic مهدئ الأوجاع	**Shiba pharma** **Yemen**	Oral doses of 40 mg mg to 100 mg daily.	
Byrofen Suspension 60 ml	Ibuprofen 100 mg / 5 ml	**NSAID** Analgesic مهدئ الأوجاع	**Shiba pharma** **Yemen**	Oral doses of 100 mg mg to 300 mg daily.	
Cabri Lozenges 24 Lozenges	Sugar, Glucose, Citric Acid, , menthol,Strawberry & Eucalyptus,	**Antiseptic and Desinfectants** Common Cold نزلات البرد	**Friend Est.** **Syria**	As directed	
Cabri Lozenges 24 tab	Sugar, Glucose, Citric Acid, , menthol, Orange & Eucalyptus,	**Antiseptic and Desinfectants** Common Cold نزلات البرد	**Friend Est.** **Syria**	As directed * Erosive Esophagitis= ADULTS: PO 75–150 mg qid.	
ca-c 1000 sandoz Effe. /Tablets 10 effer,tablets	calcium gluconate 1g+vitamin C 1000mg+calcium carbonte 0.327g	**Vitamines and Menirals** Common Cold نزلات البرد	**NOVARTIS** **Switzerland**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ca-gluconat 10% Ampoules 50 ampoules x 10 cc	Calcium gluconat ampoule 1 gm/10ml .	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**unknown** **Unknown**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Cal Mag Zink+D Tablets 90 tab	Cal Mag Zink+D	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**CENTURY** **USA**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Cal Vita C Ampoules 5 amp x 10 ml	Calcium	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Unknown** **Unknown**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
CALABEN Cream 25 gm	Zinc Oxide	**Skin Disorders** Dermatitis الألتهابات الجلدية	**MPL** **Hong Kong**	Topically as once or twice daily ,	
CALAMINE Lotion 100 ml	Calamine	**Skin Disorders** Allergy الحساسية	**Shiba pharma** **Yemen**	topically as dusting powder, cream, lotion, or ointment	
Cal-C-Care Tablets 10 effer,tablets	Each efferv. tablet contains: Vitamin C 1000mg + Calcium (as Calcium	**Vitamines and Menirals** Common Cold نزلات البرد	**Pharmacare** **Yemen**	1- 2 tablets a day (dissolve the effervescent tablet in half glass of water before taking it)	
Cal-C-forte Sachets 10 sachets	Calcium 1000 mg+Vitamin C 1000 mg	**Vitamines and Menirals** Common Cold نزلات البرد	**Global Pharma** **Yemen**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
CALCI-CAL Syrup 120ml,srup	calcium 500mg+vit.B12 10mg+vit.D3 1000mcg/5ml.	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Alhikmh-farma,Ejbt** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
CalciCare Tablets 30 tab	Ca+ Vit D , Meg , Zinc	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**VITAME** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	CalciCare CALCIUM MAGNESIUM
Calcicare Tablets 30 tablets	calcium 800mg,Magnesium 200mg,zinc 8mg,vitamin D3 400IU/tab.	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Vitane pharma** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	CalciCare CALCIUM MAGNESIUM Zinc & Vitamin D
Calcicare ?? Syrup 200ml	Calcium500 mg+Magnesium 150 mg+Zinc 4 mg+Vitamin D 400 IU/10ml	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Vitane pharma** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	CalciCare CALCIUM MAGNESIUM
Calcid Capsules 20 cap	Ca+ Vit D	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**SIGMA** **Egypt**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
calcid Capsules 20 cap	calcium glubionate 750mg, vitamin D350 I.U,vitamin B12 10 mg/tab.	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**SIGMA** **Egypt**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
CALCID B12 Syrup 120 ml	calcium glubionate 750mg, vitamin D350 I.U,vitamin B12 10 mg/5ml(syrup)	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**SIGMA** **Egypt**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
CalciD Denk Solid	Calcium carbonate 1000mg / Vitamin D3 effer, tab.	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Denk pharma** **Germany**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Calciflavone Tablets 2 x 15 tab	Calcium	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**MEYER** **Unknown**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
calcifor Tablets 10 Effer,tab	Calcium 578mg+ Vit C 1000mg effer,tab	**Vitamines and Menirals** Common Cold نزلات البرد	**Vifor** **Unknown**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Calcimed D3 Tablets 20 Comprmidos efevescentes	calcim,600-Vitami nD3 400 I.U/Comprmidos efevescente.	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Hermes arzeimittel** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Calcium Ampoules 10 ampoules.	Calcium gluconat ampoule 1 gm/10ml .	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**unknown** **Unknown**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Calcium Tablets 30 tab	Calcium 600 mg + Vitamine D	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Sentinel**	As directed	
Calcium 1250 D Capsules 20 soft glatin cap	calcium carbonate 1250mg&vit D3 200 I.U/S.G.cap.	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**ASIA** **Syria**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Calcium + Vitamin C			Calcium +Vitamin C	**Vitamines and Menirals**	Common Cold نزلات البرد	**Unknown**	**Unknown**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Calcium +Vitamin C	Tablets	20 effer,tablets	Calcium 300mg +Vitamin C 75mg effer,tablets.	**Vitamines and Menirals**	Common Cold نزلات البرد	**SUNLife**	**Unknown**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Calcium 1250 D	Capsules	20 soft gelatin cap	Ca+ Vit D	**Vitamines and Menirals**	Osteoarthritis التهابات العظام	**ASIA**	**Syria**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Calcium complete	Tablets	30 tab	Ca+ Vit D with multivitamine , Iron	**Vitamines and Menirals**	Osteoarthritis التهابات العظام	**Sona nutrition LTD. Ireland**	**Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Calcium complete	Tablets	30 Tabalets	calscium,Biotin,vit.B12,folic Acid,Iron,vit.B3,vitB6,vitB2,vitb1,vitA,vitC,vitD,vitE	**Vitamines and Menirals**	Osteoarthritis التهابات العظام	**Sona nutrition LTD. Ireland**	**Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Calcium Magnesium			Calcium	**Vitamines and Menirals**	Osteoarthritis التهابات العظام	**ADRIEN GAGNON**	**Unknown**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
CALCIUM Sachets	Sachets	10 sachets	Calcium 500mg+vit.C 180mg+vit.D3 400I.U	**Vitamines and Menirals**	Osteoarthritis التهابات العظام	**SEDICO**	**Egypt**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Calcium Tablets Tablets Packs contain (60) film coated tablets	Each film coated tablet contains Calcium Carbonate (BP) 1500 mg equivalent to	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**RIYADH PHARMA** **Saudi Arabia**	Two tablets daily (or one tablet twice daily) before or with meal, with water. Swallow without chewing.	كالسينتيت مصدر طبيعي للكالسيوم ٦٠٠ ملجم
Calcium-Sandoz Tablets 10 eff. Tab	Calcium	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**NOVARTIS** **Switzerland**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	Calcium-Sandoz forte 500 mg
Calcivyte Tablets 30 tab	Calcium +Vitamin D	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Vitane pharma** **Germany**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Cal-C-Vita Capsules 10 effervescent tablets	Vit.C 1000mg+calcium 250mg+ Vit.D 300 I.U+Vit.B6 15mg	**Vitamines and Menirals** Common Cold نزلات البرد	**BAYER** **France**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	Cal-C-Vita Cal-C-Vita
CAL-D Capsules 30 SOFT	calcium 400mg + Vit.D3 100 I.U	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**MEGA** **Thailand**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	MEGA CAL D CHEWZ
Calm skin Tube 20 gm	Combination	**Skin Disorders** Dermatitis الألتهابات الجدلدية	**Unknown** **Unknown**	As directed	
Calmex Syrup 100 ml	Diphenhydramine 12.5 mg + Ammonium chloride 100 mg + Sodium Citrate 75 mg + Menthol	**Respiratory drugs** Common Cold نزلات البرد	**Razi Pharma** **Syria**	As directed	CALMEX Cough Syrup

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Calpol	Oral /Drops		Paracetamol	**Non-Steroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Unknown**	**Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
CALTADON FORT	Ampoules	10 amp	Calcium 250 mg + Dexpanthenol 25 mg + Vit B1 25 mg + vit.B6 1mg + vit. B12 1000 microgram	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**ANB Laboratories CO LTD**	**Thailand**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Cal-Vit-C	Sachets	10 sachets	Calcium +Vitamin C	**Vitamines and Menirals**	Osteoarthritis التهابات العظام	**Modern Pharama**	**Yemen**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Canartan	Tablets	20 tab	Candesartan Cilexetil 16 mg	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**Global Pharma**	**Yemen**	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Candesar	Tablets	20 tab	Candesartan Cilexetil 16 mg	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**ASIA**	**Syria**	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Candesartan	Tablets		Candesartan Cilexetil 8 mg, 16 mg , 32 mg	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**Unknown**	**Unknown**	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Candid	Cream	1 tube 20 gm	Clotrimazole 20g	**Antifungals**	Dermatitis الألتهابات الجلدية	**Glenmark**	**India**	Minimum/Maximum Adult Daily Dose:60 mg	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Candid	Drops	15 ml	Clotrimazole	**Antifungals**	Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Glenmark**	**India**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	candid Clotrimazole Ear Drops
Candid - V	Gel	30 gm	Clotrimazole	**Antifungals**	Vaginal المهبل	**Glenmark**	**India**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	candid-V GEL Clotrimazole Vaginal Gel WITH APPLICATOR
Candid mouth	Paint	1 cont 15ml	Clotrimazole	**Antifungals**	Dermatitis الألتهابات الجلدية	**Glenmark**	**India**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	candid Clotrimazole Mouth Paint
Candid V-1			Clotrimazole 500 mg	**Antifungals**	Vaginal المهبل	**Glenmark**	**India**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	candid V-1 CLOTRIMAZOLE VAGINAL INSERTS USP 500 mg BROAD SPECTRUM ANTIFUNGAL
Candiderm	Cream	1 tube 15 gm	Clotrimazole 15g	**Antifungals**	Dermatitis الألتهابات الجلدية	**Glenmark**	**India**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	Candiderm Cream STEROID + ANTIBIOTIC + ANTIFUNGAL
Candid-v6			Clotrimazole 100mg	**Antifungals**	Vaginal المهبل	**Glenmark**	**India**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Canestal	Suppositoris	3 vaginal	Clotrimazole 200mg	**Antifungals**	Dermatitis الألتهابات الجلدية	**Alph**	**Unknown**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	كانستال ٣ Canestal 3

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Canestal	Clotrimazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Canestal 2% Cream	Clotrimazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Canestal 3	Clotrimazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Capotal 50 Tablets 20 Tablets	Captopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Hikma** **Jordan**	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Capotril Tablets 20 Tablets	Captopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**EIPICO** **Egypt**	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Capotril Tablets 20 Tablets	Captopril 50 mg / tab	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**EIPICO** **Egypt**	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Capozide Tablets 30TAB	Captopril+ Hydrochlorothiazide	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**SQUIBB** **Unknown**	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
capozide ???	Captopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Captopril Tablets 20 tablet	Captopril 25 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Shiba pharma** **Yemen**	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	Captopril Shiba 25mg Shiba Pharma
Captopril	Captopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
captozid	Captopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
card	Bisoprolol Fumarate	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Cardiket Tablets 20tab	Isosorbide Dinitrate 20 mg OR 10 mg or 5mg	**Cardio Vascular System drugs** Angina الذبحة الصدرية	**MINA PHARMA** **Unknown**	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	cardiket 20
Cardioce Capsules 30 capsules	Multivitamin , L carnitine, Co Q10 folic acid, B6, B2 flaxseed oil, vit. D3, garlic	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**VITABIOTICS** **Unknown**	As directed	Vitabiotics Cardioace original heart function Omega-3 Garlic

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Cardioguard SR	Capsules	10 CAPS	Isosorbide Dinitrate 20 mg	**Cardio Vascular System drugs**	Angina الذبحة الصدرية	**AMOUN**	**Egypt**	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	Cardioguard SR AMOUN Pharmaceutical Industries Co. كارديوجارد إس آر
Cardiomil SR	Capsules	10 capsules.	Valsartan	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**SIGMA**	**Egypt**	Oral doses 80 - 160 mg once daily	Cardiomil SR
Care Drop	Lozenges	12 Lozenges	Different Lozenges Ingredients	**Antiseptic and Desinfectants**	Common Cold نزلات البرد	**medicated**	**Unknown**	As directed	كير دروب Care Drop
Carminex	Eff.salt	6 sachets	caraway 0.03 mg + fennal oil 0.03 mg + cinnamon 0.02 mg	**Gastro Intestinal drugs**	Indigestion سوء الهضم	**MEPACO**	**Egypt**	One tablet three times daily during or after meals.	Carminex Natural Effervescent For Mal-Digestion, Flatulence & Hyperacidity
Carvidilol	6.25-12.5-25 mg		Carvedilol	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**Unknown**	**Unknown**	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	Carvedilol Tablets 25 mg Carloc 25 Cipla
casprin	tablet	30capsule	Acetylsalicylic acid	**Cardio Vascular System drugs**	Thrombosis الجلطات	**UK**	**Unknown**	a daily dose of aspirin in the range of 75 to 150 mg should be effective	CASPRIN 30's Aspirin 100mg Vegetable Capsule
Casprin	Capsules	30 Enteric capsules	Acetylsalicylic Acid capsule 100mg.	**Cardio Vascular System drugs**	Thrombosis الجلطات	**Shine**	**unk**	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	CASPRIN Vegetable Capsule

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Casprin	Acetylsalicylic acid	**Cardio Vascular System drugs** Thrombosis الجلطات	**Unknown** **Unknown**	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
Caster Oil solution 60 ml for bottle	Caster Oil	**Gastro Intestinal drugs** Constipation الأمساك	**Hariri** **Syria**	4 tablespoons (15ml to 60ml) in a single daily dose.	
Castom-Atheer Oil 60 ml	Castor oil	**Gastro Intestinal drugs** Constipation الأمساك	**Atheer** **Yemen**	As directed	
CASTOR OIL Oil 60 ml	Castor oil	**Gastro Intestinal drugs** Constipation الأمساك	**Shiba pharma** **Yemen**	As directed	
Cataflam Tablets 10 coated tablets	Diclofenac Potassium coated tablet 50 mg.	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**NOVARTIS** **Switzerland**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Cataflam-50 Tablets 10 coated tablets.	Diclofenac Potassium coated tablet 50 mg.	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**NOVARTIS** **Switzerland**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Caventon	Vinpocetine	**Cardio Vascular System drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	15 to 30 mg daily by mouth in divided doses.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
CAVERIL Tablets 50 tab	VERAPAMIL	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**REMEDICA** **Cyprus**	Oral doses 80 - 160 mg once daily	Caveril 40 calcium channel blocker 50 tablets
Cavestine Tablets 20 Tablets	Vinpocetine 5 mg	**Cardio Vascular System drugs** Mental Disorders الأمراض العقلية	**GLOBAL NAPI** **Egypt**	15 to 30 mg daily by mouth in divided doses.	GLOBAL NAPI Cavestine Vinpocetine 5 mg C.V.CARE GLOBAL NAPI PHARMACEUTICALS
CAVINTON	Vinpocetine	**Cardio Vascular System drugs** Mental Disorders الأمراض العقلية	**GEDEON RICHTER** **HUNGARY**	15 to 30 mg daily by mouth in divided doses.	CAVINTON BUDAPEST - HUNGARY
cavinton ???	Vinpocetine	**Cardio Vascular System drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	15 to 30 mg daily by mouth in divided doses.	CAVINTON 5 mg 25
Cavinton 5 mg	Vinpocetine 5 mg	**Cardio Vascular System drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	15 to 30 mg daily by mouth in divided doses.	CAVINTON 5 mg 25
CAVNTON FORTE	Vinpocetine 10 mg	**Cardio Vascular System drugs** Mental Disorders الأمراض العقلية	**GEDEON RICHTER** **HUNGARY**	15 to 30 mg daily by mouth in divided doses.	CAVINTON FORTE GEDEON RICHTER
Cebrotonin Tablets 30 tablets /box	Piracetam 800mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Walter Ritter** **Germany**	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	CEBROTONIN

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
CECLO Tablets 10 tablet	Aceclofenac tablet 100mg.	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Huons** **Korea**	Adult: PO Ankylosing spondylitis; Osteoarthritis; Rheumatoid arthritis 100 mg twice daily.	
Cedrox Capsules 1strip*10capsul	Cefadroxil 500 mg / cap	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Pharmacare** **Yemen**	1 to 2 g daily as a single dose or in two divided doses.	10 Capsules CEDROX Cefadroxil 500mg Pharmacare
Cedrox Syrup 100 ml	Cefadroxil 250 mg /5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Pharmacare** **Yemen**	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	CEDROX Pharmacare
Cefacur Capsules 1strip*10capsul	Cefadroxil	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	1 to 2 g daily as a single dose or in two divided doses.	CEFACURE 500 Cefadroxil 500mg Broad Spectrum Antibiotic
Cefacur Syrup Dry syrup 1bottel*60ml	Cefadroxil 250 mg / 5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	CEFACURE 60 ml Dry Syrup Broad Spectrum Antibiotic سيفاكيور
Cefacure 500 Caplets 16 cap	Cefadroxil 500 mg / cap	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	1 to 2 g daily as a single dose or in two divided doses.	CEFACURE 500 Cefadroxil
Cefadroxil 500 Capsules 10 cap	Cefadroxil 500 mg / cap	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**MEDICO LABS** **Syria**	1 to 2 g daily as a single dose or in two divided doses	CEFADROXIL MEDICO 500 Cefadroxil

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Cefalexin Capsules Capsules 2strip*10capsules	Cephalexin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	The usual dose for adults is 1 to 2 g daily given in divided doses, Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
Cefalexin Syrup Dry syrup 1bottel*100ml	Cephalexin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
Cefamid Capsules 3strip* 4capsule	Cefadroxil 500 mg / cap	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	1 to 2 g daily as a single dose or in two divided doses.	
Cefantral	Cefotaxime Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	
CEFAROL 250 Powder for Suspension 60 ml	Cefadroxil 250 mg/5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Global Pharma** **Yemen**	1 to 2 g daily as a single dose or in two divided doses.	
Cefarol 500 Capsules 10 cap	Cefadroxil 500 mg / cap	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Global Pharma** **Yemen**	1 to 2 g daily as a single dose or in two divided doses.	
Cefasyn Tablets 1strip*10tablet	Cefuroxime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily-By injection the usual adult dose is 750 mg of cefuroxime	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Cefasyn	Cefuroxime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	Cefuroxime For Injection USP (750 mg) Cefasyn 750 Cipla
Cefax Ampoules 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Huons** **Korea**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	KGMP APPROVED I.M./I.V. 1 Vial CEFAX Ceftriaxone sodium 500mg 500mg Huons Co., Ltd.
Cefazolin	Cefazolin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	The usual maximum daily dose is 6 g, although up to 12 g has been used in severe life-threatening infections. Children over 1 month of age may be given 25 to 50 mg/kg	
Cefepime	Cefepime Hydrochloride	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	Cefepime 1 g 1 Vial + 1 Ampoule Vitalis
Cefepime	Cefepime Hydrochloride	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	 Cefepime for Injection USP FORPAR 1 gm Cipla
Cefim	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Cefix Capsules 1strip*8capsule	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Pharma International**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	Cefix 200 mg Cefixime

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Cefix	Suspension	30 ml	Cefixime 100 mg / 5 ml	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Pharma International**		It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	100 mg/5ml Cefix Suspension
Cefix	Suspension	60 ml	Cefixime 100 mg / 5 ml	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Pharma International**		It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	100 mg/5ml Cefix Suspension
Cefnet-250			Cefuroxime	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Unknown**	**Unknown**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily-By injection the usual adult dose is 750 mg of cefuroxime	Cefuroxime Axetil Tablets IP CEFNET-250
Cefnet-500			Cefuroxime	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Unknown**	**Unknown**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily-By injection the usual adult dose is 750 mg of cefuroxime	Cefuroxime Axetil Tablets IP CEFNET-500
Cefobid	parentral inj	1vial	Cefoperazone Sodium	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**Pfizer**	**USA**	vial 500mg & 1000mg	Pfizer CEFOBID 1 g Injectable IM/IV
Cefodox 100	Tablets	1strip*10tablet	Cefpodoxime Proxetil	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**DIC**	**Jordan**	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	Cefodox Cefpodoxime Proxetil 100 mg
Cefodox 200	tablet	2strip*10tablet	Cefpodoxime Proxetil	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**DIC**	**Jordan**	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	Cefodox Cefpodoxime Proxetil 200 mg

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Cefogram	Vial	1vial	Ceftriaxone Sodium	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Orchid**	**Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	 Ceftriaxone for Injection USP CEFOGRAM I.M./I.V. 1000 mg Orchid
Cefogram			Ceftriaxone Sodium	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Unknown**	**Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	Ceftriaxone for Injection USP CEFOGRAM I.M./I.V. 1000 mg Orchid
Cefolin	Vial	1vial	Cefotaxime Sodium	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**OUBARY PHARMA**	**Syria**	vial 1000mg & 500mg & 250mg	CEFOLIN 500 mg Cefotaxime Sodium 1 Vial For I.M./ I.V. use OUBARY Pharma
Cefolin			Cefotaxime Sodium	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Unknown**	**Unknown**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	CEFOLIN 500 mg Cefotaxime Sodium 1 Vial For I.M. / I.V. use OUBARI
Cefolin			Cefotaxime Sodium	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Oubari**	**Syria**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	CEFOLIN 500 mg
Ceforan	Ampoules	1vial	Cefotaxime Sodium	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**PHARCO**	**Egypt**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	1 VIAL CEFORAN BROAD SPECTRUM ANTIBIOTIC Made in Egypt
CEFOTAX	Vial	1 vial + 1 amp solvent	Cefotaxime Sodium	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**EIPICO**	**Egypt**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	EIPICO 1 Sterile Vial + 1 Ampoule solvent CEFOTAX® Cefotaxime 1 g Broad Spectrum Antibiotic

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Cefovex			Cefuroxime	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Unknown**	**Unknown**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily-By injection the usual adult dose is 750 mg of cefuroxime	
Cefproz			Cefprozil	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Unknown**	**Unknown**	Adult :500- 1000 mg daily, Children up to 20 mg/kg once or twice daily	
Ceftinex			Cefdinir	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Unknown**	**Unknown**	600 mg daily as a single dose or in two divided doses. Children may be given 14 mg/kg daily up to a maximum of 600 mg daily.	
Ceftracef	Vial	1vial	Ceftriaxone Sodium	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**OUBARY PHARMA**	**Syria**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Ceftracef			Ceftriaxone Sodium 500 mg	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Oubari**	**Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
CEFTRAME-5	Ampoules		Ceftriaxone Sodium 500 mg	**Antibacterial**	Bacterial Infections الأصابات البكتيرية		**Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Ceftriaxone	Vial	1vial	Ceftriaxone Sodium	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Vitalis**	**USA**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ceftriaxon-Tabuk Vial 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Tabuk pharma** **Saudi Arabia**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	Ceftriaxone - Tabuk
Cefutil Tablets 1strip*10tablet	Cefuroxime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**DIC** **Jordan**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	Cefutil 250mg
Cefutil 250 mg	Cefuroxime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	Cefutil 250mg
Cefutil 500 mg	Cefuroxime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	Cefutil 500 mg
Cefuzime Tablets 1strip*10tablet	Cefuroxime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Julphar** **UAE**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	Cefuzime 250 mg
CEHAN 200 mg	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Korea Pharma** **Korea**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	CEHAN 200mg
Celebrex Capsules 10 capsules	Celecoxib capsule 200mg.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**Pfizer** **USA**	Minimum/Maximum Adult Daily Dose:200 - 400 mg (milligram) OR 1 - 2 Capsules.	CELEBREX 200mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Celebrex 200	Celecoxib	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	Minimum/Maximum Adult Daily Dose:200 - 400 mg (milligram) OR 1 - 2 Capsules.	CELEBREX 200mg
CEPHALEXIN dry syrup 100 ml	Cephalexin 250 mg / 5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	CEPHALEXIN Dry Syrup سيفاليكسين
CEPHALEXIN 500 Capsules 20 caps	Cephalexin 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	The usual dose for adults is 1 to 2 g daily given in divided doses, Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	CEPHALEXIN 500 Cephalexin 500mg MODERN PHARMA
CEPILEN	Cefepime Hydrochloride	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	
Cepril H	Lisinopril+ Hydrochlorothiazide	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	usual oral dose is 5 -20 mg daily,	
CERAX Powder for Suspension 60 ml	Cefuroxime 125 mg / 5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	Infants and children 10 mg/kg twice daily to a maximum of 250 mg daily.	60 ml CERAX Dry powder for oral suspension
Cerebrolysin	Cerebrolysin	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Cerizine Tablets 20 tab	Cetirizine Hydrochloride 10 mg	**Antihistamines** Allergy الحساسية	**BIOPHARM** **Yemen**	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	Cerizine 20 Tablets Cetirizine HCl 10 mg
CERTEC tab Tablets 10 tab	Cetirizine Hydrochloride	**Antihistamines** Allergy الحساسية	**Korea Pharma** **Korea**	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	CERTEC Tab (Cetirizine 2HCl 10mg) KOREA PHARMA CO., LTD
CERVITAM Capsules 20 capsule	Piracetam- 400 + Vinkamine 20 mg / cap	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**EGYPHAR** **Egypt**	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
CETAL Suppositoris 5 supp	Paracetamol supp, 120mg.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**EIPICO** **Egypt**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	CETAL Paracetamol 120 mg ANALGESIC & ANTIPYRETIC
CETAL Syrup 100 ml	Paracetamol	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**EIPICO** **Egypt**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	CETAL 100 ml Syrup
Cetal Me Solution 125 ml	Antiseptic	**Antiseptic and Desinfectants** Dermatitis الألتهابات الجلدية	**Middle East** **Unknown**	As directed	
Cetrimide Cream 20 gm	Each 1 gm contains : Cetrimide 10 mg	**Antiseptic and Desinfectants** Antiseptic مطهرات	**PHARCO** **Egypt**	0.1 to 1.0% aqueous solution, generally prepared by dilution of a more concentrated solution, or as a cream or spray containing 0.5%.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
CEVAMOL Tablets 12 effervesent tablets.	Paracetamol 400mg+vitamin C 250mg/effervesent tablet.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**CID** **Egypt**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
CEZAC-20 Capsules 20 capsules	Fluoxetine capsule 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**RFA** **Yemen**	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	CEZAC® - 20 Fluoxetine Hcl 20 Capsules
Chitosan & calcium Tablets 30 tablet	Calcium	**Vitamines and Menirals** Food Supplement مكملات غذائية	**Power Health** **Unknown**		powerhealth chitosan & calcium 30
Chlorasept Solution 120 ml	Phenol 1.4 %	**Antiseptic and Desinfectants** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Shiba pharma** **Yemen**	Weak concentrations (up to 2%) have also been used topically for disinfection. A 5% solution has been used as a disinfectant for excreta.	كلوراسبت Chlorasept
Chlorohistol Tablets 20 tab	Chlorphenamine Maleate	**Antihistamines** Common Cold نزلات البرد	**Julphar** **UAE**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	20 tablets CHLOROHISTOL Antihistamine Julphar
Chloroquine Phosphate Syrup 60ml	Chloroquine Phosphate	**Antimalarial medicines** Malaria الملاريا	**Unknown** **Unknown**	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	CHLOROQUINE PHOSPHATE SYRUP
Chloroquine - Shiba Syrup 60 ml	Chloroquine	**Antimalarial medicines** Malaria الملاريا	**Shiba pharma** **Yemen**	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	Chloroquine-Shiba 60 ml Syrup Anti-malarial Shiba Pharma

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Chloroquine-Shiba Tablets 10 tabletes	Chloroquine	**Antimalarial medicines** Malaria الملاريا	**Shiba pharma** **Yemen**	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	Chloroquine-Shiba Anti-malarial Shiba Pharma
Chlorpromazine	Chlorpromazine	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	25 mg three times daily and increasing as necessary; daily doses of 75 mg may be given as a single dose at night, psychotic patients may require daily doses of up to 1 g or more.	CHLORPROMAZINE TABLETS IP 50 mg
chlorpromazine ??? Tablets 100 tablet	chlorpromazine tablet 50mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**SUN** **India**	25 mg three times daily and increasing as necessary; daily doses of 75 mg may be given as a single dose at night, psychotic patients may require daily doses of up to 1 g or more.	CHLORPROMAZINE TABLETS IP 50 mg
Chlorpromazine 100 mg	Chlorpromazine	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	25 mg three times daily and increasing as necessary; daily doses of 75 mg may be given as a single dose at night, psychotic patients may require daily doses of up to 1 g or more.	CHLORPROMAZINE TABLETS IP 100 mg
chlorpromazine Tablets Tablets 100 tablets	chlorpromazine tablet 100mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**SUN** **India**	25 mg three times daily and increasing as necessary; daily doses of 75 mg may be given as a single dose at night, psychotic patients may require daily doses of up to 1 g or more.	CHLORPROMAZINE TABLETS IP 100 mg
Chymotrypsin Ampoules 3 amp	Chymotrypsin	**Miscellaneous drugs** Eye العين	**AMOUN** **Egypt**	usually by mouth or topically	Chymotrypsin
Ciafil 20 Tablets 4 tab	Tadalafil 20 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**RFA** **Yemen**	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	Ciafil 20 4 Tablets Tadalafil 20 mg RFA

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
cid water Syrup 120 ml	Semethicone	**Gastro Intestinal drugs** Indigestion سوء الهضم	**CID** **Egypt**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
cidodian-depot Ampoules 1 amp	Estradiol	**Gynaecology drugs** Contraceptives موانع الحمل	**SCHERING** **Germany**	one ampoule every three months or as directed	
CILOXAN Eye drops 5 ml	Ciprofloxacin Hydrochloride	**Antibacterial** Eye العين	**Alcon** **Unknown**	250 to 750 mg twice daily depending on the severity and nature of the infection	
CINCI Cream	Unknown	**Skin Disorders** Dermatitis الألتهابات الجدلدية	**Unknown** **Unknown**	Topically as once or twice daily ,	
Cini 25 Tablets 30 tab	Cinnarizine 25 mg	**Antihistamines** Vertigo الدوار او الدوخة	**RFA** **Yemen**	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Cini 75 Capsules 20 caps	Cinnarizine 75 mg	**Antihistamines** Vertigo الدوار او الدوخة	**RFA** **Yemen**	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
CINOLONE.N Cream 20 gm	Combination	**Skin Disorders** Dermatitis الألتهابات الجدلدية	**MEDICO LABS** **Syria**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Cipazol Forte Tablets 2 tab	Secnidazole 1000 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**CIPLA** **India**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
CIPAZOL OORT Tablets 2 tab	Secnidazole 1000 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**CIPLA** **India**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Ciperf Vial 1 vial	Ciprofloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**OUBARY PHARMA** **Syria**	250 to 750 mg twice daily depending on the severity and nature of the infection	
Ciplacef Vial 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Cipla-Lamivudine Tablets 10 tab.	Lamivudine 300mg	**Antivirals** Hepatic Disorders اضطرابات الكبد	**CIPLA** **India**	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
Cipla-Lamivudine susp Suspension 240ml	Lamivudine 50mg/5ml	**Antivirals** Hepatic Disorders اضطرابات الكبد	**CIPLA** **India**	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
ciplar-la 40 Tablets 10 *10 tab	Propranolol HCL	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**CIPLA** **India**	Adult: 40 - 120 mg orally twice daily ,children 1- 4 mg/kg daily in divided doses by mouth	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Cipla-Zidovudine Solution 200ml	Zidovudine 50mg/5ml	**Antivirals** Viral Infections الأصابات الفيروسية	**CIPLA** **India**	Adults : 500 to 600 mg daily in divided doses , Children 360 to 480 mg/m2 daily in divided doses	 Cipla-Zidovudine Oral Solution
Cipla-Zidovudine Tablets 100 Cap.	Zidovudine	**Antivirals** Viral Infections الأصابات الفيروسية	**CIPLA** **India**	Adults : 500 to 600 mg daily in divided doses , Children 360 to 480 mg/m2 daily in divided doses	Cipla-Zidovudine
Ciplin Syrup 1bottel*100ml	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Ciplin Suspension Cipla
Ciplin Tablets 10 x 10 tab	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Co-trimoxazole Tablets BP Ciplin Tablet Cipla
Ciplox Tablets 2strip*4tablet	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	250 to 750 mg twice daily depending on the severity and nature of the infection	2 x 4 Tablets Ciprofloxacin Tablets USP 750 mg Ciplox-750 Tablets Cipla
Ciplox Ampoules 1bottel*100ml	Ciprofloxacin 2 mg/ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	250 to 750 mg twice daily depending on the severity and nature of the infection	200 mg/100 ml Ciprofloxacin Injection USP 2 mg/ml Ciplox Cipla
Ciplox Eye / Ear Drops	Ciprofloxacin Hydrochloride	**Antibacterial** Eye العين	**CIPLA** **India**	250 to 750 mg twice daily depending on the severity and nature of the infection	Ciplox Ciprofloxacin Eye/Ear Drops CIPLOX Cipla

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ciplox 500 Tablets 1strip*10tablet	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	250 to 750 mg twice daily depending on the severity and nature of the infection	10 Tablets Ciplox-500 Ciprofloxacin Tablets USP Cipla
Cipralex-10 Tablets 14 tablets	Escitalopram tablet 10mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Lundbeck** **Denmark**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	14 Tablets Cipralex 10 mg
Cipram Tablets 14 tablets	Citalopram tablet 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Lundbeck** **Denmark**	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	 14 Tablets Cipram 20 mg
Cipril Tablets 2 x 10 tab	Lisinopril 5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**CIPLA** **India**	usual oral dose is 5 -20 mg daily,	Lisinopril Tablets USP Cipril-5 Cipla
Cipril-2.5	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	usual oral dose is 5 -20 mg daily,	Lisinopril Tablets USP Cipril-2.5 Cipla
Cipril-h	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	usual oral dose is 5 -20 mg daily,	
Ciprinol Infusion Bottle 1bottel*100ml	Ciprofloxacin 200 mg /100 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**KRKA** **India**	250 to 750 mg twice daily depending on the severity and nature of the infection	Ciprinol 200 mg/100 ml solution for infusion 1 vial of 100 ml

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ciprobay Tablet 1strip*10tablet	Ciprofloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**BAYER** **Germany**	250 to 750 mg twice daily depending on the severity and nature of the infection	
Ciprobay 500 	Ciprofloxacin Hydrochloride	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	250 to 750 mg twice daily depending on the severity and nature of the infection	
Ciprodar Tablets 1strip*10tablet	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Dar Aldawa** **Jordan**	250 to 750 mg twice daily depending on the severity and nature of the infection	
Cipro-Denk Tablets 1strip*10tablet	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Denk pharma** **Germany**	250 to 750 mg twice daily depending on the severity and nature of the infection	
Ciprof Tablets 1strip*10tablet	Ciprofloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**BIOPHARM** **Yemen**	250 to 750 mg twice daily depending on the severity and nature of the infection	
CIPROFAST Tablets 10 tabs	Ciprofloxacin 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Global Pharma** **Yemen**	250 to 750 mg twice daily depending on the severity and nature of the infection	
CIPROFIN 500 Tablets 10 tablet	Ciprofloxacin 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	250 to 750 mg twice daily depending on the severity and nature of the infection	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
CIPROFIN 750 Tablets 10 tablet	Ciprofloxacin 750 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	250 to 750 mg twice daily depending on the severity and nature of the infection	
Ciproflex Tablets 1strip*10tablet	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Alpha** **Syria**	250 to 750 mg twice daily depending on the severity and nature of the infection	Ciproflex 750
Ciprofloxacin Vial 1bottel*100ml	Ciprofloxacin 200 mg / 100 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	250 to 750 mg twice daily depending on the severity and nature of the infection	
Ciprolon tablet 1strip*10tablet	Ciprofloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**HIKMA** **Jordan**	250 to 750 mg twice daily depending on the severity and nature of the infection	CIPROLON 500
Cipromax tablet 1strip*10tablet	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**SPIMACO** **Saudi Arabia**	250 to 750 mg twice daily depending on the severity and nature of the infection	Cipromax 500
Ciprone tablet 1strip*10tablet	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**MUP** **Egypt**	250 to 750 mg twice daily depending on the severity and nature of the infection	CIPRONE - 500
Ciproquin tablet 10strip*10tablet	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Kopran** **India**	250 to 750 mg twice daily depending on the severity and nature of the infection	Ciproquin-500

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Ciprosan- 500 Tablets 1strip*10tablet	Ciprofloxacin 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shiba pharma** **Yemen**	250 to 750 mg twice daily depending on the severity and nature of the infection	Ciprosan 500 Ciprofloxacin 10 f/c Caplets Shiba Pharma
Ciprosan-750 Caplets 1strip*10 Caplets	Ciprofloxacin 750 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shiba pharma** **Yemen**	250 to 750 mg twice daily depending on the severity and nature of the infection	Ciprosan 750 Shiba Pharma
Ciprova tablet 1strip*10tablet	Ciprofloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	250 to 750 mg twice daily depending on the severity and nature of the infection	Ciprova 500
Ciproxe 500 tablet 1strip*10tablet	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shaphaco** **Yemen**	250 to 750 mg twice daily depending on the severity and nature of the infection	Ciproxe 500 Ciprofloxacin
Ciproxe 750 Tablets 10 tabs	Ciprofloxacin Hydrochloride 750 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shaphaco** **Yemen**	250 to 750 mg twice daily depending on the severity and nature of the infection	Ciproxe 750 Ciprofloxacin
Ciproxene 500 parentral infu 1bottel*100ml	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Medical Bahri** **Syria**	250 to 750 mg twice daily depending on the severity and nature of the infection	10 film coated tablets CIPROXENE 500 LARGE SPECTRUM ANTIMICROBIAL
Ciproxene 750 tablet 1strip*10tablet	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Medical Bahri** **Syria**	250 to 750 mg twice daily depending on the severity and nature of the infection	 10 film coated tablets CIPROXENE 750 LARGE SPECTRUM ANTIMICROBIAL

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Citadep-20 Tablets 10 tablets	Citalopram tablet 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Citadep-20	Citalopram	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Citalop Tablets 30 tablets	Escitalopram tablet 10 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Shiba pharma** **Yemen**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Citalop Tablets 30 tablets	Escitalopram tablet 20 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Shiba pharma** **Yemen**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
CITALOP 20 Tablets 30 tablets	Escitalopram tablet 20 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**RFA** **Yemen**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
citapram Tablets 30 tablets	Citalopram tablet 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Pharma International** **Jordan**	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Citex Tablets 20 tablets	Citalopram tablet 20 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Shiba pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Citol Tablets 28 tablets	Citalopram tablet 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**ABDIIbrahim** **Unknown**	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	28 Tablets Citol 20 mg Film Tablet ABDIİBRAHİM
Citoles 10 mg Tablets 28 tablets	Escitalopram tablet 10mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**ABDIIbrahim** **Unknown**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	Citoles 10 mg Film Tablet Escitalopram 28 Film Tablets ABDIİBRAHİM
Citoles 20 mg Tablets 28 tablets	Escitalopram tablet 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**ABDIIbrahim** **Unknown**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	Citoles 20 mg Film Tablet Escitalopram 28 Film Tablets ABDIİBRAHİM
CLAMIDE Tablets 100 tab	Glibenclamide 5 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Hovid** **Malaysia**	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	 CLAMIDE™ GLIBENCLAMIDE TABLET B.P. 5 mg hovid 100 TABLETS
Clamycin Tablets Tablets 2strip*10tablet	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**Julphar** **UAE**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	Clamycin Clarithromycin 250 mg
Clanza Tablets 10 tablets	Aceclofenac tablet 100mg.	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Korea United Pharma** **Korea**	Adult: PO Ankylosing spondylitis; Osteoarthritis; Rheumatoid arthritis 100 mg twice daily.	CLANZA Tabs. Aceclofenac 100 mg KOREA UNITED PHARM. INC.
Claphorama parentral inj 1vial	Cefotaxime Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Alpha** **Syria**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	1 Vial CLAPHORAMA 1 Gr.

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Claradone Solution 100 ml	Combination	**Health Care** Mouth Wash الغسولات الفموية	**MEDPHARMA** **UAE**	As directed	
CLARADONE Solution 200 ml	Combination	**Antiseptic and Desinfectants** Vaginal المهبل	**MEDPHARMA** **UAE**	As directed	
Claricide - 250 tablet 1strip*14tablet	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**Bilim** **Turkey**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Claricide - 500 Tablets 2strip*7tablet	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**Bilim** **Turkey**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Claricin Dry Syrup 100 ml	Each 5 ml contains Clarithromycin USP 125 mg.	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**Pharmacare** **Yemen**	Children 7.5 mg/kg twice daily for 5 to 10 days.	
Claricin Tablets 14 tablet	Each Tablet contains Clarithromycin USP 500mg	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**Pharmacare** **Yemen**	250-500 mg twice daily for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Claricin Tablets 14 tab	Each Tablet contains Clarithromycin USP 250 mg	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**Pharmacare** **Yemen**	250-500 mg twice daily for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Claricure 500	Tablets	15 tabs	Clarithromycin 500 mg	**Antibiotics**	Respiratory Disorders اضطرابات الجهاز التنفسي	**Shaphaco**	**Yemen**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	 Claricure 500mg Clarithromycin
Clarimax	Tablets	2strip*7tablet	Clarithromycin 250 mg	**Antibiotics**	Respiratory Disorders اضطرابات الجهاز التنفسي	**Shiba pharma**	**Yemen**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	Clarimax 250 Clarithromycin Shiba Pharma
Clarimax	Tablets	2strip * 7 tablet	Clarithromycin 500 mg	**Antibiotics**	Respiratory Disorders اضطرابات الجهاز التنفسي	**Shiba pharma**	**Yemen**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	Clarimax 500 Clarithromycin Shiba Pharma
Clarimycin	Tablets	14 tablets	Clarithromycin 500 mg	**Antibiotics**	Respiratory Disorders اضطرابات الجهاز التنفسي	**BIOPHARM**	**Yemen**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	Clarimycin 500 14 film coated tablets Clarithromycin 500 mg
CLARIN	Syrup	100 ml	Loratadine	**Antihistamines**	Allergy الحساسية	**Shiba pharma**	**Yemen**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	CLARIN Loratadine 100 ml Syrup Shiba Pharma
CLARIN	Tablets	10 tab	Loratadine	**Antihistamines**	Allergy الحساسية	**Shiba pharma**	**Yemen**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	CLARIN Loratadine 10 Tablets Shiba Pharma
CLARIN	Tablets	10 tab	Loratadine 10 mg	**Antihistamines**	Allergy الحساسية	**Shiba pharma**	**Yemen**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	CLARIN Loratadine Non-Sedating 10 Tablets

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
CLARINASE Tablets 14 tab	Loratadine	**Antihistamines** Common Cold نزلات البرد	**Schering-Plough** **Belgium**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Claritine Syrup 100 ml	Loratadine	**Antihistamines** Allergy الحساسية	**Schering-Plough** **Belgium**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Claritop Suspension 60 ml	Clarithromycin 125 mg / 5 ml	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**RAM PHARMA** **Jordan**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Claritop - 250 Tablets 2strip*7tablet	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**RAM PHARMA** **Jordan**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Claritop - 500 Tablets 2strip*10tablet	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**RAM PHARMA** **Jordan**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Clariva Tablets 14 tablets	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**ZYNOVA** **Unknown**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
CLAROMIN 250 Tablets 2strip*7tablet	Clarithromycin 250 mg	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**Modern Pharama** **Yemen**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
CLAROMIN 500 Tablets 2strip*7tablet	Clarithromycin 500 mg	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**Modern Pharama** **Yemen**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	CLAROMIN 500
Clavimox Tablets 2strip x 7 tablets	Amoxycillin 875 + Clavulanic acid 125 = 1000 mg / tablet.	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Pharmacare** **Yemen**	250 - 1000 mg three times daily	Clavimox 1gm Pharmacare
Clavimox Drops 20 ml	Amoxycillin 50 mg + Clavulanic acid 12.5 mg = 62.5 mg / ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Pharmacare** **Yemen**	125 to 250 mg every 8 hours	Clavimox 62.5 mg / ml Pharmacare
Clavimox Tablets 2 strip x 10 tablets	Amoxycillin 500 mg + Clavulanic acid 125 mg = 625 mg / tablet	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Pharmacare** **Yemen**	The oral dose is 250 to 500 mg every 8 hours, or 500 to 1000 mg every 12 hours.	
Clavotec	Amoxicillin + Clavulanic Acid	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	Co - Amoxiclav for Injection BP CLAVOTEC 1.2g
clemen Tablets 21 tab	estradiol	**Gynaecology drugs** Contraceptives موانع الحمل	**BAYER** **Germany**	one tablte daily from the frist day of menstution for 21 day	
Cleron 500 Tablets 14 tab	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**DELORBIS** **Cyprus**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	CLERON 500mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
CLEXANE Vial	Enoxaparin Sodium	**Cardio Vascular System drugs** Thrombosis الجلطات	**Sanofi Aventis** **France**	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	CLEXANE sanofi aventis
CLEXANE 4000 Ampoules 4000 I.U/0.4ml	enoxaparine sodique+enoxaparine sodium 4000U.Ianti-xa est equivalent with	**Cardio Vascular System drugs** Thrombosis الجلطات	**Sanofi Aventis** **France**	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	CLEXANE sanofi aventis
Clinacin capsules 2strip*8capsules	Clindamycin	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Shiba pharma** **Yemen**	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	Clinacin Clindamycin 16 Capsules Shiba Pharma
Clinaderm solution 1bottel*30ml	Clindamycin	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**phildelaphia** **Unknown**	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
Clindacin capsules 2strip*8capsule	Clindamycin	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**United** **Jordan**	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	CLINDACIN Clindamycin 150 mg 16
Clmplx 75 Tablets 3 x 10 tab	Clopidogrel Bisulfate	**Cardio Vascular System drugs** Thrombosis الجلطات	**Unknown** **Unknown**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	Clopidogrel Tablets USP
Clofast-P Tablets 20 tab	Diclofenac Potassium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**ZYNOVA** **Unknown**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	CLOFAST-P Anti-inflammatory, Analgesic

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
CLOFEN Tablets 20 tablets	Diclofenac Sodium tablet 50mg.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Julphar** **UAE**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
CLOFEN Tube 20 gm	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Julphar** **UAE**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Clofen Tablets 20 tab	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Julphar** **UAE**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
CLOFENAC 50 Tablets 100 tab	Diclofenac potassium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Hovid** **Malaysia**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Clomid 50 mg Tablets 10 tablet	clomifene citrate	**Gynaecology drugs** Infertility العقم	**Sanofi Aventis** **France**	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	
CLOMIDAT TABLET 10	clomiphene citrate 50	**Gynaecology drugs** Infertility العقم	**AMRIYA PHARMA** **Egypt**	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	
Clomidine Tablets 10 tab	clomifine citrate	**Gynaecology drugs** Infertility العقم	**ASIA** **Syria**	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
CLONAC Tablets 30 tabs	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**unknown** **Unknown**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	CLONAC TABLETS Diclofenac sodium 25 mg
Clontab Tablets 20 tabs	Sulpiride capsule 25 mg + mebeverine HCL 100 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Global Pharma** **Yemen**	200–400 mg twice daily; max. 800 mg daily; ELDERLY, lower initial dose, increased gradually according to response	
Clopilet Tablets 	Clopidogrel Bisulfate 50 mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**SUN Pharma** **India**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	Clopidogrel Tablets USP 75 mg Clopilet
Clopivas Tablets 3 x 10 tab	Clopidogrel Bisulfate	**Cardio Vascular System drugs** Thrombosis الجلطات	**CIPLA** **India**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	Clopivas Clopidogrel Tablets USP 75mg 3 x 10 Tablets Cipla
clopix 75mg tablet 3*10 tablet	clopidogrel 75mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**Lupin** **Unknown**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	Clopidogrel Tablets USP
Clopixol Depot Ampoules 1 X 1 ml	Zuclopenthixol 200 mg / ml	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**H.Lundbeck** **Denmark**	20 to 30 mg of the base daily in divided doses	1 x 1 ml ampoule Clopixol Depot Injection 200 mg/ml Zuclopenthixol decanoate For deep intramuscular injection only
Clopixol depto Ampoules 1 amp	Zuclopenthixol Acetate 100 mg/ amp	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**H.Lundbeck** **Denmark**	20 to 30 mg of the base daily in divided doses	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Clopram Tablets 20 tabs	metoclopramide	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**APM** **Jordan**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	CLOPRAM 30 Comprimes
CLORAMID Ampoules 10 amp x 2 nl	Metoclopramide 10 mg / 2 ml	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**CSPC** **China**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	CLORAMID Inj. Metoclopramide HCl Injection
Closol Spray 40 ml	Clotrimazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	CLOSOL Spray 40 ml
Closol Spray Spray 1 Contenar Spray 40ml	Clotrimazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	CLOSOL Spray 40 ml
Clostat 10 tablet 30 tablet	atorvastatin-10 mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Shaphaco** **Yemen**	Oral only.: ADULTS: PO 10 to 80 mg/day.	Clostat® 10 mg Atorvastatin Antilipemic
Clostat 20 tablet 30 tablet	atorvastatin-20mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Shaphaco** **Yemen**	Oral only.: ADULTS: PO 10 to 80 mg/day.	Clostat® 20 mg Atorvastatin Antilipemic
Clotrisone Cream	Clotrimazole + Betamethasone	**Antifungals** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	Clotrisone

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Cloval Tablets 28 tab	Clopidogrel Bisulfate 75 mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**Shaphaco** **Yemen**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Clovex 75 Tablets 20 tab	Clopidogrel Bisulfate 75 mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**NCPI** **Syria**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
CLOXAMIN Neontal Drops 20 Capsules	Ampicillin + Cloxacillin 90 mg/0.5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	Children 2 – 10 years : 5 ml -10 ml four times daily. Children under 2 years : 2.5 ml - 5 ml four times daily.	
CLOXAMIN Dry syrup 100 ml	Ampicillin + Cloxacillin 250 mg/5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	125 to 250 mg every 8 hours	
CLOXAMIN 500 Capsules 20 Capsules	Ampicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	Adults : 1 - 2 Capsule four times daily.	
Cloxide cap 30 caps	Chlordiazepoxide +Clidinium Bromide	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Unknown** **Unknown**	Chlordiazepoxide up to 30 mg daily in divided doses.	
Co-Avazir Suspension 10 ml	Tobramycin 0.3% + Dexamethasone 0.1%	**Ophthalmic drugs** Eye العين	**Orchidia Pharma** **Egypt**	As directed	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
COBAL	Solid		Cyanocobalamin 500mcg tablets	**Vitamines and Menirals**	Anaemia فقر الدم	**JPM**	**Jordan**	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
CobalvexB12	Ampoules	2 ampoules	Methylcobalamin 500mcg	**Vitamines and Menirals**	Anaemia فقر الدم	**SIGMA**	**Egypt**	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Cod Liver Oil	Capsules	30 capsules	Each capsule provides on average:263mg Cod Liver Oil and 42mg Halibut Liver Oil	**Vitamines and Menirals**	Food Supplement مكملات غذائية	**Power Health**	**Unknown**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Cod Liver Oil	Soft Gelatin Capsules		Cod Liver Oil	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**Vitane pharma**	**Germany**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
cod liver oil 500mg	Capsules	30 Capsules	Pure cod liver oil 500mg+Vit. A 800 mcg+ Vit. D 5 mcg+ Vit. E 10 mg+EPA 58 mg+DHA 30	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**LIFEPLAN**	**Unknown**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
cod liver oil 1000mg	Capsules	120 capsules	Vit. A 4000 I.U+ Vit. D 400 I.U+ Vit. E 3 IU+EPA 252 mg+DMA 224 mg+Vit. B6 0.7 mg/capsule	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**seven seas**	**Unknown**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
cod liver oil mega	Capsules	100 softgels	Each softgel : Cod Liver Oil275 mg+Providing Vitamin A580 IU+Vitamin D58 IU	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**MEGA**	**Thailand**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
cod liver oil-1000mg ??? Capsules 30 softgel	cod liver oil 1000mg,total fat 1g,vit.A 2664 I.U,vit D 200I.U	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Vitane pharma** **Germany**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	Cod Liver Oil
Coda Cough Syrup 100 ml	Ephedrine hydrochloride 2.5 mg + chlorphenamine maleate 1 mg + codeine	**Respiratory drugs** Common Cold نزلات البرد	**Shiba pharma** **Yemen**	As directed	Coda Cough 100 ml Syrup
Codaphed Syrup 120 ml	Guaiphenesin+Dextromethorphan+Chloropheniramin+Ephedrin	**Respiratory drugs** Common Cold نزلات البرد	**julphar** **UAE**	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Codaphed	Ephedrine hydrochloride + chlorphenamine maleate + codeine phosphate	**Respiratory drugs** Common Cold نزلات البرد	**Julphar** **UAE**	As directed	
Codaphed Plus	Ephedrine hydrochloride + chlorphenamine maleate + codeine phosphate + ammonium	**Respiratory drugs** Common Cold نزلات البرد	**Julphar** **UAE**	As directed	
co-diovan	Valsartan	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Oral doses 80 - 160 mg once daily	Co-Diovan 160/25
Cofsed Linctus 100 ml	Ephedrine+carbenoxamine+pholcodiene	**Respiratory drugs** Common Cold نزلات البرد	**Thornton** **UK**	Nasal drops or sprays containing ephedrine 0.5 or 1%, 0.25% for use in children aged 1 to 3 months.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
colchicine Tablets 20tablet	colchicine	**Miscellaneous drugs** Gout النقرس	**IBN Al Haytham** **Unknown**	1 mg initially, then 500 micrograms every 2 to 3 hours until pain relief is obtained or gastrointestinal adverse effects occur	
Coldact Capsules 20 capsules.	Paracetamol 500mg+psedoephedrine 60mg+cetirizene 5mg per capsule.	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**BIOPHARM** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Coldact Caplets 20 cap	Pseudoephedrine +paracetamol + chloraphiniramine	**Respiratory drugs** Common Cold نزلات البرد	**BIOPHARM** **Yemen**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Coldex-D Syrup 100 ml	Dextromethorphan +chloropheniramin+pseudoephedrine	**Respiratory drugs** Common Cold نزلات البرد	**A.P.M** **Unknown**	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Colic EZ Oral /Drops 30 ml	Semethicone	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Unknown** **Unknown**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
COLICAL Syrup 120 ml syrup	calcium 50mg. Vit.D3 1000mg, vit.B12 10mg/5ml(syrup).	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**RAFA pharma** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Colircusi Drops	Cyclopentolate Hydrochloride	**Antimuscarinic** Eye العين	**Cusi** **Spain**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Colircusi Antiedema suspemsion 10 ml	Sodium Chloride	**Ophthalmic drugs** Eye العين	**Cusi** **Spain**	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	COLIRCUSI ANTIEDEMA
CoListax Tablets 10 tab	Vegetable Extracts	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Unknown** **Unknown**	As directed	ColisTAX الوكيل الوحيد شركة المنى للأدوية
Collomak	Salicylic Acid + Lactic Acid + Lauromacrogol 400	**Skin Disorders** Warts الثآليل او النتوء الصغيرة	**Unknown** **Unknown**	As directed	
COLOCOL Tablets 20 tab	Paracetamol 500 mg + Caffeine 65 mg	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى		0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	COLOCOL Extra Pain and fever relief
Colona Tablets 20 tabs	Mebeverine 100 mg +sulpiride 25 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**RAMEDA** **Egypt**	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	COLONA RAMEDA
Colona-Flex Tablets 20 tabs	Mebeverine 100 mg +sulpiride 25 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Modern Pharama** **Yemen**	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	Colona-Flex
COLOSPAMIN Tablets 20 tab	Mebeverine HCL	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**EIPICO** **Egypt**	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	EIPICO 20 TABLETS COLOSPASMIN ANTISPASMODIC

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Coloverin A tab 30 tabs	mebeverine Hcl + chlorodizepoxide	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Chemipharm** **Unknown**	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	 COLOVERIN A CHEMIPHARM
Colpermin Capsules 20 cap	187 mg PEPPERMINT OIL	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Tillotts Pharma** **Switzerland**	As directed	
Combivent Vial 20 unit dose vial	Salbutamol	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**Boehringer Ingelhim** **Germany**	2 -4 mg / or 2 buffs *qid	
Combizym tab 30 tab	papain+protase+sanzme+pepsin +Cellulase +Lipase +	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Daiichi -Sankyo** **Germany**	1-2 tab during or after all meal	Combizym 30 DRAGEES Daiichi-Sankyo
COMETHER Ampoules 80 mg / ml	Artemether	**Antimalarial medicines** Malaria الملاريا	**RFA** **Yemen**	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children artemether 20- 80 mg with lumefantrine 120- 480 mg	24 Tablet COMETHER Artemether 20 mg & Lumefantrine 120mg Antimalarial
Comuret ASIA Tablets 2	northisterone 10 mg + ethinylestradiol 0.02	**Gynaecology drugs** Contraceptives موانع الحمل	**ASIA** **Syria**	As directed	 Comuret Asia
Concor Tablets 30 tab	Bisoprolol Fumarate	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**MERCK** **Germany**	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	Concor Cor 2.5 mg Merck Serono

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Conjyclear Forte	Solution	5 ml	Olopatadine Hydrochloride 0.2%	**Ophthalmic drugs**	Eye العين	**Orchidia Pharma**	**Egypt**	It is used twice daily as eye drops containing the equivalent of 0.1% of olopatadine base in adults and children aged three years and over.	Conjyclear Forte
Contramal	Capsules	10 cap	Tramadol Hydrochloride	**Opioid analgesics**	Analgesic مهدئات الأوجاع	**SIGMA**	**Unknown**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Conventin 400 mg	Capsules		Unknown	**Unknown**	Unknown	**Unknown**	**Unknown**	As directed	Conventin 400mg Capsules
Convulex	Syrup	100 mL	Na valproate syrup 50mg/mL	**Central Nervous system drugs**	Epilepsy الصرع	**GEROT LANNACH**	**Viena, Austria**	15 mg/kg/day in 2–3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	Convulex 50 mg/ml
Convulex CR 500 mg	Tablets	50 tablets	Valproic Acid prolonged-releas tablet 500mg.	**Central Nervous system drugs**	Epilepsy الصرع	**GEROT LANNACH**	**Viena, Austria**	15 mg/kg/day in 2–3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	Convulex CR 500 mg
Convulex CR 300 mg	Tablets	50 tablets	Valproic Acid prolonged-releas tablet 300mg.	**Central Nervous system drugs**	Epilepsy الصرع	**GEROT LANNACH**	**Viena, Austria**	15 mg/kg/day in 2–3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	Convulex CR 300 mg Prolonged-release Tablets
Convulex 150 mg			Valproic Acid	**Antiepileptics**	Epilepsy الصرع	**GEROT LANNACH**	**Viena, Austria**	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	Convulex 150 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Convulex 300 mh	Valproic Acid	**Antiepileptics** Epilepsy الصرع	**Unknown** **Unknown**	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	
Convulex 500 mg	Valproic Acid	**Antiepileptics** Epilepsy الصرع	**Unknown** **Unknown**	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	
Convulex CR	Sodium valproate	**Antiepileptics** Epilepsy الصرع	**GEROT LANNACH** **Viena, Austria**	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	
Convulex CR 500 mg	Sodium valproate	**Antiepileptics** Epilepsy الصرع	**vienna** **Unknown**	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	
Convulex-150 Capsules 100 capsules	Valproic Acid capsule 150mg	**Central Nervous system drugs** Epilepsy الصرع	**GEROT LANNACH** **Viena, Austria**	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	
Convulex-300 Capsules 100 capsules	Valproic Acid capsule 300mg	**Central Nervous system drugs** Epilepsy الصرع	**GEROT LANNACH** **Viena, Austria**	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	
Convulex-500 Capsules 100 capsules	Valproic Acid capsule 500mg	**Central Nervous system drugs** Epilepsy الصرع	**GEROT LANNACH** **Viena, Austria**	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Coolsa Lozenges 24 lozenges	Different Lozenges Ingredients	**Antiseptic and Desinfectants** Common Cold نزلات البرد	**gmp** **Unknown**	As directed	24 Lozenges COOLSA Lozenges
Cool-X Lozenges 24 lozenges	Menthol	**Antiseptic and Desinfectants** Common Cold نزلات البرد	**pearl ph.** **Unknown**	As directed	كول اكس COOL-X الأصلي ORIGINAL HOT MENTHOL 24 LOZENGES
Coragen B6 Ampoules 6 amp	Vitamin B Substances	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**CSPC** **China**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	CORAGEN B6 Vitamin B6 injection
Corasore Drops 10 ml	Each 1 ml oral drops (25 drops) or (7.5mg Heptaminol / ml)	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Alexendria** **Egypt**	As directed	
Corasore Tablets 20 tab	Each tablet contains: 150 mg Heptaminol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Alexendria** **Egypt**	As directed	
Cordarone	Amiodarone	**Cardio Vascular System drugs** Arrhythmia عدم انتظام ضربات القلب	**Unknown** **Unknown**	Oral, IV. : Adults: Loading dose: IV 5 mg/kg over 25–50 minutes. Maintenance: 10–15 mg/kg/d.	ضع صورة الدواء بنفس هذا الرقم
Cordipin Tablets 30 tab	Nifedipine20 mg / tab	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**KRKA** **India**	10 to 40 mg twice daily	KRKA 20 mg Cordipin retard 30 comprimés à libération prolongée

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Corneteears Gel 10 gm	Vitamine A palimatate 1000 i.u + Artificial tears & lubricant	**Ophthalmic drugs** Eye العين	**Orchidia Pharma** **Egypt**	As directed	
Cornex Gel	Each 1 gm contains : Lactic Acid 167 mg + Salicylic Acid 167 mg	**Skin Disorders** Warts او الثآليل النتوء الصغيرة	**Pella** **Jordan**	As directed	
CORONIS Tablets 28 tab	CARVEDILOL 6.25 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**bilim** **Turkey**	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	
CORTIGEN B6 adult Ampoules 3 amp x 1 ml for Adult	Suprarenal cortex + pyridoxine hydrochloride	**Vitamines and Menirals** Nausea and vomiting الغثيان والطرش	**NILE CO.** **Egypt**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
CORTIGEN B6 Pediatric Ampoules 3 amp x 1 ml for Pediatric	Suprarenal cortex + pyridoxine hydrochloride	**Vitamines and Menirals** Nausea and vomiting الغثيان والطرش	**NILE CO.** **Egypt**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Cortina Syrup 1bottel*60ml	Trimethoprim 40 mg/Sulfamethoxazole (Co-trimoxazole) 200 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Cortina Tablets 100 tabs	Trimethoprim 80 mg/Sulfamethoxazole (Co-trimoxazole) 400 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
CORTINA FORTE Tablets 10 tabs	Trimethoprim 40 mg/Sulfamethoxazole (Co-trimoxazole) 200 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	CORTINA® FORTE Trimethoprim & Sulphamethoxazole ANTI BACTERIAL RFA 10 Tablets
cortisal Ointment 30 g	Mometasone Furoate 0.1 %+ Salicylic acid 5 %	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Global Pharma** **Yemen**	Once daily	Cortisal Ointment 30g
CORYOL Tablets 30 tab	CARVEDILOL 12.5 mg / tab	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**KRKA** **India**	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	Coryol 12.5 mg tablets Carvedilol 30 tablets Oral use KRKA
CORYOL Tablets 30 tab	CARVEDILOL 25 mg / tab	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**KRKA** **India**	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	Coryol 25 mg tablets Carvedilol 30 tablets Oral use KRKA
Co-trimoxazole syrup 1bottel*100ml	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Pharmadex** **Unknown**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	PAEDIATRIC CO-TRIMOXAZOLE SUSPENSION Flavoured Pharmadex
Cotrix Suspension 1bottel *50ml	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shiba pharma** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Cotrix® Pediatric Oral Suspension 50 ml Antibacterial Shiba Pharma
Cotrix Tablets 2strip*10tablet	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shiba pharma** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Cotrix® 20 Tablets Co - trimoxazole Antibacterial Broad Spectrum Shiba Pharma

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Cotrix Suspension 100 ml	Trimethoprim + Sulphamethoxazole	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shiba pharma** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Cotrix Pediatric Oral Suspension Antibacterial Shiba Pharma
Cougo Tablets 20 tab	Pseudoephedrine +paracetamol+chloraphiniramine	**Respiratory drugs** Common Cold نزلات البرد	**BMP** **Thailand**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	 COUGO COMPOUND COLD TABLETS
Cougo Syrup 60 ml	Pseudoephedrine +paracetamol + diphenhydramine	**Respiratory drugs** Common Cold نزلات البرد	**BMP** **Thailand**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	COUGO syrup
Coxydil Mouth Wash 100 ml	Chlorhexidine Gluconate 0.2% W/V	**Antiseptic and Desinfectants** Mouth Wash الغسولات الفموية	**Shaphaco** **Yemen**	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	Coxydil Microbial Killer
CPM Syrup 60 ml	Chlorphenamine Maleate 2mg/5ml	**Antihistamines** Common Cold نزلات البرد	**RFA** **Yemen**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	CPM Chlorpheniramine Maleate Syrup Antihistamine Antiallergic
CPM-4 Tablets 100 tab	Chlorphenamine Maleate 4 mg/tab	**Antihistamines** Common Cold نزلات البرد	**RFA** **Yemen**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	CPM-4 Antihistamine Chlorpheniramine Maleate 4mg
crestomed-20mg Tablets 30coated tablet	20mg Rosuvastatin(as Rosuvastatin calcium)	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Biomed** **Unknown**	10 - 20 mg once daily	Crestomed 20

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
CRESTOR 5mg Tablets 28 tab	Rosuvastatin Calcium	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**ASTRAZENECA** **Unknown**	10 - 20 mg once daily	CRESTOR rosuvastatin 5 mg 28
CRESTOR-20mg Tablets 28 tablet	Rosuvastatin20mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**ASTRAZENECA** **Unknown**	10 - 20 mg once daily	CRESTOR 20 mg 28
Crotaphil-H Cream 25 gm	Unknown	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Unknown** **USA**	Topically as once or twice daily ,	Crotaphil - H
Curazole Cream	Ketoconazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	كيورازول CURAZOLE
Curcef 500 mg Capsules 1strip*8capsul	Cefadroxil 500 mg / cap	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**PHARCO** **Egypt**	1 to 2 g daily as a single dose or in two divided doses.	8 CAPSULES CURISAFE 500 mg CEFADROXIL MONOHYDRATE
Curisafe 250 mg Powder for Suspension 60 ml	Cefadroxil 250 mg / 5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**PHARCO** **Egypt**	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	CURISAFE CEFADROXIL MONOHYDRATE 250 mg per 5 ml POWDER FOR SUSPENSION 60 ml FOR ORAL USE PHARCO
CUSICROM Drops 10 ml Bottle	Sodium Cromoglicate as Cromoglycic Acid 40 mg / ml	**Ophthalmic drugs** Eye العين	**Cusi** **Spain**	Drops of 2 or 4%, generally applied 4 to 6 times daily; a 4% eye ointment has been applied 2 to 3 times daily.	Cusi C002007 CUSICROM 4% (Cromoglycic acid) Eye drops

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
CUSIMOLOL Drops	Timolol Maleate 0.5 %	**Ophthalmic drugs** Eye العين	**Cusi** **Spain**	instilled twice daily to reduce raised intra-ocular pressure	Cusi CUSIMOLOL 0.5% (Timolol) Eye drops
CUSIVIRAL EYE OINTMENT Tube 4.5 gm / tube	Acyclovir 30g	**Antivirals** Eye العين	**Cusi** **Spain**	1 g t.i.d., 7 days.	CUSIVIRAL EYE OINTMENT
CUSIVIRAL EYE OINTMENT Ointment Tube	Acyclovir	**Antivirals** Eye العين	**Cusi** **Spain**	1 g t.i.d., 7 days.	Cusi CUSIVIRAL EYE OINTMENT
C-VITA Sachets 10 Sachets	Vitamin c 1000 mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Modern Pharama** **Yemen**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Cyclofen Tablets 20 tablets	Paracetamol 500mg+ caffine60 mg + pyrilamine maleate 15 mg	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Modern Pharama** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Cyclofen Cyclofen
Cypro-BC Syrup 114ml	cyproheptadine 4mg ,vit.A 1670 I.U,vit.D 167 I.U,vit.B1 0.60mg,vit.B2 0.75mg vit.B6	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**ALGORITHM** **Lebanon**	As directed	Cypro-BC Syrup
Cypro-vita Tablets 30 film coated tablets	cyproheptadine 4mg ,vit.A 1670 I.U,vit.D 167 I.U,vit.B1 0.60mg,vit.B2 0.75mg vit.B6	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**ALGORITHM** **Lebanon**	As directed	Cypro-Vita 30 Film coated tablets

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Cystazole -200 Caplets 2 Caplets	Albendazole	**Anthelmentic** Common Worms الديدان الشائعة	**JOSWE** **Jordan**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Cystone Tablets 100 tablet	Unknown	**Health Care** Urinary Tract Infection اصابات الجهاز البولي	**Himalaya Drug Co** **India**	As directed	
Cytasept Solution 250 ml	Clorhexidine + Hexamidine + Chlorocresol	**Antiseptic and Desinfectants** Vaginal المهبل	**Shiba pharma** **Yemen**	As directed	
Cytochrome C Ampoules 5 amp	Cytochrome C	**Cardio Vascular System drugs** Angina الذبحة الصدرية	**SAMSON-MED** **Russia**	As directed	
Cytodrox	Hydroxycarbamide	**Antineoplastic** Cancer (الأمراض الخبيثة (السرطان)	**Unknown** **Unknown**	single dose of 20 to 30 mg/kg daily or in a single dose of 80 mg/kg every third day.	
Cytraz Vial 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Lupin** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
C-ZAR 100 Tablets 30 tabs	Losartan Potassium 100 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**RFA** **Yemen**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
C-ZAR 25 Tablets 30 tabs	Losartan Potassium 25 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**RFA** **Yemen**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
C-ZAR 50 Tablets 30 tabs	Losartan Potassium 50 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**RFA** **Yemen**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
C-ZAR-H Tablets 30 tabs	Losartan Potassium100 mg+hydrochlorothiazid25 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**RFA** **Yemen**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
D.V.IRON Tablets 20 film coated tablets	ferrous fumarate120mg+folic acid400microgram+vitB1 1.5microgram+vit B6	**Vitamines and Menirals** Anaemia فقر الدم	**Unknown** **Unknown**	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
D.V.Iron Tablets 20 F.C tablets	Ferrus	**Vitamines and Menirals** Anaemia فقر الدم	**Unknown** **Unknown**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
D.VITA Drops 50 ml	Vitamin D 400 I.U	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Pharmetics** **Canada**	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
DactaGel Gel 15 gm	Miconazole 2%	**Antifungals** Fungal Infections الأصابات الفطرية	**Shaphaco** **Yemen**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Dacta-Vag Suppositoris 6 vaginal suppositories	Miconazole Nitrate	**Antifungals** Vaginal المهبل	**Shaphaco** **Yemen**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Dactonaz Gel 20 g	Miconazole Nitrate 20 mg	**Antifungals** Vaginal المهبل	**Global Pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Daflon Tablets 30tab	Dio smin.. .... 90%	**Antihaemorrhages** Haemorrhoids البواسير	**Servier Egypt industries** **Unknown**	hamorrhoidal crisis 1.2g to 1.8g ----------or----------- circulation disorders 600mg per day -----	
Daflon 500	Flavonoid Compounds	**Cardio Vascular System drugs** Cardio Vascular الأوعية الدموية و القلب	**Unknown** **Unknown**	As directed	
Dafrex Tablets 15 tab	Diosmin + Hesperidin	**Antihaemorrhages** Haemorrhoids البواسير	**EGYPHAR** **Egypt**	hamorrhoidal crisis 1.2g to 1.8g ----------or----------- circulation disorders 600mg per day -----	
Daily one Tablets 30 tab	Vitamin B Substances	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**LIFEPLAN** **Unknown**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Daktacort	Miconazole Nitrate	**Antifungals** Vaginal المهبل	**Janssen-Cilag** **Switzerland**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Daktarin oral gel		1 tube 40g	Miconazole	**Antifungals**	Vaginal المهبل	**Janssen-Cilag**	**Switzerland**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Dalacin C	capsules	2strip*8capsule	Clindamycin	**Antibiotics**	Anaerobic Infections الميكروبات اللاهوائية	**Pfizer**	**USA**	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
Daonil	Tablets	20 tab	Glibenclamide 5mg	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Sanofi aventis**	**France**	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Dastamol			Paracetamol	**Nonsteroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Unknown**	**Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
DAWAGRA 25	Tablets	4 tab	Sildenafil Citrate 25 mg/ tablet	**Sex Stimulants**	Sex Stimulants منشطات جنسية	**Modern Pharama**	**Yemen**	25 - 100 mg depending on response, about one hour before sexual intercourse	
DAWAGRA 50	Tablets	4 tab	Sildenafil Citrate 50 mg/ tablet	**Sex Stimulants**	Sex Stimulants منشطات جنسية	**Modern Pharama**	**Yemen**	25 - 100 mg depending on response, about one hour before sexual intercourse	
Dazolic	Tablets		Ornidazole 500 mg	**Antiprtozoal**	Amoebiasis , Gardiasis جارديا واميبيا	**SUN Pharma**	**India**	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Deanxit Tablets 100 Tablets	flupentixol 0.5 tablet mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Lundbeck** **Denmark**	3 to 9 mg of flupentixol twice daily or Adult 2 tab dialy maximum 4 tab per day. And childran not use .	100 Tablets Deanxit Manufactured in Denmark by: H.Lundbeck A/S · Copenhagen
Deanxit Tablets 100 tablets	Flupentixol Hydrochloride + Melitracen Hydrochloride	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**H.Lundbeck** **Denmark**	3 to 9 mg of flupentixol twice daily or Adult 2 tab dialy maximum 4 tab per day. And childran not use .	
DECADRALE Vial 2 ml	Dexamethasone	**Corticosteroid** Inflammations الألتهابات	**ALPHA** **Syria**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Decal B12 Syrup 120ml	Each 5 ml syrup contains: Calcium laevulinate 50 mg+Vitamin D3 1000IU+ Vitamin B12 10	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**AMRIYA PHARMA** **Egypt**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Declarine Tablets 20 tablet	Desloratadine 0.5 mg	**Antihistamines** Allergy الحساسية	**Shiba pharma** **Yemen**	5 mg once daily. Children 2.5 mg once daily	Declarine Desloratadine Anti-allergic, long acting non sedating antihistamine Shiba Pharma
Declarine Syrup 100 ml	Desloratadine 2.5 mg / 5 ml	**Antihistamines** Dermatitis الألتهابات الجلدية	**Shiba pharma** **Yemen**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	Declarine 2.5 mg / 5 ml Syrup 100 ml Shiba Pharma
Declophen Tablets 20Enteric Coated tablets	Diclofenac Sodium tablet 25mg.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**PHARCO** **Egypt**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	20 TABLETS DECLOPHEN TABLETS ANTIRHEUMATIC ANTI-INFLAMMATORY ANALGESIC-ANTIPYRETIC

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
DECLOPHEN Suppositoris 5 sup	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**PHARCO** **Egypt**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Declophen S.R. Capsules 8 cap	Diclofenac Sodium 100 mg	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**PHARCO** **Egypt**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	DECLOPHEN S.R. 100 DICLOFENAC SODIUM PHARCO
Decozal 0.05% Infant Nasal /drops 10 l	Xylometazoline Hydrochloride	**Antihistamines** Allergy الحساسية	**API** **Jordan**	As directed	API DECOZAL
Deflat drop 30 ml	simethicone	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Hayet pharma** **Unknown**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	Deflat Anti-Gas
DELROSA Solution 100 ml	Combination	**Antiseptic and Desinfectants** Vaginal المهبل	**Delta pharma** **Egypt**	As directed	
Deltasone Syrup 120 ml	Dexamethasone	**Corticosteroid** Inflammations الألتهابات	**NILE CO.** **Egypt**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Deltasone Tablets Tablets 10 tab	dexmethasone	**Corticosteroid** Inflammations الألتهابات	**NILE CO.** **Egypt**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Denavir cream 1 tup.	Penciclovir	**Antivirals** Viral Infections الأصابات الفيروسية	**Unknown** **Unknown**	It is applied topically as a 1% cream every 2 hours during waking hours for 4 days in the treatment of herpes labialis	
De-nol Tablets 40 tabs	colloidal bismuth subcitate	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Astellas pharma** **Unknown**	* 2 tabs Qid . Do not take it for longer than 6 weeks (5-9)	
DENTACARE Tablets 20 tabs	Spiramycin750000 IU + Metronidazol 125 mg	**antibacterial** Dental الأسنان	**BIOPHARM** **Yemen**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
DENTACIN tablet 20 tablet	Spiramycin750000 IU + / Metronidazol 125 mg	**antibacterial** Dental الأسنان	**Global Pharma** **Yemen**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
DENTACIN forte Tablet 10 tablet	Spiramycin 1500000 IU + / Metronidazol 250 mg	**antibacterial** Dental الأسنان	**Global Pharma** **Yemen**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Dentazol Tablets 2strip*10tablet	Spiramycin750000 IU + / Metronidazol 125 mg	**antibacterial** Dental الأسنان	**Modern Pharama** **Yemen**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
DENTAZOL forte tablet 10 tabs	Spiramycin 1500000 IU + / Metronidazol 250 mg / tab	**antibacterial** Dental الأسنان	**Modern Pharama** **Yemen**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Dentoxil Solution 100 ml	Each bottle contains : Chlorhexidine Gluconate B. P. 0.1%	**Antiseptic and Desinfectants** Mouth Wash الغسولات الفموية	**Pharmacare** **Yemen**	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	Dentoxil Pharmacare
Deolin Tablets 10 x 10 tab	Drotaverine	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**UNISON** **Thailand**	120 to 240 mg daily by mouth in divided doses.	DEOLIN ANTISPASMODIC
Depakine-200 Solution 40 ml	Na valproate syrap 200mg/ml	**Central Nervous system drugs** Epilepsy الصرع	**Sanofi Aventis** **France**	15 mg/kg/day in 2–3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	DÉPAKINE 200 mg / ml
DepakineCHRONO-500 Tablets 30 tablets	Valproic Acid&Na valproate tablet 500mg	**Central Nervous system drugs** Epilepsy الصرع	**Sanofi Aventis** **France**	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	DEPAKINE CHRONO 500 mg sanofi aventis
deplatt Tablets 30 tab	Clopidogrel Bisulfate	**Cardio Vascular System drugs** Thrombosis الجلطات	**Torrent** **India**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Depofort B12 Ampoules 2 amp of 1 ml	Vitamin B12 1000	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**PHARCO** **Egypt**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	DEPOFORT B12 1000
Depo-Pred Ampoules 1 amp	Unknown	**Corticosteroid** Common Cold نزلات البرد	**OUBARY PHARMA** **Syria**	As directed	DEPO-PRED 40 mg / 1 mL OUBARI

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Depo-provera Ampoules 1 amp	Progesterone 150 mg / ml	**Gynaecology drugs** Amenorrhea انقطاع الطمث	**pharmacia** **Unknown**	combination with oral contraceptive , Minimum/Maximum Adult Daily Dose:0.2 - 7.5 mg (milligram)	
DEPOTVINC CAPSULES Capsules 20 cap	Vincamine 30 mg	**Cardio Vascular System drugs** Mental Disorders الأمراض العقلية	**OCTOBER PHARMA** **Egypt**	one capsule twice daily	 DEPOTVINC CAPSULES OCTOBER PHARMA S.A.E. Made in Egypt
Depovit B12-1000 Ampoules 2 Ampoules	Hyroxocobalamin 1000mcg	**Vitamines and Menirals** Anaemia فقر الدم	**AMRIYA PHARMA** **Egypt**	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	Depovit B12 - 1000
Dermlin Paste 10 gm /tube	Unknown	**Antibacterial** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	
Dermomax Ointment 20 g	Clobetasol Propionate 0.05%	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Global Pharma** **Yemen**	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	Dermomax Ointment 20g
Dermomax Cream 20 g	Clobetasol Propionate 0.05% w/w	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Global Pharma** **Yemen**	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	Dermomax Cream 20g
Dermotan	Clobetasol Propionate	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Dermotan			Clobetasol Propionate	**Corticosteroid**	Dermatitis الألتهابات الجدلدية	**Unknown**	**Unknown**	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	
Dermovate Cream	Cream	25 gm	Clobetasol Propionate	**Corticosteroid**	Dermatitis الألتهابات الجدلدية	**gsk glaxosmithkline**	**UK**	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	Dermovate cream 25 grams
Desora 5 mg	Tablets	30 tab	Desloratadine	**Antihistamines**	Allergy الحساسية	**OUBARY PHARMA**	**Syria**	5 mg once daily. Children 2.5 mg once daily	Desora 5 mg Desloratadine
Despasm	Tablets	20 tabs	Mebeverine 135 mg	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**Shiba pharma**	**Yemen**	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	Despasm Treatment of abdominal pain and bowel disturbances Shiba Pharma
Despasm Retard	Tablets	20 tabs	Mebeverine 200 mg	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**Shiba pharma**	**Yemen**	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	Despasm Retard Treatment of abdominal pain and bowel disturbances Shiba Pharma
Detamol	Ampoules	10 ampuoles	Paracetamol 300mg+Lignocain 20mg+Benzy alcohol 30mg/2mL.	**Nonsteroidal Anti-**	Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Thai**	**Thailand**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	DETAMOL INJECTION
Devarol-S	Ampoules	3 ampoules of 2 ml	Cholecalciferol (Vit. D,) 5 mg (equivalent to 600.000 I.U./ 2 ml) Excipients:	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**Memphis**	**Egypt**	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	Devarol - S 600000 I.U./2 ml ampoule

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
DEXALAB Ampoules 2 ml	Each ml contains Dexamethasone 4 mg	**Corticosteroid** Inflammations الألتهابات	**KD** **India**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Dexamecortin Tablets 24 tab	Dexamethasone 0.5 mg	**Corticosteroid** Inflammations الألتهابات	**LABATEC pharma** **Switzerland**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	Dexamecortin
DEXAMED Eye / Ear Drops 10 ml	Dexamethasone	**Corticosteroid** Eye العين	**Unknown** **Unknown**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	10 ml DEXAMED
DEXAMED Tablets 20 tab	Dexamethasone	**Corticosteroid** Inflammations الألتهابات	**MEDICO LABS** **Syria**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	DEXAMED Dexamethasone
Dexamed	Dexamethasone	**Corticosteroid** Inflammations الألتهابات	**Unknown** **Unknown**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Dexamethasone Ampoules 10 amp x 2 ml	Each ml contains Dexamethasone 4 mg	**Corticosteroid** Inflammations الألتهابات	**Huazhong** **China**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	Dexamethasone Injection I.M. & I.V.
Dexamethasone Vial 1 vial = 2 ml	Dexamethasone 8 mg / 2 ml	**Corticosteroid** Inflammations الألتهابات	**WODEX**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Dexamethasone Ampoules 25 amp x 1 ml	Dexamethasone 4 mg /1 ml	**Corticosteroid** Inflammations الألتهابات		Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	Dexamethasone 4 mg/1 ml solution for injection or infusion
Dexamethasone 4 mg Ampoules 10 amp x 1 ml	Dexamethasone	**Corticosteroid** Inflammations الألتهابات	**ROTEXMEDICA** **Germany**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	DEXAMETHASONE SODIUM PHOSPHATE INJECTION USP
DEXAVIN Vial 2 ml/ vial	Dexamethasone 4 mg / 1 ml	**Corticosteroid** Inflammations الألتهابات	**VINDAS** **India**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	DEXAMETHASONE SODIUM PHOSPHATE DEXAVIN
DEXAWIN Ampoules 2 ml/ 10 amp	Dexamethasone 4 mg / 1 ml	**Corticosteroid** Inflammations الألتهابات	**CSPC** **China**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	DEXAWIN Inj. Dexamethasone Sodium Phosphate Injection
Dexipan Cream 20 gm	Dexpanthenol	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Julphar** **UAE**	2 or 5% for the treatment of various minor skin disorders	
Dexmethasone Ampoules 10 ampoule/2ml	Dexamethasone	**Corticosteroid** Inflammations الألتهابات	**unknown** **Unknown**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	Dexamethasone Injection I.M. & I.V.
DEXO Ampoules 1 amp x 2 ml	Each ml contains Dexamethasone 4 mg	**Corticosteroid** Inflammations الألتهابات		Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	DEXO DEXAMETHASONE SODIUM PHOSPHATE INJECTION USP 8 mg / 2ml

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Dexomine Syrup 100 ml	Each 5ml contains: Dextromethorphan 15 mg + Pseudoephedrine 60 mg +	**Respiratory drugs** Common Cold نزلات البرد	**Pharmacare** **Yemen**	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Dexona Ampoules 1 ml	Each ml contains Dexamethasone 4 mg	**Corticosteroid** Inflammations الألتهابات	**CADILA** **India**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Dextro-M Syrup 100 ml	Dextromethorphan 15 mg	**Respiratory drugs** Common Cold نزلات البرد	**Shiba pharma** **Yemen**	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
DH-Gel	Diphenhydramine	**Respiratory drugs** Common Cold نزلات البرد	**Unknown** **Unknown**	by mouth in usual doses of 25 to 50 mg three or four times daily. The dose for children is 6.25 to 25 mg three or four times daily, or a total daily dose of 5 mg/kg may be given in	
DIABEN Tablets	Glibenclamide	**Antidiabetics** Diabetes Mellitus أمراض السكري	**PHARCO** **Egypt**	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Diabetone Capsules 30 capsules	L-Carnitine+Vit.A + Vit.D3+Vit.E+Vit. C+Vit.B1+Vit.B2 Vit.B3+Vit.B6+Folacin	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**VITABIOTICS** **Unknown**	As directed	
Diabinil Tablets 20 tab	Glibenclamide	**Antidiabetics** Diabetes Mellitus أمراض السكري	**BIOPHARM** **Yemen**	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Dia-Furyl Suspension 60 ml	Nifuroxazide	**Gastro Intestinal drugs** Diarrhea الأسهال	**Unknown** **Unknown**	* tabs = q I d * syrup = less two months 5 ml bid 2-12 months tid more 1 years = q I d	
Diamecron 30 MR Tablets 30 tab	Gliclazide	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Unknown** **Unknown**	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Diamicron 60 MR Tablets 30 tab	Gliclazide	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Unknown** **Unknown**	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	DIAMICRON 60 MR
Diane 35 Tablets 21	ethinyledtradiol - cyproterone	**Skin Disorders** Acne حب الشباب	**BAYER** **Germany**	The usual doses are 2 mg of cyproterone acetate with 35 micrograms of ethinylestradiol given daily for 21 days of each menstrual cycle	Diane 35 BAYER
Dianormal Tablets 20 tab	Gliclazide	**Antidiabetics** Diabetes Mellitus أمراض السكري	**RAMEDA** **Egypt**	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	Dianormal RAMEDA
Diarrimide Tablets 20 tabs	loperamide Hydrochloride	**Gastro Intestinal drugs** Diarrhea الأسهال	**BIOPHARM** **Yemen**	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	Diarrimide loperamide hydrochloride 2 mg
Diarrimide Tablets 20 tab	Loperamide Hydrochloride	**Gastro Intestinal drugs** Diarrhea الأسهال	**Unknown** **Unknown**	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	Diarrimide

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Diatab Tablets 5 tab	Metformin 500mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Al doawieha** **Unknown**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Diazepam Ampoules Box of 25 ampoules of	Diazepam	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**KRKA** **India**	Severe anxiety in oral doses of 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults :Diazepam 10 to 20 mg (I.V 5 mg/minute) or infusion every 15 min for up	Diazepam BP 10 mg/2 ml Injection i.m./i.v. KRKA
Diazepam Ampoules 5 amp X 2 ml	Diazepam	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**BIOPHARM** **Yemen**	Severe anxiety : 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults : Diazepam 10 to 20 mg (I.V 5 mg/minute) or infusion every 15 min for up to 1 hr may .	Diazepam 10 mg / 2 ml
Diazepam 5 Tablets 20 tabs	Diazepam 4 mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**BIOPHARM** **Yemen**	Severe anxiety : 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults : Diazepam 10 to 20 mg (I.V 5 mg/minute) or infusion every 15 min for up to 1 hr may .	Diazepam 5 mg 20 Tablets
dicin fort 500mg Tablets 20tablet	etamsylate 500mg	**Antihaemorrhages** Haemorrhage النزيف	**Y.E.PHARMA** **Yemen**	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Dicloban 12.5 mg Suppositoris 5 sup	Diclofenac Sodium 12.5 mg	**NSAID** Analgesic مهدئات الأوجاع	**Global Pharma** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	Dicloban GLOBAL PHARMA Co.
Dicloban 25 mg Suppositoris 5 sup	Diclofenac Sodium 25 mg	**NSAID** Analgesic مهدئات الأوجاع	**Global Pharma** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	Dicloban GLOBAL PHARMA Co.

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Dicloban 50 Tablets 20 tabs	Diclofenac Sodium 50 mg	**NSAID** Analgesic مهدئات الأوجاع	**Global Pharma** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Dicloban gel Gel 40 g	Diclofenac Sodium 40 g	**NSAID** Analgesic مهدئات الأوجاع	**Global Pharma** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Dicloban s.r 100 Capsules 10 caps	Diclofenac Sodium 100 mg	**NSAID** Analgesic مهدئات الأوجاع	**Global Pharma** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclocare SR Capsules 20 capsules	Diclofenac Sodium 100mgas sustained release pellets/ capsule	**NSAID** Analgesic مهدئات الأوجاع	**Pharmacare** **Yemen**	Acute, mild, to moderate pain ::One capsule once a day Maximum Adult Daily Dose:100 - 200 mg	
Diclocare SR Capsules 20 cap	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclo-Denk 50 mg	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclo-Denk-100 Retard Tablets 100 tablets	Diclofenac Sodium tablet 100mg	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Denk Pharma** **Germany**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Diclo-Denk-75 Ampoules 5 ampoules	Diclofenac Sodium ampoule 75mg/3ml.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Denk pharma** **Germany**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclof 25 Suppositoris 5 supp	Diclofenac Sodium capsule25 mg	**NSAID** Analgesic مهدئات الأوجاع	**Modern Pharama** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclof 50 Tablets 20 tabs	Diclofenac Sodium capsule 50 mg	**NSAID** Analgesic مهدئات الأوجاع	**Modern Pharama** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclof gel Gel 40 g	Diclofenac Sodium capsule 40mg	**NSAID** Analgesic مهدئات الأوجاع	**Modern Pharama** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclof S.R. 100 Capsules 10 capsules	Diclofenac Sodium capsule 100mg	**NSAID** Analgesic مهدئات الأوجاع	**Modern Pharama** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
DICLOFEN retard-100 Tablets 10 tablets	Diclofenac Sodium tablet 100mg	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**United** **Jordan**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
DICLOFEN-50 Tablets 20 Enteric Coated tablets	Diclofenac Sodium tablet 50mg	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**United** **Jordan**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Diclofenac drops	Diclofenac Potassium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Diclofenac sodium Ampoules 5 ampoules	Diclofenac Sodium 25mg+Benzyl alcohol 4%+Water	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Kalfen** **Unknown**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
DICLOFENAC SODIUM Ampoules 10 amp x 3 ml	Each 1 ml contains Diclofenac Sodium 25 mg	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**ROTEXMEDICA** **Germany**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Diclofenac-Hameln Ampoules 5 amp x 3 ml	Diclofenac Sodium 25 mg / ml	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**hameln** **Germany**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Diclogesic Suppositoris	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Dar Al Dawa** **Jordan**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclogesic 50 Tablets 20 tab	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Dar Al Dawa** **Jordan**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclogesic-25 Tablets 20Enteric coated tablets	Diclofenac Sodium tablet 25mg.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Dar Al Dawa** **Jordan**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
Diclogin Ampoules 5 amp x 3 ml	Diclofenac Sodium 75 mg / 3 ml	**NSAID** Analgesic مهدئات الأوجاع	**BIOPHARM** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
DICLO-K Sachets 10 sachets	Diclofenac Sodium capsule 50 mg	**NSAID** Analgesic مهدئات الأوجاع	**Modern Pharama** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclomax Emulgel	Diclofenac Potassium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Diclomax-50 Tablets 20 tablets	Diclofenac Sodium tablet 50mg.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**JPI** **Saudi Arabia**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclomec-Gel Tube 50 gm gel	Diclofenac Sodium gel 1.16%	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**ABDIIbrahim** **Unknown**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
DICLON Emulgel 45 gm	Diclofenac Potassium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Diclon-75 Ampoules 5 ampoules	Diclofenac Sodium ampoule 75mg/3ml.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**IBN-HYYANpharm** **Syria**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Dicloneuron Capsules 30 capsules	Diclofenac Sodium 25mg+vit.B1 50mg+vit.B6 50mg+vit.B12 0.25mg/capsule	**NSAID** Analgesic مهدئ الأوجاع	**Biopharm** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclopan Suppositoris 5 sup	vit.B1 50mg+vit.B6 50mg+vit.B12 0.25mg and diclofenac sodium 25mg	**NSAID** Analgesic مهدئ الأوجاع	**Global Pharma** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
DICLOREN 75 Ampoules 5 amp x 3 ml	Diclofenac Sodium 75 mg	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**EXIR** **IRAN**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Dicloretard	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Unknown** **Unknown**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclosan DRS Capsules 10 cap	Diclofenac Sodium capsule 100 mg	**NSAID** Analgesic مهدئ الأوجاع	**Shiba pharma** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclosan DRS Sachets 30 Sachets	Diclofenac Potassium 50 mg	**NSAID** Analgesic مهدئ الأوجاع	**Shiba pharma** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Diclotab Tablets 20 tab	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**JOSWE** **Jordan**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
DICLOWAL 50 Tablets 20 tablets	Diclofenac Sodium tablet 50mg.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Walter Ritter** **Germany**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	DICLOWAL 50 WALTER RITTER GmbH + Co. KG
DICLOWAl retard-100 Tablets 10 tablets	Diclofenac Sodium tablet 100mg	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Walter Ritter** **Germany**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	DICLOWAL RETARD WALTER RITTER GmbH + Co. KG
Diclowal-75 Ampoules 5 ampoules	Diclofenac Sodium ampoule 75mg/3ml.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Walter Ritter** **Germany**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	DICLOWAL 75 Diclofenac sodium WALTER RITTER GmbH + Co. KG
Diclozaf Ampoules 5 amp x 3 ml	Diclofenac Sodium 75 mg /3 ml	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**ZAFA** **Pakistan**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	DICLOZAF I.M. INJECTION
DICOLON INJ Ampoules 5 ampoules	Diclofenac Sodium ampoule 75mg/3ml.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Huons** **Korea**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	DICOLON INJ. Diclofenac Sodium 75mg Huons
Dicynone 500 mg Tablets 20 tab	Etamsylate 500 mg	**Antihaemorrhages** Haemorrhage النزيف	**OM pharma** **Switzerland**	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	Dicynone 500 mg 20 OM Pharma
Dicynone-250 Ampoules 4 amp of 250mg / 2ml	etamsylate 250mg	**Antihaemorrhages** Haemorrhage النزيف	**meth pharama** **Egypt**	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	Dicynone 250

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose** الجرعة	**Product Picture** صورة الدواء
Diens Soft Gelatin Capsules 12 cap	Vitamin B Substances	**Vitamines and Menirals** Hepatic Disorders اضطرابات الكبد	**unknown** **Unknown**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Diens soft Capsules 60 cap	Nicotinamide + cardus +vit b6,12	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**hanbul** **Unknown**	2 tab /day or 10 ml /day	
Diflucan Vial 100ml	Fluconazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Pfizer** **USA**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Diflucan Capsules 1 cap	Fluconazole 100mg	**Antifungals** Dermatitis الألتهابات الجلدية	**Pfizer** **USA**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	Pfizer DIFLUCAN 100 mg
Difluzol Capsules 1 cap	Fluconazole 150 mh / cap	**Antifungals** Dermatitis الألتهابات الجلدية	**Stada** **Unknown**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	Difluzol STADA
Diformin Tablets 30 tab	Metformin 500mg+glimepiride 2mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Modern Pharama** **Yemen**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Digestin Syrup 120 ml for bottle	papain80 mg+sanzme10mg 5 ml+pepsin 40 mg	**Gastro Intestinal drugs** Indigestion سوء الهضم	**PHARCO** **Egypt**	= 5ml tid during or after meal = tab 1 * 3 during or after meal	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Digestin Tablets	Tablets	20 tabs	papain80 mg+sanzme10mg 5 ml	**Gastro Intestinal drugs**	Indigestion سوء الهضم	**PHARCO**	**Egypt**	= 5ml tid during or after meal = tab 1 * 3 during or after meal	20 TABLETS DIGESTIN PHARCO Digestant - Appetiser
Digetix	Soft Gelatin Capsules	10 cap	Combination	**Gastro Intestinal drugs**	Nutrition supplementation تغذية تكميلية	**Unknown**	**Unknown**	As directed	
Digisty fort	Capsules	12 caps	Enzyme digestion	**Gastro Intestinal drugs**	Indigestion سوء الهضم	**Germany lab**	**Germany**	One tablet three times daily during or after meals.	Digisty Fort
Digoxin	tab, amp, drops		Digoxin	**Cardio Vascular System drugs**	Congstive Heart Failure	**Unknown**	**Unknown**	If rapid digitalisation is required loading dose of 750 to 1500 micrograms of digoxin by mouth during the initial 24-hour period, maintenance is 125 to 250 micrograms by	Digoxin Injection, USP 500 mcg/2 mL 0.5 mg/2 mL (250 mcg/mL) FOR SLOW INTRAVENOUS OR DEEP INTRAMUSCULAR USE DILUTION IS NOT REQUIRED
Diklofen	Ampoules	5 amp x 3 ml	Diclofenac 75 mg / 3 ml	**Non-Steroidal Anti-**	Analgesic مهدئات الأوجاع	**GALENICA**	**Republic of Serbia**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	Diklofen Galenika
dilatrend	Tablets	30tab	Carvedilol	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**ROCHE**	**Germany**	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	 Dilatrend Carvedilol
Dilefenac 50	Tablets	20 tabs	Diclofenac Sodium	**Non-Steroidal Anti-**	Analgesic مهدئات الأوجاع	**unknown**	**Unknown**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	Dilefenac 50 Diclofenac Sodium BP 50 mg

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
dilox	Tablets	28tab	Clopidogrel Bisulfate	**Cardio Vascular System drugs**	Thrombosis الجلطات	**bilim**	**Turkey**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Diltiazem	30-60-140-240 mg		Diltiazem Hydrochloride	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**Unknown**	**Unknown**	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	
Diltiazem	Tablets	20 tab	Diltiazem Hydrochloride 60 mg	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**EIPICO**	**Egypt**	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	
Dimet-500	Tablets	50 tab	Metformin 500mg	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**ZYNOVA**	**Unknown**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Diopril 5	Tablets	10 tablet	Enalapril 5 mg / tab	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**Pharmacare**	**Yemen**	Initial dose of 5 mg daily , maintenance dose is 10 to 20 mg given once daily	
Diosed - C	Tablets	20 tab	Diosmin 450 mg + Ascorbic Acid 100 mg + Hesperidin 50 mg	**Antihaemorrhages**	Haemorrhoids البواسير	**PHARCO**	**Egypt**	hamorrhoidal crisis 1.2g to 1.8g ----------or----------- circulation disorders 600mg per day -----	
diovan			Valsartan	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**Unknown**	**Unknown**	Oral doses 80 - 160 mg once daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Diphelin adults Syrup 100 ml	Dextromethorphan	**Respiratory drugs** Common Cold نزلات البرد	**med pharma** **Unknown**	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Diphelin Pediatric Syrup 100 ml	Dextromethorphan	**Respiratory drugs** Common Cold نزلات البرد	**med pharma** **Unknown**	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Diprosalic Ointment 30 gm	Betamethasone	**Corticosteroid** Dermatitis الألتهابات الجلدية	**schering-ploughg** **Belgium**	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Disflatyl drop 30 ml	simethicone	**Gastro Intestinal drugs** Indigestion سوء الهضم	**VALEANT** **Unknown**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Disflatyl Drops 30 ml	Semethicone	**Gastro Intestinal drugs** Indigestion سوء الهضم	**MEDA** **Unknown**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Disflatyl Tablets 30 tab	Semethicone	**Gastro Intestinal drugs** Indigestion سوء الهضم	**VALEANT** **Unknown**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Disflatyl tab meda Tablets 100 tab	Semethicone	**Gastro Intestinal drugs** Indigestion سوء الهضم	**MEDA** **Unknown**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Dispercam	Ampoules	3 ampoules	Piroxicam 20mg/1ml	**Nonsteroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**MUP**	**Egypt**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	Dispercam for I.M. Injection only Piroxicam 20 mg 3 Ampoules 1 ml
Dispercam	Tablets	10 dispersible tablets	Piroxicam dispersible tablets 20mg.	**Nonsteroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**MUP**	**Egypt**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	Dispercam 10 Dispersible tablets 20 mg
Dispercam			Piroxicam	**Nonsteroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Unknown**	**Unknown**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	Dispercam 20 Dispersible tablets 10 mg
Dispercam			Piroxicam	**Nonsteroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Unknown**	**Unknown**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	Dispercam for I.M. Injection only
Dispercam			Piroxicam	**Nonsteroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Unknown**	**Unknown**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Distocid	Tablets	4 Film Coated Tablets	Praziquantel 600 mg	**Anthelmentic**	Schistosomiasis (Bilharziasis) البلهارسيا	**EIPICO**	**Egypt**	Adults and children is given on one day as three doses of 20 mg/kg at intervals of 4 to 6 hours or it is given as a single dose of 40 to 60 mg/kg	 DISTOCIDE Praziquantel 600 mg 4 F.C. tablets
Ditrospam	Tablets	20 tab	Oxybutynin Hydrochloride 5 mg	**Urinary tract drugs**	Urinary Tract Infection اصابات الجهاز البولي	**Avenzor**	**Syria**	5 mg two or three times daily by mouth, increased to 5 mg four times daily if required	DITROSPAM 20 Tablets AVENZOR

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
DiVance Tablets 30 tab	Metformin 500 mg + Metclopromide 5 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Y.E.PHARMA** **Yemen**	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
DiVance Tablets 30 tab	Metformin 500 mg + Metclopromide 2.5 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Y.E.PHARMA** **Yemen**	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Dizinil Tablets 20 tabs	di	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Julphar** **UAE**	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Dizinil Tablets 20 tab	Dimenhydrinate	**Antihistamines** Nausea and vomiting الغثيان والطرش	**Julphar** **UAE**	by mouth is 50 to 100 mg, given 3 or 4 times daily	
Dizirest B7 Tablets 20 tabs	Meclozine + Pyrodixine	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**SIGMACO** **Saudi Arabia**	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Dizirest B6 Tablets 20 tab	Meclizine 25 mg +Pyridoxin 50 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**SIGMA** **Egypt**	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
DODEPAR	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Unknown** **Unknown**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Dodex Tablets 6 Chewable tab	Mebendazole 100 mg	**Anthelmentic** Common Worms الديدان الشائعة	**Shiba Pharma** **Yemen**	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	Mebendazole 6 Chewable Tablets Dodex Anthelmintic Shiba Pharma
Dogmatil Capsules 30 caps	sulpirde	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Sanofi Aventis** **France**	ADULT and CHILD over 14 years, 200–400 mg twice daily; max. 800 mg daily in predominantly negative symptoms, and 2.4 g daily in mainly positive symptoms;	Dogmatil 50 mg sulpiride Treatment of certain anxiety forms 30 Capsules sanofi aventis
Dogmatil fort Tablets 10 tabs	sulpirde	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Sanofi Aventis** **France**	ADULT and CHILD over 14 years, 200–400 mg twice daily; max. 800 mg daily in predominantly negative symptoms, and 2.4 g daily in mainly positive symptoms;	Dogmatil Fort 200 mg Sulpiride For psychotic disorders sanofi aventis
Dogmatil-50 Capsules 30 capsules	Sulpiride capsule 50mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Sanofi Aventis** **France**	ADULT and CHILD over 14 years, 200–400 mg twice daily; max. 800 mg daily in predominantly negative symptoms, and 2.4 g daily in mainly positive symptoms;	Dogmatil 50 mg sulpiride Treatment of certain anxiety forms 30 Capsules sanofi aventis
Dolic Drop 30 ml	Each one ml contains methyl Hyoscine nitrate 0.1mg.	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Pharmacare** **Yemen**	Birth - 1 year: three drops/ kg , 1 - 6 years: 1/2 to 1 teaspoonful 3 - 4 times a day -Dose is taken before meals,	Dolic With Honey Anti-spasmodic
Dolo-D Suspension 115 ml	Each 5 ml contains: Pseudoephedrine 15 mg + Ibuprofen 100 mg	**Respiratory drugs** Common Cold نزلات البرد	**BORG** **Egypt**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Dolo-D Tablets 20 tab	Pseudoephedrine +ibuprofen	**Respiratory drugs** Common Cold نزلات البرد	**BORG** **Egypt**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Dolo-d Syrup	Suspension	bottle of 60ml of 15mg	ibuprofen	**Respiratory drugs**	Common Cold نزلات البرد	**BORG**	**Egypt**	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Dolo-d Tablets	Tablets	box of 20 talet of 30mg/tablet	ibuprofen	**Respiratory drugs**	Common Cold نزلات البرد	**BORG**	**Egypt**	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Dolofen	Suspension	100 ml	Ibuprofen 100 mg / 5 ml	**NSAID**	Analgesic مهدئات الأوجاع	**Pharmacare**	**Yemen**	Oral doses of 100 mg mg to 300 mg daily.	
Dolonev	Tablets	20 film tablets	-vit.B1 50 mg -vit.B6 100mg -vit.B12 0.5mg	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**GEROT LANNACH**	**Viena, Austria**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
DOLORAZ 400	Soft Gelatin Capsules	20 cap	Ibuprofen 200mg + Pseudoephedrine 30 mg.	**Nonsteroidal Anti-**	Analgesic مهدئات الأوجاع	**JPM**	**Jordan**	Oral doses of400 mg to 1.2 g daily .	
DOLOREX	Dragees	20 dragee	Diclofenac Potassium dragee 50 mg.	**Non-Steroidal Anti-**	Analgesic مهدئات الأوجاع	**ABDIIbrahim**	**Unknown**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Dolphin 12.5 mg	Suppositoris	3 sup	Diclofenac Sodium	**Non-Steroidal Anti-**	Analgesic مهدئات الأوجاع	**Delta pharma**	**Egypt**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Dolphin 25 mg Suppositoris 5 sup	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Delta pharma** **Egypt**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Domi Tablets 30 tabs	Domperidone 10 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**RFA** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	30 Tablets DOMI® Domperidone 10mg
Domolin drops 30 ml	Domperidone 1 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Modern Pharama** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Domolin Suspension 100 ml	Domperidone 5 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Modern Pharama** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Domolin 10 mg Tablets 10 tab	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Modern Pharama** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	DOMOLIN® 10 Tablets Domperidone 10mg
Domotil Suspension 60 ml for bottle	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Y.E.PHARMA** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	DOMOTIL Anti-emetic Anti-flatulence and for dyspepsia
Domotil drops Drops 30 ml	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Y.E.PHARMA** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	DOMOTIL Anti-emetic Anti-flatulence and for dyspepsia

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Domotil suspension	Suspension	60 ml	Domperidone	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**Y.E.PHARMA**	**Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	DOMOTIL Suspension
Domotil Tablets	Tablets	20 tab	Domperidone	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**Y.E.PHARMA**	**Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	DOMOTIL 20 Tablets
Domperidone	tab	30 tabs	Domperidone	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**WOCKHADT**	**UK**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	Domperidone 10mg Film-Coated Tablets For oral use 30 tablets WOCKHARDT
Domstal	Tablets	30 tab	Domperidone	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**Torrent**	**India**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Dopamine	Ampoules		Dopamine	**Cardio Vascular System drugs**	Acute Heart Failure فشل القلب الحاد	**Unknown**	**Unknown**	infusion rates (about 2 micrograms/kg per minute, By intravenous infusion as a dilute solution (usually 1.6 or 3.2 mg/mL (dilute solutions glucose 5%, sodium chloride	DOPAMINE HYDROCHLORIDE INJECTION USP
Doremol		120ml	Paracetamol syrup 120mg/5ml.	**Nonsteroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Unknown**	**Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Paracetamol ALCOHOL FREE
Dormicum	Ampoules	box 5 ampoules of 3ml IM IV &	Midazolam	**Central Nervous system drugs**	Anaesthetics General التخدير العام	**ROCHE**	**Germany**	insomnia; midazolam 7.5 to 15 mg at night. Intramuscularly as a premedicant 5 mg; Children may be premedicated with oral midazolam	Dormicum Midazolam 15 mg/3 ml i.v., i.m. and rectal

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Dormicum Tablets 10 tab	Midazolam 7.5 mg	**Central Nervous system drugs** Anaesthetics General التخدير العام	**ROCHE** **Germany**	insomnia; midazolam 7.5 to 15 mg at night. Intramuscularly as a premedicant 5 mg; Children may be premedicated with oral midazolam	
DORMIVAL Capsules 20 cap	Unknown	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**MEPACO** **Egypt**	As directed	
Do-Spacure Tablets 20 tabs	Drotaverine	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Alexendria** **Egypt**	Usua dose is 40-80mg three daily.	
Dotil	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Unknown** **Unknown**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Doucheal Solution 250 ml	Unknown	**Health Care** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	
Doxef- 200 Tablet 1strip*10tablet	Cefpodoxime Proxetil	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Lupin** **Unknown**	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Doxin Capsules 10 cap	Doxycycline	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shiba pharma** **Yemen**	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
DOXINIL 100	Tablets	10 tablet	Doxycycline 100 mg	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**Global Pharma**	**Yemen**	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	Doxinil 100
Doxiproct plus			Dexamethasone = Lidocaine +	**Corticosteroid**	Inflammations الألتهابات	**Unknown**	**Unknown**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	Doxiproct Plus
Doxium-500	Solid		Calcium dobesilate tablet 500 mg.	**Vitamines and Menirals**	Osteoarthritis التهابات العظام	**OM Pharma**	**Unknown**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	Doxium 500 30
Doxycaps	Capsule	1strip*101capsules	Doxycycline	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**Wolf**	**Unknown**	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	DOXYCAPS 100
Doxy-Denk			Doxycycline	**Unknown**	Antibiotics المضادات الحيوية	**Denk Pharma**	**Germany**	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	Doxy-Denk 100
Doxy-Denk	capsules	2strip*10capsules	Doxycycline	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**Denk Pharma**	**Germany**	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	Doxy-Denk 100
Doxylin	Capsules	1strip*10capsules	Doxycycline	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**Modern Pharama**	**Yemen**	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	DOXYLIN 100

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
DOXYLIN Capsules 10 caps	Doxycycline100 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Dramenex Tablets 20 tab	Dimenhydrinate 50 mg	**Antihistamines** Nausea and vomiting الغثيان و الطرش	**KAHIRA PHARM** **Egypt**	by mouth is 50 to 100 mg, given 3 or 4 times daily	
Drofen	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
DROTAB Tablets 20 tab	Drotaverine	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Y.E.PHARMA** **Yemen**	120 to 240 mg daily by mouth in divided doses.	
DROTAB Plus Tablets 20 tab	Drotaverine 40 mg + paracetamol 500 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Y.E.PHARMA** **Yemen**	120 to 240 mg daily by mouth in divided doses.	
Drotacip Ampoules 5 x 2 ml	Drotaverine	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Unknown** **Unknown**	120 to 240 mg daily by mouth in divided doses.	
Dulcolax 5 mg Tablets 30 tabs	Bisacodyl 5 mg / tab	**Gastro Intestinal drugs** Constipation الأمساك	**Boehringer Ingelhim** **Germany**	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
DUOCLAV Suspension 100 ml	Amoxicillin 250 mg + Clavulanate Potassium 62 = 312 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**LABORATE** **India**	Children up to 10 years 125 to 250 mg every 8 hours or Three times daily	 DUOCLAV 312.5 LABORATE
DUOCLAV-1000 Tablets 2 x 7 tab	Amoxicillin 875 mg / Clavulanate Potassium 125 mg = 1000 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**LABORATE** **India**	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	DUOCLAV-1000 1000 LABORATE
Duolin Capsules Capsules/inh 4x5 x 2.5 ml	Ipratropium + Salbutamol	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	2 -4 mg / or 2 buffs *qid	Ipratropium Bromide and Salbutamol Respirator Solution DUOLIN RESPULES FOR INHALATION ONLY Cipla
Duolin Respules Respules/inh 30 capsules	Ipratropium + Salbutamol	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	2 -4 mg / or 2 buffs *qid	Ipratropium Bromide and Salbutamol Respirator Solution DUOLIN RESPULES FOR INHALATION ONLY Cipla
Duovir Tablets 10 tab.	Lamivudine and Zidovudine	**Antivirals** AIDS الأيدز	**CIPLA** **India**	Zidovudine orally to adults in doses of 500 to 600 mg daily in divided doses. intravenous infusion of 2 to 4 mg/mL over 1 hour -- The oral dose for children is 360 to 480 mg/m2	Lamivudine and Zidovudine Tablets IP Duovir Cipla
Duovir-N Tablets 30 tab.	Lamivudine,Zidovudine and Nevirapine	**Antivirals** AIDS الأيدز	**CIPLA** **India**	Nevirapine is given by mouth in an adult dose of 200 mg once daily for the first 14 days, Children 4 mg/kg once daily for 14 days and then, if no rash is present, 7 mg/kg	Lamivudine, Zidovudine and Nevirapine Tablets IP Duovir-N Cipla
Duphalac Syrup 300 ml for bottle	Lactulose 6.67 g+ Galactose 1 mg	**Gastro Intestinal drugs** Constipation الأمساك	**ABBOTT** **USA**	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Duphalac	Lactulose	**Gastro Intestinal drugs** Constipation الأمساك	**Unknown** **Unknown**	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Duphaston Tablets 20 tablet	dydrogesterone	**Gynaecology drugs** Menorrhagia زيادة الطمث	**ABBOTT** **USA**	10 mg two or three times daily cyclically or continuously	
Duptamine	Dobutamine	**Cardio Vascular System drugs** Acute Heart Failure فشل القلب الحاد	**Unknown** **Unknown**	2.5 to 10 micrograms/kg per minute,	
Duspamen tab 30 tabs	Mebeverine	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**JPI** **Saudi Arabia**	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
DUSPAPHEN Tablets 30 tab	Mebeverine HCL	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**IBN-HYYANpharm** **Syria**	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
duspatalin tab 50 tabs	Mebeverine	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**SOLVAY** **France**	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Duspatalin retard Capsules 30 caps	Mebeverine	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**SOLVAY** **France**	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Duspaverine 135 mg Tablets 30 tabs	Mebeverine	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Sothema** **Morocco**	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	Duspaverine 135 mg
Duxil Tablets 30 Tablets	Almitrine bismesylate.......30 mg + Raubasine……… ……………..	**Cardio Vascular System drugs** Mental Disorders الأمراض العقلية	**SERVIER** **Unknown**	As directed	duxil® 30 coated tablets
DWABETIC Tablets 20 tab	Glibenclamide 5mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Modern Pharama** **Yemen**	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Dwafil 10 Tablets 4 tab	Tadalafil 10 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Modern Pharama** **Yemen**	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	Dwafil 10 Tablets
Dwafil 20 Tablets 4 tab	Tadalafil 20 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Modern Pharama** **Yemen**	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
DWAPRIL Tablets 20 tablet	Captopril 25 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Modern Pharama** **Yemen**	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Dwaspasm Syrup 60 ml	Hyoscine N-Butylbromide	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Modern Pharama** **Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	Dwaspasm 60 ml

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Dwaspasm plus Tablets 20 f.c tabs	Hyoscine-N-Butylbromide 10 mg + paracetamol 500 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Modern Pharama** **Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	Dwaspasm Plus
Dwaspasm- plus Tablets 20 tabs	Hyoscine-N-Butylbromide 10 mg + paracetamol 500 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Modern Pharama** **Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	Dwaspasm Plus
Dwaspsm Syrup 60 ml for bottle	Hyoscine- N-Butylbromide	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Modern Pharama** **Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Dwaspsm Tablets 20 tabs	Hyoscine-N-Butylbromide 10 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Modern Pharama** **Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Dyrade_M Tablets 30 tab	Metronidazole 200mg+ diloxnide 250mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبا	**CIPLA** **India**	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Dyrade-M Suspension 100 ml	Metronidazole 100mg+diloxnide	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبا	**CIPLA** **India**	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Ebixa 10 mg Tablets 20 tab	Memantine Hydrochloride 10 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**H.Lundbeck** **Denmark**	5 mg daily in the morning for the first week; increased in weekly by 5 mg to a maximum dose of 20 mg daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
E-CITALOP 10 Tablets 30 tablets	Escitalopram tablet 10 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**RFA** **Yemen**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Ecitam Tablets 30 tab	Escitalopram Oxalate 10 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Y.E.PHARMA** **Yemen**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Ecitam Tablets 30 tab	Escitalopram Oxalate 20 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Y.E.PHARMA** **Yemen**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
E-COD Soft Gelatin Capsules 30 cap	Vitamin E + cod liver oil	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Unknown** **Unknown**	40 to 50 mg	
Econazole Nitrate Suppositoris 3 sup	Econazole Nitrate 150 mg	**Antifungals** Vaginal المهبل	**Unknown** **Unknown**	Vaginal candidiasis as pessaries of 150 mg once daily at bedtime for 3 consecutive nights, topically up to 3 times daily as a 1% cream, lotion, powder, or solution.	
ednyt 5 Tablets 30 tab	Enalapril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**GEDEON RICHTER** **HUNGARY**	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Efemyo Solution 10 ml	Fluorometholone 0.1% + Tetrahydrozoline 0.025%	**Ophthalmic drugs** Eye العين	**Orchidia Pharma** **Egypt**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Effexin tablet 1strip*10tablet	Ofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**ILDONG** **Korea**	tab 400mg & 200mg	Effexin Tabs. 200mg 10T ILDONG
EFFOREX-XR 75 mg Capsules 20 ERC	Venlafaxine 75 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Shiba pharma** **Yemen**	75 mg daily. The dose may be increased, if necessary, after several weeks to 150 mg daily.	EFFOREX-XR 75 mg Venlafaxine For Treatment of Depression Shiba Pharma
Efforti drops 10 ml	Etilefrine Hydrochloride 7.5mg /ml	**Cardio Vascular System drugs** Hypotension انخفاض ضغط الدم	**Boehringer Ingelhim** **Unknown**	by mouth in usual doses of 5 or 10 mg three times daily; modified-release dosage forms may be given in doses of 25 mg once or twice daily.	
Effortil Tablets 20 tab	Etilefrine Hydrochloride	**Cardio Vascular System drugs** Hypotension انخفاض ضغط الدم	**Boehringer Ingelhim** **Unknown**	by mouth in usual doses of 5 or 10 mg three times daily; modified-release dosage forms may be given in doses of 25 mg once or twice daily.	Effortil 20 tablets Boehringer Ingelheim
Eflaron Infusion 100 ml	Metronidazole 500 mg / 100 ml	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبا	**KRKA** **India**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	Eflaron 500 mg/100 ml
EGYVIT Tablets 15 tab	Multi vitamins&minerals. Food supplement	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**EGYPHAR** **Egypt**	As directed	15 Tablets EGYVIT Multi Vitamins & Minerals Food Supplement
Eleptin Tablets 30 Tablet	carbamazepine tablet 200 mg	**Central Nervous system drugs** Epilepsy الصرع	**Daewon** **Korea**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	30 Tab. ELEPTIN Tab. Daewon Pharm Co.,Ltd.

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Elevit Tablets 30 Tablets	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**BAYER** **Germany**	As directed	
Elica Cream 30 gm	Mometasone Furoate	**Unknown** Dermatitis الألتهابات الجلدية	**Jamjoom Pharma** **Saudi Arabia**	Once daily	
Elica Cream 30 gm /tube	Mometasone furoate 0.1% w/w	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Jamjoom Pharma** **Saudi Arabia**	Once daily	
Elicasal Ointment 30 gm /tube	Mometasone furoate 0.1% w/w + Salicylic acid 5% w/w	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Jamjoom Pharma** **Saudi Arabia**	Once daily or as directed	
elipa	Ketorolac Trometamol	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**Unknown** **Unknown**	Oral Adult Daily Dose:10 - 40 mg for 7 days . Single intramuscular 60 mg or intravenous 30 mg - children 0.5 mg/kg up to a maximum of 15 mg.	
Elkof Syrup 100 ml	Terbutaline+bromhexine+guaifenesine ??	**Respiratory drugs** Common Cold نزلات البرد	**RFA** **Yemen**	10 - 15 ml orally tid	
Elkof-D Syrup 100 ml	Terbutaline+bromhexine+guaifenesine ??	**Respiratory drugs** Common Cold نزلات البرد	**RFA** **Yemen**	10 - 15 ml orally tid	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Elkof-T Syrup 100 ml	Terbutaline+bromhexine+guaifenesine ??	**Respiratory drugs** Common Cold نزلات البرد	**RFA** **Yemen**	10 - 15 ml orally tid	
Elkophed Syrup 120 ml	Dextromethorphan	**Respiratory drugs** Common Cold نزلات البرد	**RFA** **Yemen**	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
ELTROXIN 100 TABLTE 100	levothyroxine sodium	**Hormones** Thyroid hormone الغدة الدرقية	**ASPEN** **Ireland**	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
ELTROXIN 50 TABLTE 100	LEVOTYROXINE SODIUME 50	**Hormones** Thyroid hormone الغدة الدرقية	**ASPANE** **Unknown**	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
Eludril Solution	Antiseptic	**Antiseptic and Desinfectants** Mouth Wash الغسولات الفموية	**Unknown** **Unknown**	As directed	
EMEDROP Drops 30 ml	Metoclopramide 1 mg/ 1 ml	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Pharmacare** **Yemen**	Infants &Children : 5 -20 drop taken 2 – 3 times daily .Adults : One teaspoonful once or twice daily .	
EMERAL Tablets 20 tab	Unknown	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**EIPICO** **Egypt**	As directed	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Emeset	Ampoules	5 x 2	Ondansetron Hydrochloride 2mg /ml	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**CIPLA**	**India**	4-8 mg of ondansetron base	
Emeset - 8	Tablets	20 tabs	ondansetron	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**CIPLA**	**India**	IV for chemotherapy-induced nausea or vomiting 0.15 mg/kg for 3 doses (30 min before chemotherapy and then 4 and 8 hr after) or 0.45 mg/kg, to a	20 x 10 Tablets Ondansetron Tablets IP 8 mg Emeset-8 Cipla
Emeset-4	Tablets	6 tab	Ondansetron Hydrochloride	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**CIPLA**	**India**	4-8 mg of ondansetron base	Emeset-4 Cipla
Emeset-4	Tablets	10 x 6 tabs	Ondansetron	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**CIPLA**	**India**	IV for chemotherapy-induced nausea or vomiting 0.15 mg/kg for 3 doses (30 min before chemotherapy and then 4 and 8 hr after) or 0.45 mg/kg, to a	
Emetac 150	Tablets	100 tab	Ranitidine	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**Unknown**	**Unknown**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	Ranitidine Tablets U.S.P. EMETAC 150
Emidol	Tablets	24 tablets	Paracetamol tablet 500mg.	**Nonsteroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Global Pharma**	**Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Fast Pain Relief Emidol
Emidol	Suspension	100 ml	Paracetamol suspension 120mg/5ml.	**Nonsteroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Global Pharma**	**Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Emidol Analgesic Antipyretic

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Emidol Tablets	Paracetamol	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Unknown** **Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Emifen 100 ml	Ibuprofen suspention 20mg/ml	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**global pharma** **Unknown**	Oral doses of400 mg to 1.2 g daily .	
Emifen	Ibuprofen	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Unknown** **Unknown**	Oral doses of400 mg to 1.2 g daily .	
Emifenac-50 DT Tablets 20 tablets	Diclofenac dispersible tablets 50mg	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**Global Pharma** **UAE**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Emilora Syrup 100 ml	Loratadine	**Antihistamines** Allergy الحساسية	**Global Pharma** **Unknown**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
EMOFLUOR Solution	Antiseptic	**Antiseptic and Desinfectants** Mouth Wash الغسولات الفموية	**Unknown** **Unknown**	As directed	
E-Mox Powder for Suspension 100 ml	Amoxicillin 250 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**EIPICO** **Egypt**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
E-Mox Powder for Suspension 100 ml	Amoxicillin 125mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**EIPICO** **Egypt**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Emugesic Cream 70 gm	Unknown	**Muscle relaxations** Muscle relaxation مرخيات العضلات	**Unknown** **Unknown**	As directed	
E-MYCIN 400 Tablets 100 tabs	Erythromycin 400 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
E-MYCIN 400 Powder for Suspension 100 ml	Erythromycin 200 mg/5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Enap Tablets 20 TAB	Enalapril 10 mg / tab	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**KRKA** **India**	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Enap-HL Tablets 20 TAB	Enalapril 10 mg + Hydrochlorothiazide 12.5 mg / tab	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**KRKA** **India**	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Enap-HL Tablets 20 TAB	Enalapril 20 mg + Hydrochlorothiazide 12.5 mg / tab	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**KRKA** **India**	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
ENAT Cream 50gm	Vit.E 400 I.U	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**MEGA** **Thailand**	40 to 50 mg	
ENAT 400 Capsules 30 S.G Capsules.	Vit.E 400 mcg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**MEGA** **Thailand**	40 to 50 mg	NATURAL VITAMIN E ENAT 400 MEGA
Encephabol	Pyritinol Hydrochloride	**Cardio Vascular System drugs** Cardio Vascular الأوعية الدموية والقلب	**MERCK** **France**	600 mg daily in 3 divided doses	
Enclex-40	Enoxaparin Sodium	**Cardio Vascular System drugs** Thrombosis الجلطات	**Unknown** **Unknown**	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	Enclex-40 Cipla
Enclex-40. Ampoules enoxaparin sodium injection40mg/0.4m	Enoxaparin sodium	**Cardio Vascular System drugs** Thrombosis الجلطات	**CIPLA** **India**	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	Enclex-40 Cipla
Enclex-60 Ampoules 2 amp	Enoxaparin Sodium 60 mg / 0.6 ml or Enoxaparin Sodium 6000 i.u / 0.6 ml	**Cardio Vascular System drugs** Thrombosis الجلطات	**CIPLA** **India**	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	Enclex-60 Cipla
Encorate Tablets tablet	Na valproate tablet 200mg	**Central Nervous system drugs** Epilepsy الصرع	**SUN** **India**	15 mg/kg/day in 2–3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	Sodium Valproate Enteric-Coated Tablets BP 200 mg Encorate

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Encorate Chrono-200 Tablets 30 tablets	Valproic Acid&Na valproate tablet 200mg	**Central Nervous system drugs** Epilepsy الصرع	**SUN** **India**	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	Comprimés de Valproate de Sodium et d'Acide Valproique à Libération Prolongée à 200 mg Encorate Chrono 200
Encorate Chrono-500 Tablets 30 tablets	Valproic Acid&Na valproate tablet 500mg	**Central Nervous system drugs** Epilepsy الصرع	**SUN** **India**	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	 Sodium Valproate and Valproic Acid Controlled Release Tablets 500 mg Encorate Chrono 500
Enfexia 250 mg tablet 2strip*5tablet	Cefuroxime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Bilim** **Turkey**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily-By injection the usual adult dose is 750 mg of cefuroxime	enfexia 250 mg
Enfexia 500 mg Tablets 1vial	Cefuroxime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Bilim** **Turkey**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily-By injection the usual adult dose is 750 mg of cefuroxime	enfexia 500 mg 10 Film Tablets
Enfexia 750 mg Vial 1 vial	Cefuroxime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Bilim** **Turkey**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily-By injection the usual adult dose is 750 mg of cefuroxime	1 Vial enfexia
ENTOPHAR Suspension 120 ml	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**PHARCO** **Egypt**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	ENTOPHAR PHARCO PHARMA
ENZYME PLUS	Combination	**Gastro Intestinal drugs** Indigestion سوء الهضم	**LIFEPLAN** **Unknown**	As directed	LIFEPLAN ENZYME PLUS TO HELP MAINTAIN HEALTHY DIGESTION

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Epanutin Capsules 100 capsules	Phenytoin capsule 100mg	**Central Nervous system drugs** Epilepsy الصرع	**Pfizer** **USA**	Minimum/Maximum Adult Daily Dose:300 - 600 mg (milligram) OR 3 - 6 Capsules.	
Ephedrine Hcl Ampoules	Ephedrine+carbenoxamine+ pholcodiene	**Respiratory drugs** Common Cold نزلات البرد	**Unknown** **Unknown**	Nasal drops or sprays containing ephedrine 0.5 or 1%, 0.25% for use in children aged 1 to 3 months.	
EPICEPHIN Vial 1 vial + 2 amp solvent	Ceftriaxone Sodium 1 gm	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**EIPICO** **Egypt**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
EPICOCILLIN Vial 1 vial	Ampicillin 1 gm / vial	**Antibiotics** الأصابات الميكروبية Microbial Infections	**EIPICO** **Egypt**	Adults : 1 - 2 Capsule four times daily.	
Epicogel Suspension 120 ml / Bottle	Each 15 ml contain Al(OH)918 + Mg(OH) 300 + Simethicone 60	**Gastro Intestinal drugs** Indigestion سوء الهضم	**EIPICO** **Egypt**	*tab = 40 -120 mg QID orall a.m * susp = 10 ml QID * sachets = one sachet QID	
Epicophylline Syrup 125 ml	Acefylline + Aminophylline	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**EIPICO** **Egypt**	16 mg/kg/daily	
Epicozym Syrup 125ml	Vitamin B1 5mg -Vitamin B2 2mg -Vitamin B6 2mg - Ncotinamide 20mg -panthenol	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**EIPICO** **Egypt**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
EPIFENAC Ampoules 3 amp x 3 ml	Diclofenac Sodium 75 mg/ 3 ml	**NSAID** Analgesic مهدئ الأوجاع	**EIPICO** **Egypt**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
EPILAT Capsules 30 cap	Nifedipine 10 mg /cap	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**EIPICO** **Egypt**	10 to 40 mg twice daily	
EPILAT Retard Tablets 20 S.R F. C. T	Nifedipine 20 mg / tab	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**EIPICO** **Egypt**	10 to 40 mg twice daily	
EPIMAG Sachets 10 Sachets	Magnesium Citrate+ ….	**Urinary tract drugs** Urinary Tract Infection اصابات الجهاز البولي	**EIPICO** **Egypt**	ADULTS: PO 1 glassful (approximately 240 ml) prn. CHILDREN 2–6 YR: PO 4–12 ml. CHILDREN 6–12 YR: PO 50–100 ml. Repeat if necessary.	
Epinephrine Ampoules 25 AMP	Adrenaline	**Cardio Vascular System drugs** Anaphylactic Shock الصدمة الأغمائية	**NDCO** **Unknown**	Adrenaline is usually given by intramuscular injection, subcutaneously;1 in 10 000 or 1 in 100 000) by very slow intravenous injection or by slow intravenous infusion.	
EPINOR Tablets 14 tab	Norfloxacin 400/ tab	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**EIPICO** **Egypt**	Tab 400mg	
EPINOSINE-B Ampoules 3 lyophilized ampoules+3ampoul	.Adenosine 10 mg+cocaboxylase 50mg+Vit.B12 . 500 mcg+nicotinamide 20mg	**Cardio Vascular System drugs** Arrhythmia عدم انتظام ضربات القلب	**EIPICO** **Egypt**	1 ampoule I.M (only) daily or as directed by the physician.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Epiran Tablets 20 tabs	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**unknown** **Egypt**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	EPIRAN 75 Ranitidine Antacid
Epirax Tablets 30 tablets	Chlordiazopoxide + Clidinium bromaid tablet (5/2.5)mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**EIPICO** **Egypt**	Minimum/Maximum Adult Daily Dose:1 - 8 Capsule	30 Sugar Coated Tablets EPIRAX
EPIRAZOLE Capsules 14 caps	Omeprazole 20 mg / cap	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**EIPICO** **Egypt**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	14 Capsules EPIRAZOLE Omeprazole 20 mg
EPISTAT-500 Tablets 30 tablets	levetiracetam tablet 500mg	**Central Nervous system drugs** Epilepsy الصرع	**CIPLA** **India**	1-3 gm increased gradually, children 50 kg is 20 mg/kg daily	3 x 10 Tablets EPISTAT-500 Levetiracetam Tablets 500mg Cipla
Epitoin Suspension 120 ml	Each 5 ml contains phenytoin U.S.P. 30 mg.	**Central Nervous system drugs** Epilepsy الصرع	**Pharmacare** **Yemen**	Adults & children (over 6 yrs): Three teaspoonfuls (15ml) three times daily. Subsequent dosage should be adjusted according to the therapeutic response.	120 ml Epitoin Anti-Epileptic Pharmacare
Epival-500 Tablets 50 tablets	Na valproate tablet 500mg	**Central Nervous system drugs** Epilepsy الصرع	**United** **Jordan**	15 mg/kg/day in 2–3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	EPIVAL 500 mg Sodium Valproate United
EPIZOLONE-DEPOT Ampoules 1 amp	Methylprednisolone 40 mg / 1 ml	**Corticosteroid** Inflammations الألتهابات	**EIPICO** **Egypt**	10 to 500 mg of methylprednisolone daily	EPIZOLONE-DEPOT Methylprednisolone acetate 40 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
EPRAZOLE Capsules 10x 10 cap	Omeprazole 20 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**LABORATE** **India**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
EPSOM SALTS Sachets 25 gm	Magnesium Sulphate 25 g / sachet	**Gastro Intestinal drugs** Constipation الأمساك	**Shiba pharma** **Yemen**	5-15 gm	
Eracid tablet 2strip*7tablet	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**JPM** **Jordan**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Ercefuryl 200 mg	Nifuroxazide	**Gastro Intestinal drugs** Diarrhea الأسهال	**Unknown** **Unknown**	* tabs = q I d * syrup = less two months 5 ml bid 2-12 months tid more 1 years = q I d	
Eromed Suspension 100ml	Erythromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global Pharma** **Yemen**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Eromycin Dry syrup 1bottel*100ml	Erythromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Julphar** **UAE**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Eros Cream bottle of 5% in 15g	lidocaine	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**Abingdon** **Unknown**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Erotab Tablet 10strip*10tablet	Erythromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Hayat pharma** **Unknown**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Erothin Dry syrup 100 ml	Erythromycin 200 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Erythrodar Dry syrup 1bottel*100ml	Erythromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Dar Aldawa** **Jordan**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Erythromycin Suspension 100 ml	Erythromycin 125 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**FULTON** **Italy**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Erythromycin Stearate	Erythromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	ERYTHROMYCIN STEARATE
Erythrosan Tablet 2strip *10tablet	Erythromycin 250 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shiba pharma** **Yemen**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	Erythrosan 250
Erythrosan Suspension 100 ml	Erythromycin 125 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shiba pharma** **Yemen**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	Erythrosan 125

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Erythrosan	Suspension	100 ml	Erythromycin 200 mg / 5 ml	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**Shiba pharma**	**Yemen**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	Erythrosan 200 mg/5ml Antibiotic 100 ml Powder for oral suspension Shiba Pharma
Erythrosan	Suspension	100 ml	Erythromycin 250 mg / 5 ml	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**Shiba pharma**	**Yemen**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	Erythrosan 250 mg/5ml Antibiotic 100 ml Powder for oral suspension Shiba Pharma
Escodyne	Tablets	10 effervescent tablets	vitamins + minerals +trace elements	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**Sothema**	**Morocco**	As directed	
Esi-Pram-10	Tablets	20 tablets	Escitalopram tablet 10mg	**Central Nervous system drugs**	Mental Disorders الأمراض العقلية	**MEDICO LABS**	**Syria**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	Esi - Pram 10 Escitalopram 10 mg
Esomac 20	Tablets	10 tabs	Esomeprazole	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**CIPLA**	**India**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	 Esomeprazole Magnesium Delayed Release Tablets 20 mg Esomac 20 Cipla
Esomac 40	Tablets	10 tab	Esomeprazole	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**CIPLA**	**India**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	 Esomac 40 Cipla
Esomac 40	Powder for Solution Injection	vial	Esomeprazole	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**CIPLA**	**India**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	Esomac 40 Esomeprazole Powder for solution for injection Lyophilized Injection For IV use only Cipla

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Esomac 40 Tablets 10x10 tab	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**CIPLA** **India**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	Esomac 40 10 x 10 Tablets Cipla
Es-omepral 20 cap 20 caps	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**ASIA** **Syria**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	Es-Omepral 20
Es-omepral 40 Capsules 20 caps	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**ASIA** **Syria**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	Es-Omepral 40
Esoprax Capsules 10 x 10 cap	Esomeprazole 20 mg / cap	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shiba pharma** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	Esoprax Shiba Pharma
Esoprax 20 Capsules 14 Capsules	Esomeprazole 20 mg / cap	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shiba pharma** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	Esoprax 20 mg Shiba Pharma
Esoprax 40 Capsules 14 Capsules	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shiba pharma** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	Esoprax 40 mg Shiba Pharma
Esoprax 40 Capsules 10 x 10 capsules	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shiba pharma** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	Esoprax Shiba Pharma

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
ESOprazol Tablets 20 tabs	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shaphaco** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	ESOprazol Esomeprazole 20 mg Antiulcer
Esoprazol 40 tab 20 tabs	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shaphaco** **Unknown**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	ESOprazol Esomeprazole 40 Antiulcer
ESOREST 20 Tablets 100 tabs	Esomeprazole 20 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**RFA** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	ESOREST 20 Esomeprazole 20mg
ESOREST 40 Tablets 100 tabs	Esomeprazole 40 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**RFA** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	ESOREST 40 Esomeprazole 40mg
Esoxium ??? Capsules 14 caps	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**BIOPHARM** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	14 Capsules Esoxium 20 mg Biopharmaceutical Industries - R.O.Y.
Esoxium 40 Capsules 14 caps	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**BIOPHARM** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	14 Capsules Esoxium 40 mg Biopharmaceutical Industries - R.O.Y.
Esoz tab 1o tabs	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Glenmark** **India**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	Esomeprazole Tablets 40 mg ESOZ Tablets

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Essential forte Capsules 50 Hard capsules	Phospholipids from soya-beas Hard capsule 300mg.	**Vitamines and Menirals** Hepatic Disorders اضطرابات الكبد	**Sanofi aventis** **France**	Adluts : 1800mg/daily(divaded into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divaded into 3 doses).	Essentiale Forte 300 mg
Essentiale Forte 300 mg Capsules 50 cap	essential phospholipids+vit b1,b2,b12,E	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Sanofi Aventis** **France**	Adluts : 1800mg/daily(divaded into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divaded into 3 doses).	Essentiale Forte 300 mg Oral use
Essentiale forte N Capsules 30 cap	essential phospholipids 300 mg+vit b1,b2,b12,E	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Sanofi Aventis** **France**	Adluts : 1800mg/daily(divaded into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divaded into 3 doses).	Essentiale forte N 300 mg
essentials folic acid tablet 90tablet	folic acid 400mcg	**Vitamines and Menirals** Anaemia فقر الدم	**Unknown** **Unknown**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	Essentials Folic Acid
Estecina	Ciprofloxacin Hydrochloride	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**LABORATORIES NORMON, S.A** **Unknown**	250 to 750 mg twice daily depending on the severity and nature of the infection	Estecina "500"
Estecina 100 ml Infusion Bottle 100 ml / bottle	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Normon** **Spain**	250 to 750 mg twice daily depending on the severity and nature of the infection	Estecina (CIPROFLOXACIN) 100 ml Injectable solution I.V. Route LABORATORIOS NORMON, S.A.
Estecina Tablets Tablets 20 Coated Tablets	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Normon** **Spain**	250 to 750 mg twice daily depending on the severity and nature of the infection	Estecina "500" (CIPROFLOXACIN) 20 COATED TABLETS ORAL ROUTE LABORATORIOS NORMON, S.A.

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
ETODINE-300	Capsules	10 S.G capsules	Etodolac capsule 300mg.	**Nonsteroidal Anti-**	Analgesic مهدئ الأوجاع	**PHARCO**	**Egypt**	Minimum/Maximum Adult Daily Dose:500 - 1000 mg (milligram) OR 1 - 2 Tablet	
Eucarbon	tab	100 tab	charcoal	**Gastro Intestinal drugs**	Poisons التسمم	**F. Tranka**	**Unknown**	A usual adult dose for reduction of absorption is 50 g, but higher doses have been used. Children 1 to 12 years old may be given 25 to 50 g and infants under 1 year 1 g/kg.	
Euphyllin	Ampoules	5 amp x 10 ml	Theophyllin 200 mg/10 ml	**Respiratory drugs**	Bronchial Asthma الربو الشعبي	**Nycomed**	**Viena, Austria**	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Eurax			Benzyl Benzoate	**Skin Disorders**	Scabies الجرب	**Unknown**	**Unknown**	A 25% emulsion is applied to the whole body, usually from the neck down, three applications at 12-hour intervals, without bathing, may be made, followed by bathing	
Eurozole 500 mg	Tablets	4 tab	Secnidazole 500 mg	**Antiprtozoal**	Amoebiasis , Gardiasis جارديا واميبيا	**European Egyption**	**Egypt**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
EUTHROX	Solid	100	levothyroxine sodium 150	**Hormones**	Thyroid hormone الغدة الدرقية	**MERCK**	**France**	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
euthyrox	Solid	100	levothyroxine sodium 25	**Hormones**	Thyroid hormone الغدة الدرقية	**MERCK**	**France**	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
EUTHYROX ???	Solid	100	levothyroxine sodium 100	**Hormones**	Thyroid hormone الغدة الدرقية	**MERCK**	**France**	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
EVA PHARMA	Ointment	20 gm	Salicylic Acid	**Skin Disorders**	Warts الثآليل او النتوء الصغيرة	**OCTOBER PHARMA**	**Egypt**	As directed	
EVIT 400	Capsules	30 cap	Vit.E (tocopherols) 400 mg	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**Square Pharma Logo**	**Unknown**	40 to 50 mg	
Exolvane	Syrup	100 ml	Bromhexine	**Respiratory drugs**	Respiratory Disorders اضطرابات الجهاز التنفسي	**Razi Pharma**	**Syria**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
Exolvane			Bromhexine	**Respiratory drugs**	Respiratory Disorders اضطرابات الجهاز التنفسي	**Unknown**	**Unknown**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
eX-pylori	kits	7 kits each contains 4 tablets and 2	Pantoprazole 40 mg+Clarithromycine 500 mg+ Amoxicillin 1000 (dose=one kit for 7 days)	**Gastro Intestinal drugs**	H-Pylori جرثومة المعدة	**Pharmacare**	**Yemen**	One dose morning and one dose evening for 7 days eradication regimen.	
Extra Strength	Tablets	84 tablets	Ibuprofen 400 mg	**Nonsteroidal Anti-**	Analgesic مهدئ الأوجاع	**WOCKHADT**	**UK**	Oral doses of400 mg to 1.2 g daily .	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Ezilax	Syrup	300 ml for bottle	Lactulose	**Gastro Intestinal drugs**	Constipation الأمساك	**Tabuk pharma**	**Saudi Arabia**	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	Ezilax 300 ml
Ezivac	Enema	30 ml	Glycerin + Sodium Chloride	**Gastro Intestinal drugs**	Constipation الأمساك	**Unknown**	**Unknown**	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	EZIVAC Enema
EZTOR EZ	tablet	tablet	atorvastatin 10mg+ezetimibe 10mg	**Cardio Vascular System drugs**	Hyperlipidaemias زيادة الدهون في الدم	**SUN Pharma**	**India**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Fadine 20	Tablets	20 tab	Famotidine 20 mg	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**Shaphaco**	**Yemen**	*40 mg once time daily . * 20 mg bid	
Fadine 40	Tablets	10 tab	Famotidine 40 mg	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**Shaphaco**	**Yemen**	*40 mg once time daily . * 20 mg bid	Fadine 40 Famotidine
Famciclovir			Famciclovir 250mg	**Antivirals**	Viral Infections الأصابات الفيروسية	**Unknown**	**Unknown**	250 mg three times daily, or 750 mg once daily, for 7 days	Famciclovir 250mg
Famciclovir stada	Tablets	21 film-coated tab	Famciclovir 500mg / tab	**Antivirals**	Viral Infections الأصابات الفيروسية	**STADA**	**Unknown**	250 mg three times daily, or 750 mg once daily, for 7 days	Famciclovir STADA 500 mg STADA

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Famciclovir Teva	Famciclovir 125mg	**Antivirals** Viral Infections الأصابات الفيروسية	**TEVN** **Unknown**	250 mg three times daily, or 750 mg once daily, for 7 days	Famciclovir Teva
Famid 40 mg Tablets 20 tab	Famotidine 40 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Modern Pharama** **Yemen**	*40 mg once time daily . * 20 mg bid	
Famodar tab 30 tabs	famotidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Dar Aldawa** **Unknown**	*40 mg once time daily . * 20 mg bid	 Famodar 20 Famotidine 30 Film coated tablets Dar Al Dawa دار الدواء
Famotak 20 mg Tablets 20 Tablets	Famotidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**SEDICO** **Egypt**	*40 mg once time daily . * 20 mg bid	
Famotak 40 mg Tablets 20 tab	Famotidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**SEDICO** **Egypt**	*40 mg once time daily . * 20 mg bid	FAMOTAK (FAMOTIDINE)
Famvir 250 mg Tablets 21 tap.	Famciclovir	**Antivirals** Viral Infections الأصابات الفيروسية	**NOVARTIS** **Switzerland**	250 mg three times daily, or 750 mg once daily, for 7 days	FAMVIR 250 mg Tablets
Famvir 500 mg Tablets 3 tap.	Famciclovir	**Antivirals** Viral Infections الأصابات الفيروسية	**NOVARTIS** **Switzerland**	250 mg three times daily, or 750 mg once daily, for 7 days	PRESCRIPTION ONLY MEDICINE FAMVIR famciclovir 3 500 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Fansitab Tablets 250 tab	Sulfadoxine 500 mg + Pyrimethamine 25 mg	**Antimalarial medicines** Malaria الملاريا	**Shaphaco** **Yemen**	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Farcolin Syrup Syrup 120 ml	Each 5 ml contains: Salbutamol 2mg+ Ammonium chloride 100 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**PHARCO** **Egypt**	2 -4 mg / or 2 buffs *qid	
Farcolin Tablets Tablets 20 tab	Salbutamol 2 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**PHARCO** **Egypt**	2 -4 mg / or 2 buffs *qid	
Farconcil Dry syrup 80ml	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**PHARCO** **Egypt**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
FARCONCIL	Amoxicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**PHARCO** **Egypt**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
farcopril	Captopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Farcosolvin Syrup 120 ml	Ambroxol+Guaiphenisin	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**PHARCO** **Egypt**	5 ml by mouth, in 2 or 3 divided doses.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
FARCOSOLVIN Syrup 120 ml	Combination	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**PHARCO** **Egypt**	As directed	FARCOSOLVIN
Farcotilium Suspension 120 ml for bottle	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**PHARCO** **Egypt**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	FARCOTILIUM SUSPENSION فاركوتيليام
Farcotilium Capsules 24 caps	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**PHARCO** **Egypt**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	FARCOTILIUM S.G. CAPSULES Domperidone 10 mg Gastroprokinetic & Antiemetic
Farcotilium Suspension 120 ml	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**PHARCO** **Egypt**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	FARCOTILIUM SUSPENSION
Farcotrim Tablets 2strip*10tablet	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**PHARCO** **Egypt**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	20 Tablets FARCOTRIM ANTIBACTERIAL
Farcovit B12 Capsules 24 capsule	essential phosphate 10mg+vitB1 2mg+vitB2 1mg+vitB6 2mg+vitB12	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**PHARCO** **Egypt**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	FARCOVIT B12 LIPOTROPIC
FARCOZEPAM Ampoules 5 amp x 2 ml	Diazepam	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**PHARCO** **Egypt**	Severe anxiety in oral doses of 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults :Diazepam 10 to 20 mg (I.V 5 mg/minute) or infusion every 15 min for up	FARCOZEPAM DIAZEPAM 10 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
FARCOZOL Tablets 20 tab	metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**PHARCO** **Egypt**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Farin 5 mg Tablets 30 Tablets	warfarin 5 mg / tab	**Cardio Vascular System drugs** Thrombosis الجلطات	**GALENICA** **Republic of Serbia**	3 - 10 mg daily	
Farolax drop oral 15 ml	sodium picosulfate	**Gastro Intestinal drugs** Constipation الأمساك	**Pharo pharma** **Egypt**	adult = one bottle 120 ml delivered dose) once dairy = child 60 ml once dairy	
FAROSTAN FORTE Tablets 20 tab	Unknown	**Non-Steroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**PHARCO** **Egypt**	As directed	
Fasigyn Tablets 4 tab	Tinidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Pfizer** **USA**	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm by mouth: Anaerobic	
Fasonat 10 Tablets 10 tabs	Alendronate 10 mg	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Modern Pharama** **Yemen**	Adults: 10 mg/d. Elderly: 10 mg/d. Children: Safety and effectiveness not established in children <18 years.	
Fasonat 70 Tablets tabs	Alendronate 70 mg	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Modern Pharama** **Yemen**	Adults: 10 mg/d. Elderly: 10 mg/d. Children: Safety and effectiveness not established in children <18 years.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Fast	Syrup	120 ml	herbal extract	**Respiratory drugs**	Common Cold نزلات البرد	**pharaonia**	**Unknown**	As directed	
Fastum gel			Ketoprofen	**Nonsteroidal Anti-**	Analgesic مهدئات الأوجاع	**Unknown**	**Unknown**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Fastum-gel		50 g	Ketoprofen gel 2.5%.	**Nonsteroidal Anti-**	Analgesic مهدئات الأوجاع	**MENARINI**	**Italy**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 tablets.	
Faverin 100 mg	Tablets	30 tablet	Fluvoxamine Maleate tablet 100mg	**Central Nervous system drugs**	Mental Disorders الأمراض العقلية	**ABBOTT**	**USA**	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Faverin 50 mg	Tablets	60 tablet	Fluvoxamine Maleate tablet 50mg	**Central Nervous system drugs**	Mental Disorders الأمراض العقلية	**ABBOTT**	**USA**	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Faverin 50 mg	Tablets	60 tab	Fluvoxamine Maleate 50 mg	**Central Nervous system drugs**	Mental Disorders الأمراض العقلية	**SOLVAY**	**France**	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Fawakeh Fawar	Sachets	6 sachets	NaHCO 2.80 g + Citric acid 0.82 gm+Tartraic acid 1.33 gm	**Gastro Intestinal drugs**	Indigestion سوء الهضم	**Shiba pharma**	**Yemen**	One tablet three times daily during or after meals.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
FAWAR FRUIT Eff .salt 6 sachets	NaHCO 2.80 g + citric acid 1.33g+titraic acid 0.82 g	**Gastro Intestinal drugs** Indigestion سوء الهضم	**PHARCO** **Egypt**	One tablet three times daily during or after meals.	
Fawarcid Eff .salt 6 sachets	NaHCO+citric acid +titraic acid	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Global Pharma** **Yemen**	One tablet three times daily during or after meals.	
FAXART Amp Ampoules 6 amp X 1 ml	Each 1 ml contains 80 mg Artemether	**Antimalarial medicines** Malaria الملاريا	**Unknown** **Unknown**	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Febilex SR Capsules 30 cap	Each capsule contains : Iron (as ferrous sulphate .) 150 mg+ Thiamine nitrate 2 mg+	**Vitamines and Menirals** Anaemia فقر الدم	**Pharmacare** **Yemen**	1-2 capsules daily according to the severity of needs.	
Fedecol Syrup 100 ml	Ambroxol (15 mg/5ml)	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Pharma International** **Jordan**	5 ml by mouth, in 2 or 3 divided doses.	
Feelfresh Solution	Combination	**Antiseptic and Desinfectants** Feminine wash الغسولات الأنثوية	**INFINITY** **Unknown**	As directed	
Fefadol-Plus Tablets 20 tablets	Paracetamol 500mg+codeine 8mg+caffeine 30mg per tablet.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**SPIMACO** **Saudi Arabia**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Fefol Capsules 30 capsules.	Ferrous sulphate 47mg & folic acid 500mcg/capsule	**Vitamines and Menirals** Anaemia فقر الدم	**ICN** **USA**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Fefosan Capsules 20 capsule	Ferrous Sulfate150 mg+ Folic Acid 0.5mg	**Vitamines and Menirals** Anaemia فقر الدم	**Shiba pharma** **Yemen**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
FefosanZ Capsules 20 capsule	Ferrous Sulfate150 mg+ Folic Acid 0.5mg+Zinc /cap.	**Vitamines and Menirals** Anaemia فقر الدم	**Shiba pharma** **Yemen**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
FELDENE Capsules 10 capsules.	Piroxicam capsule 20mg.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Pfizer** **USA**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	FELDENE 20 mg PIROXICAM 10 capsules
Feldene	Piroxicam	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Unknown** **Unknown**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Felic SR Capsules 30 capsule	Each capsule contains : Ferrous sulphate 150 mg + Folic acid. 0.5 mg	**Vitamines and Menirals** Anaemia فقر الدم	**Pharmacare** **Yemen**	One capsule a day during pregnancy & lactation.	
Femigiene	Combination	**Antiseptic and Desinfectants** Dermatitis الألتهابات الجلدلية	**Unknown** **Unknown**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Femigin Sachets 10 Sachets	Combination	**Antiseptic and Desinfectants** Vaginal المهبل	**PHARCO** **Egypt**	As directed	
Fenalerg 10 mg Tablets 20 tab	Cetirizine Hydrochloride	**Antihistamines** Allergy الحساسية	**Unknown** **Unknown**	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Fenam Syrup 120 ml	Mefenamic Acid syrup 50mg/5ml.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**JPI** **Saudi Arabia**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Fenam	Mefenamic Acid	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Fenam Forte Tablets 20 caoted tablets.	Mefenamic Acid tablet 500mg	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**JPI** **Saudi Arabia**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Fenamic 500 Tablets 20 tablet	Each one tablet contains Mefenamic acid BP 500mg.	**NSAID** Analgesic مهدئات الأوجاع	**Pharmacare** **Yemen**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Fenamol Suspension 60 ml	Mefenamic Acid suspension 50 mg/5ml.	**NSAID** Analgesic مهدئات الأوجاع	**Shiba pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Fenamol	Suspension	100 ml	Mefenamic Acid suspension 50mg/5ml.	**NSAID**	Analgesic مهدئات الأوجاع	**shiba pharma**	**Yemen**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Fenamol-250	Capsules	20 capsules	Mefenamic Acid capsule 250mg	**NSAID**	Analgesic مهدئات الأوجاع	**Shiba pharma**	**Yemen**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Fenamol-500	Caplets	10 f.caoted cablets	Mefenamic Acid tablet 500mg	**NSAID**	Analgesic مهدئات الأوجاع	**Shiba pharma**	**Yemen**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Fenazine	Syrup	100 ml for bottle	promethazine Hydrochloride 5mg / 5 ml	**Antihistamines**	Allergy الحساسية	**Shiba pharma**	**Yemen**	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	
Fenistil	Tablets	20 tab	Dimetindene Maleate	**Antihistamines**	Allergy الحساسية	**unknown**	**Unknown**	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Fenostal	Oral / Solution	100 ml	Dimetindene Maleate 0.5 mg/5ml	**Antihistamines**	Allergy الحساسية	**Modern Pharama**	**Yemen**	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Fenostal	Oral /Drops	20 ml	Dimetindene Maleate 1 mg/1ml	**Antihistamines**	Allergy الحساسية	**Modern Pharama**	**Yemen**	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Feratonic-Vit	Capsules	30 cap	Iron + Vitamins + Folic acid	**Vitamines and Menirals**	Anaemia فقر الدم	**HANSEL**	**Unknown**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
ferfol	Capsules	30capsule	ferrous sulphate150mg+folic acid500mcg	**Vitamines and Menirals**	Anaemia فقر الدم	**BIOPHARM**	**Yemen**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
FERFOLIC Z	Capsules	20 capsules S.R	Ferrous Sulfate+ Folic Acid+Zinc capsule S.R .	**Vitamines and Menirals**	Anaemia فقر الدم	**Alpha**	**Syria**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
feridex	Capsules	50 cap	ferrous fumarate200mg+folic acid200mg	**Vitamines and Menirals**	Anaemia فقر الدم	**ACI**	**Bangladesh**	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
FERIMAX	Solution	10 x 5 ml	Ferrous Sulfate	**Vitamines and Menirals**	Anaemia فقر الدم	**Bilim**	**Turkey**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Feroglobin	Syrup	200 ml	Ferrous Sulfate	**Vitamines and Menirals**	Anaemia فقر الدم	**VITABIOTICS**	**England**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Feroglobin	Capsules	30 cap	Iron	**Vitamines and Menirals**	Anaemia فقر الدم	**VITABIOTICS**	**Unknown**	treatment of iron-deficiency anaemia is 100 to 200 mg of iron daily in divided doses. The usual adult prophylactic dose is about 60 to 120 mg of iron daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
feroglobin Solution 240 ml	Zinc + Vit Bcomplex - Vit B12 5microgram	**Vitamines and Menirals** Neuritis; vitamin B deficiency	**VITABIOTICS** **Unknown**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Feroglobin ?? Syrup 200ml	Iron 24 mg , zinc 12mg ,coppar 2000mcg , folic acid 500mcg , vit.B12 10mcg , vit.B6 5mg/15 ml.	**Vitamines and Menirals** Anaemia فقر الدم	**VITABIOTICS** **Unknown**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
feroglobin B12 capsule 30capsule	iron(as fumarate)24mg+ zinc12mg+capper 2000micro gram+folacin(asfo	**Vitamines and Menirals** Anaemia فقر الدم	**VITABIOTICS** **Unknown**	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
Feroglobin Caps Capsules 30 capsules	Iron 24 mg , zinc 12mg ,coppar 2000mcg , folic acid 500mcg , vit.B12 10mcg , vit.B6 5mg/cap.	**Vitamines and Menirals** Anaemia فقر الدم	**VITABIOTICS** **Unknown**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Feromin Oral /Drops 30 ml	Ferrous Sulfate 25 mg / 1 ml	**Vitamines and Menirals** Anaemia فقر الدم	**RIYADH PHARMA** **Saudi Arabia**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
ferro cal Capsules Capsules 14capsule	vitC 60mg+calcium carbonate 500mg+vitD3 400U.I+iron 10mg+folic	**Vitamines and Menirals** Anaemia فقر الدم	**alabor city** **Egypt**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Ferro Sanol-duodenal Capsules 20 capsules	Ferrous Sulfate Capsules.	**Vitamines and Menirals** Anaemia فقر الدم	**Schwarz pharma** **Unknown**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
FerroCAL	Capsules	14 capsules.	Calcium500mg+vit,C 60mg+vit,D 400IU+Ferrous Sulfate 10mg+folic acid 0.5 mg+zinc	**Vitamines and Menirals**	Anaemia فقر الدم	**EGYPHAR**	**Egypt**	Unless otherwise prescribed by the physician, the usual dose is: One Capsule daily, preferable after meale.	
FERRO-FOL	Capsules	3strip*10capsul	ferrous sulphate150mg + folic acid 0.5mg	**Vitamines and Menirals**	Anaemia فقر الدم	**EIPICO**	**Egypt**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
FERRO-FOL	Capsules	30 capsules.	Ferrous sulphate 47mg & folic acid 500mcg/capsule.	**Vitamines and Menirals**	Anaemia فقر الدم	**EIPICO**	**Egypt**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
ferrotone	capsules	3*10softgel capsules	ferrous fumarate162.00mg +folic acid0.75mg+vitamineB127.50mcg	**Vitamines and Menirals**	Anaemia فقر الدم	**mega we care**	**Unknown**	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
FERROTONE	Capsules	30 capsules.	Ferrous furmate 162mg+ folic acid 0.75mg+vit.B12 7.50mcg/softgel cap.	**Vitamines and Menirals**	Anaemia فقر الدم	**MEGA We Care**	**Unknown**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Ferrum	Ampoules	5 X 2 ml	iron	**Vitamines and Menirals**	Anaemia فقر الدم	**Unknown**	**Unknown**	treatment of iron-deficiency anaemia is 100 to 200 mg of iron daily in divided doses. The usual adult prophylactic dose is about 60 to 120 mg of iron daily.	
FERTAB	Solid	10	clomifen 50	**Gynaecology drugs**	Infertility العقم	**ZYNOVA**	**Unknown**	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
FERTILAN	Solid	10	clomifene citrate 2	**Gynaecology drugs**	Infertility العقم	**CODAL-SYNTO**	**Cyprus**	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	FERTILAN 50mg Clomifene Citrate 10 tablets
Festamin	Drops	20 ml	Dimetindene Maleate 1 mg / 1 ml	**Antihistamines**	Common Cold نزلات البرد	**Global Pharma**	**Yemen**	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Festamin	Oral / Solution	100 ml	Dimetindene Maleate 0.5 mg / 5 ml	**Antihistamines**	Common Cold نزلات البرد	**Global Pharma**	**Yemen**	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	Festamin Oral Solution 100 ml
Fetax	parentral inj	1Vial	Cefotaxime Sodium	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Youcare**	**Unknown**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	FETAX 1G Cefotaxime Sodium for Injection 1.0g
Fevadol	Syrup	145 ml	Paracetamol syrup 160mg/5ml.	**Nonsteroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**SEDICO**	**Egypt**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Fevadol FRUITY TASTE
Fevorit	Drops	15 ml	triprolidine HCL+paracetamol	**Vitamines and Menirals**	Anaemia فقر الدم	**unknown**	**Unknown**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	15 ml fevorit DROPS Iron polymaltose
Fexon	Tablets	10 tab	Fexofenadine Hydrochloride	**Antihistamines**	Allergy الحساسية	**HIKMA**	**Jordan**	by mouth in a dose of 120 mg daily either as a single dose or in two divided doses, Children30 mg twice daily	10 Fexon 180 mg Fexofenadine Hydrochloride 180 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Fexon Suspension 100 ml	Fexofenadine Hydrochloride 30 mg / 5 ml	**Antihistamines** Allergy الحساسية	**HIKMA** **Jordan**	by mouth in a dose of 120 mg daily either as a single dose or in two divided doses, Children30 mg twice daily	
Fibrolax Powder 200 gm	Bran	**Gastro Intestinal drugs** Constipation الأمساك	**Unknown** **Unknown**	20 to 35 g daily ; children 5 g daily	
Fikxime Capsules 10 capsules	Cefixime 400 mg / capsule and cefixime, 100 mg / 5ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Pharmacare** **Yemen**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	Fikxime 100 Fikxime 400
Finallerg Tablets 20 tab	Cetirizine Hydrochloride 10 mg	**Antihistamines** Allergy الحساسية	**Pharma International** **Jordan**	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	Finallerg 10 mg
Fiocazole 150 Capsules 1 capsules	Fiocazole 150	**Antifungals** Dermatitis الألتهابات الجلدية	**aldaweah** **Unknown**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	Flocazole 150
Fixoral capsule 1strip*6capsule	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Alpha** **Syria**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	FIXORAL CEFIXIME
Fixoral	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	FIXORAL 100 CEFIXIME

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Flagena 500 Tablets 4 tab	Secnidazole 500 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Bahry medical** **Syria**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	FLAGENA 500 ANTIPROTOZOAL
Flagicure Forte Tablets 20 tab	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**KAHIRA PHARM** **Egypt**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	FLAGICURE FORTE
Flaginol Tablets 4tab	Secnidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**DOMINA** **Unknown**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	Flaginol DOMINA
Flagydil Tablets 20 tab	Metronidazole 200mg + diloxnide 250mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**shaphaco** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	20 Tablets Flagydil® Antiprotozoal
Flagyl 250 Tablets	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Aventis** **Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Flagyl 500 mg Tablets 14 tab	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Sanofi Aventis** **France**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	Flagyl 500mg sanofi aventis
Flagyzol Tablets 20 tab	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**YEDCO** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	Flagyzol 20 Tablets

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Flaticol oral drops 30 ml	Simethicone 30 ml	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Global Pharma** **Yemen**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Flaton tab 30 tab	Enzyme digestion	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Bilim** **Turkey**	One tablet three times daily during or after meals.	
Flazol Tablets 20 tablets	Metronidazole 250 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Shiba pharma** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Flazol Suspension 100 ml	Metronidazole 125 mg / 5 ml	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Shiba pharma** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Flazol 500 Tablets 20 tab	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**shiba pharma** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Flazol Plus Suspension 100 ml	Metronidazole 100 mg + Diloxanide 125 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Shiba pharma** **Yemen**	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Flazol Plus Tablets 30 tab	Metronidazole +Diloxanide	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Shiba pharma** **Yemen**	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Flecoxine ????? 20 tab	Bromhexine 8 mg +herbal	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**REMEDICA** **Unknown**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Fleming 1200 Vial 5 vial	Amoxicillin + Clavulanic Acid	**Antibiotics** الأصابات الميكروبية Microbial Infections	**medrich ph.** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Flexen gel	Ketoprofen	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Flixonase Nasal/Spray 120 dose x 50 mcg	Fluticasone propionate	**Respiratory drugs** Common Cold نزلات البرد	**gsk glaxosmithkline** **UK**	100 to 250 micrograms twice daily in mild asthma up to 1 mg twice daily in severe asthma	
FLOGOFENAC Suppositoris 10 sup	Diclofenac Sodium 100 mg	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**ECOBI** **Italy**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Flomist Nasal/Spray 100 dose (10 ml)	Fluticasone propionate	**Respiratory drugs** Common Cold نزلات البرد	**CIPLA** **India**	100 to 250 micrograms twice daily in mild asthma up to 1 mg twice daily in severe asthma	
Flomist Nasal / Spray	Fluticasone Propionate	**Respiratory drugs** Common Cold نزلات البرد	**Unknown** **Unknown**	100 to 250 micrograms twice daily in mild asthma up to 1 mg twice daily in severe asthma	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
FLORALIN Tablets 30 tabs	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**CODAL-SYNTO** **Cyprus**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	FLORALIN 10mg Domperidone 30 tablets
Floumizin Cream 30 gm	Unknown	**Skin Disorders** Burns الحروق	**Domin pharma** **Unknown**	As directed	Floumizin Cream
Floxadex Suspension 10 ml	Ciprofloxacin Hydrochloride	**Antibacterial** Eye العين	**Liqvor** **Armenia**	250 to 750 mg twice daily depending on the severity and nature of the infection	
FLOXAMED	Norfloxacin 300 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unimed** **Tunisia**	Tab 400mg	
FLOXAMED	Norfloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Laboratories Unimed** **Thailand**	Tab 400mg	
Floximax Caplets 5 F/C caplets	Moxifloxacin Hydrochloride 400 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shiba pharma** **Yemen**	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	Floximax Moxifloxacin Broad-spectrum antibiotic Shiba Pharma
Flozak 20 mg Capsules 30 capsule	Fluoxetine capsule 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**RIYADH PHARMA** **Saudi Arabia**	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	FLOZAK 20 mg 30 Capsules RIYADH

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
FLU OFF Syrup 60 ml	Pseudoephedrine 15 mg + Paracetamol 120 mg + Chloraphiniramine 2 mg	**Respiratory drugs** Common Cold نزلات البرد	**Shiba pharma** **Yemen**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
FLU OFF Syrup 60 ml	Pseudoephedrine 15 mg + Paracetamol 150 mg + Chloraphiniramine 1 mg +	**Respiratory drugs** Common Cold نزلات البرد	**Shiba pharma** **Yemen**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Fluanxol Tablets 50 tablets	flupentixol tablet 1mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Lundbeck** **Denmark**	adult 2 tab dialy maximum 4 tab per day. And childran not use .	
Fluanxol-Depot 20 Ampoules 1 ampoule	flupentixol ampule 20mg/ml	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Lundbeck** **Denmark**	adult 2 tab dialy maximum 4 tab per day. And childran not use .	
Fluanxol-Depot 40 Ampoules 1 ampoule	flupentixol ampule 40mg/2ml	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Lundbeck** **Denmark**	adult 2 tab dialy maximum 4 tab per day. And childran not use .	
FLUB Tablets 6 tab	flubendazole	**Anthelmentic** Common Worms الديدان الشائعة	**Unknown** **Unknown**	Adults and children: l00mgas a single dose repeated if necessary after 2-3 weeks. For ascariasis, hook worm, and Trichuriasis: l00mg twice daily for 3 days	
Fluca Eye suspension 5 ml	Sodium chromoglycate	**Antihistamines** Allergy الحساسية	**Jamjoum Pharma** **Saudi Arabia**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Flucan Capsules 2 capsules	Fluconazole 150mg	**Antifungals** Dermatitis الألتهابات الجلدية	**Pfizer** **USA**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Flucan-150 Capsules 2 capsule	Fluconazole capsule 150mg	**Antifungals** Dermatitis الألتهابات الجلدية	**Shiba pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Flucand Capsules	Fluconazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Fluconazole Capsules 1 copsules	Fluconazole 150mg	**Antifungals** Dermatitis الألتهابات الجلدية	**Bsistol** **Unknown**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Fluconazole Vial 200ml single dose vial	Fluconazole 400mg	**Antifungals** Dermatitis الألتهابات الجلدية	**TEVN** **Unknown**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Fluconazole Capsules 2 capsule	Fluconazole capsule 150mg	**Antifungals** Dermatitis الألتهابات الجلدية	**BIOPHARM** **Yemen**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Fluconazole 150mg Capsules 1 hard capsules	Fluconazole 150mg	**Antifungals** Dermatitis الألتهابات الجلدية	**WOCKHADT** **UK**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Flucoral Capsules 2 capsules	Fluconazole 150mg	**Antifungals** Dermatitis الألتهابات الجلدية	**SEDICO** **Egypt**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Flucosel Capsules 1 cap	Fluconazole	**Antifungals** Dermatitis الألتهابات الجلدية	**HANSEL** **Unknown**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Flucotal Solution for I.V Injection 100 ml	Fluconazole 200 mg / 100 ml	**Antifungals** Dermatitis الألتهابات الجلدية	**Vitalis** **USA**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Flucozal 150 mg Capsules 1 cap	Each capsule contains 150 mg Fluconazole	**Antifungals** Dermatitis الألتهابات الجلدية	**DELORBIS** **Cyprus**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Flucozal 150 mg Capsules 1 cap	Each capsule contains 150 mg Fluconazole	**Antifungals** Dermatitis الألتهابات الجلدية	**EIPICO** **Egypt**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Fludac Capsules 20 capsules	Fluoxetine capsule 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CADILA** **India**	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	
Fludinium Capsules 30 capsules	Trifluoperazine 1 mg +Clidinium bromaid capsule 2.5mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Medipharm** **Unknown**	Minimum/Maximum Adult Daily Dose:10 - 40 mg (milligram) OR 1 - 4 Tablets.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
FLUDITEC Syrup 125 ml	Carbocisteine 2%	**Respiratory drugs** Common Cold نزلات البرد	**INNOTECH** **France**	Children from 2 up to 5 years may be given 62.5 to 125 mg four times daily and those aged 5 to 12 years 250 mg three times daily	
Fludrin Suspension 60 ml	Carbocisteine 2%	**Respiratory drugs** Common Cold نزلات البرد	**Global Pharma** **Yemen**	Children from 2 up to 5 years may be given 62.5 to 125 mg four times daily and those aged 5 to 12 years 250 mg three times daily	Fludrin 60 ml Paediatric Suspension GLOBAL PHARMA Co.
Fluimucil Effe. /Tablets 10 tab	N-acetylcysteine 600 mg	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Zambon** **Unknown**	100- 200 mg two times daily	FLUIMUCIL 600mg Zambon
Fluka-150 Tablets 1 tablet	Fluconazole 150mg	**Antifungals** Dermatitis الألتهابات الجلدية	**CIPLA** **India**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	Fluconazole Tablets Fluka-150 Cipla
Flukit Tablets 20 tablet	pseudoephedrine +paracetamol+chloraphiniramine	**Respiratory drugs** Common Cold نزلات البرد	**julphar** **UAE**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	Flukit 20 Tablets For Fast Relief of Cold Symptoms
Flukit Syrup 60 ml	Pseudoephedrine 15 mg + Paracetamol 120 mg + Chloraphiniramine 2 mg	**Respiratory drugs** Common Cold نزلات البرد	**julphar** **UAE**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	Flukit Syrup
FLUMOX Suspension 100 ml	Amoxicillin and Flucloxacilline 250 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**EIPICO** **Egypt**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	FLUMOX Amoxycillin Flucloxacillin 250 mg / 5 ml Broad - Spectrum ANTIBIOTIC

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
FLUMOX Capsules 2 x 8 cap	Amoxicillin and Flucloxacilline 500 mg / cap	**Antibiotics** الأصابات الميكروبية Microbial Infections	**EIPICO** **Egypt**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	FLUMOX 500 mg
Flunil -N SR Capsules 20 cap	Each capsule contains : Cetirizine HCl 5 mg + Pseudoephedrine 120 mg As	**Respiratory drugs** Common Cold نزلات البرد	**Pharmacare** **Yemen**	One capsule twice daily. (Not recommended for children under 12 years.)	Flunil-N SR Pharmacare
Fluoxet-20 Capsules 30 capsules	Fluoxetine capsule 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Sothema** **Morocco**	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	Fluoxet 20 mg
Flutab Tablets 20 tablets	Paracetamol 500mg+pseudoephedrine 30mg+diphenhydramine 25mg/tablet	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**SPIMACO** **Saudi Arabia**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Flutab Tablets 20 tab	pseudoephedrine+triprolidin +paracetamol	**Respiratory drugs** Common Cold نزلات البرد	**SPIMACO** **Saudi Arabia**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	Flutab For Symptomatic Relief of Cold & Flu 20 Tablets
Fluvoxin-50 Tablets 50 tablets	Fluvoxamine tablet 50mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**SUN** **India**	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	Fluvoxamine Tablets BP 50 mg Fluvoxin 50
Folatine Tablets 60 tablets	Folic Acid tablet 400mcg.	**Vitamines and Menirals** Anaemia فقر الدم	**LIFEPLAN** **Unknown**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	LIFEPLAN FOLATINE FOLIC ACID 400mg 60 TABLETS

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Folic Acid Tablets 100 tablets.	Folic Acid tablet 400mcg.	**Vitamines and Menirals** Anaemia فقر الدم	**CENTURY** **USA**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Folic Acid Tablets 90 tablets	Folic Acid tablet 400mcg.	**Vitamines and Menirals** Anaemia فقر الدم	**Appeton** **Unknown**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Folic Acid Tablets 90 tablets,	Folic Acid tablet 400mcg.	**Vitamines and Menirals** Anaemia فقر الدم	**Vitarenew** **Unknown**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Folic Acid Tablets 5 x 10 tab	Folic Acid	**Vitamines and Menirals** Anaemia فقر الدم	**NILE CO.** **Egypt**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Folic Acid Tablets 50 tab	Folic Acid	**Vitamines and Menirals** Anaemia فقر الدم	**Unknown** **Unknown**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Folic Acid Tablets 30 tablets	Folic Acid 5mg	**Vitamines and Menirals** Anaemia فقر الدم	**Global Pharma** **Yemen**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Folic Acid 5 mg Tablets 28 tablets	Folic Acid tablet 5mg.	**Vitamines and Menirals** Anaemia فقر الدم	**WOCKHADT** **UK**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Folic Acid Tablets Tablets 200 tablets	Folic Acid tablet 400mcg.	**Vitamines and Menirals** Anaemia فقر الدم	**Jamieson** **Canada**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Folin-B6 Tablets 30 tab	Vitamin B6 5 mg + folic acid 50 mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Modern Pharama** **Yemen**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
FOLIRON Solid	Ferrous Sulfate150 mg+ Folic Acid 0.5mg/cap.	**Vitamines and Menirals** Anaemia فقر الدم	**Medreich Limited** **Unknown**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Folmid Tablets 50 tablets.	Folic Acid tablet 5mg.	**Vitamines and Menirals** Anaemia فقر الدم	**Medeco Lab.** **Unknown**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Folvit-12 Ampoules 2 Ampoules of 2ml	Hydroxocobalamin 1000mcg+ folic acid 1000mcg + vit.B6 20mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**MUP** **Egypt**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Foracort 100 Inhaler 120 dose	budesonide +formoterol	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	2 inh /bid or 200 - 300 micg/BID	
Foracort- 200 Inhaler 120 dose	Budesonide +formoterol	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	2 inh /bid or 200 - 300 micg/BID	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Foracort-100 Capsules 30 cap	budesonide +formoterol	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	2 inh /bid or 200 - 300 micg/BID	 30 Capsules Formoterol Fumarate Dihydrate and Budesonide Rotacaps Foracort 100 Rotacaps Cipla
Forasef Vial 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Bilim** **Turkey**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	INJECTABLE VIAL FORSEF CEFTRIAXONE 0.5g I.M.
forcan-150 Capsules 1 capsule	Fluconazole capsule 150mg	**Antifungals** Dermatitis الألتهابات الجلدية	**CIPLA** **India**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	Fluconazole Capsules 150 mg Forcan-150 Cipla
Forgine	Combination	**Antiseptic and Desinfectants** Antiseptic مطهرات	**Unknown** **Unknown**	As directed	
Forgyne	Unknown	**Unknown** Unknown	**Unknown** **Unknown**	As directed	
Forpar parentral inj 1vial	Cefepime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	Cefepime for Injection USP FORPAR 1 gm I.M./I.V. USE ONLY Cipla
Forsef - 1 gm Parentral inj 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Bilim** **Turkey**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	INJECTABLE VIAL FORSEF 1g I.M.

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Forsef 0.5 gm Vial 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Bilim** **Turkey**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Fortazaar Tablets 28 tab	HCTZ + Losartan	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**MSD** **USA**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Forticef Suspension 75 ml	Unknown	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	As directed	
Fortymox Solution 10 ml	Moxifloxacin Hydrochloride 0.5%	**Ophthalmic drugs** Eye العين	**Orchidia Pharma** **Egypt**	As directed	
Forus Suspension 10 ml	Unknown	**Unknown** Eye العين	**Unknown** **Unknown**	As directed	
Forus Suspension / Drops 10 ml	Polymexin + Neomycin + Dexamethasone	**Antibacterial** Eye العين	**Unknown** **Unknown**	As directed	
Fosamax Tablets 2 tab	Alendronate sodium + Vitamine D3	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**EGYPHAR** **Egypt**	Adults: 10 mg/d. Elderly: 10 mg/d. Children: Safety and effectiveness not established in children <18 years.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Fricks 24 Lozenges 	lozenges	**Respiratory drugs** Common Cold نزلات البرد	**Lozen Pharma** **India**	As directed	
Fricks Lozenges 24 Lozenges	Different Lozenges Ingredients	**Antiseptic and Desinfectants** Common Cold نزلات البرد	**Lozen Pharma** **India**	As directed	
Fromilid Tablets 14 tabs	Clarithromycin 250 mg/ tab	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**KRKA** **India**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Fromilid Uno Tablets 7 tabs	Clarithromycin 500 mg/ tab	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**KRKA** **India**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
FRUTAMIN EFF.salt 6 sachets	NaHCO 2.80 g + citric acid 1.33g+titraic acid 0.82 g	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Modern Pharama** **Yemen**	One tablet three times daily during or after meals.	
Fucicort 	Fusidic Acid	**Antibacterial** Dermatitis الألتهابات الجلدلية	**Unknown** **Unknown**	As directed	
Fucidal Cream 15 g	Fusidic Acid 2 %	**Antibacterial** Dermatitis الألتهابات الجلدلية	**YEDCO** **Yemen**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Fucide Cream 15 gm	Sodium Fusidate	**Antibacterial** Dermatitis الألتهابات الجدلدية	**Shaphaco** **Yemen**	Orally 500 mg every 8 hours, Topically as directed	
Fucidol Cream 15 g	Fusidic Acid 2%	**Antibacterial** Dermatitis الألتهابات الجدلدية	**Global Pharma** **Yemen**	As directed	
Fucidol-B	Fusidic Acid 2% + Betamethasone 0.1%	**Antibacterial** Dermatitis الألتهابات الجدلدية	**Unknown** **Unknown**	As directed	
Fucithalmic Eye drops 5 gm	Fusidic Acid	**Antibacterial** Eye العين	**LEO** **Denmark**	As directed	
Fucithalmic Ointment 5 gm	Fusidic Acid	**Antibacterial** Eye العين	**LEO** **Denmark**	As directed	
FUKOLE Capsules 1 cap	Fluconazole 150 mg	**Antifungals** Dermatitis الألتهابات الجدلدية	**Y.S.P.** **Malaysia**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Fungidal Cream Cream 10 grams	Miconazole Nitrate 200mg	**Antifungals** Dermatitis الألتهابات الجدلدية	**SQUARE** **Unknown**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Fungimid 150	Fluconazole	**Antifungals** Dermatitis الألتهابات الجلدية	**MID Pharma** **Jordan**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	Fungimid 150
Fungistatin Suspension 30 ml	Nystatin 100000i.u.	**Antifungals** Dermatitis الألتهابات الجلدية	**Delta pharma** **Egypt**	Three to four times daily	FUNGISTATIN
Furamebe	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Unknown** **Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
FURAMET Tablets 30 tab	Metronidazole 200mg+Diloxnide 250mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**BIOPHARM** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	30 Tablets FURAMET COMPREHENSIVE AMOEBICIDE
Furazina Ointment 30 gm	Nitrofurazone	**Antibacterial** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	
FURAZOL Suspension Suspension 100 ml	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**EIPICO** **Egypt**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	100 ml Suspension FURAZOL
FURAZOL Tablets Tablets 30 tab	Metronidazole 200mg+diloxnide 250mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**EIPICO** **Egypt**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	30 TABLETS FURAZOL

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Furopine Suspension 60 ml	Unknown	**Gastro Intestinal drugs** Diarrhea الأسهال	**B.M Pharma** **Thailand**	As directed	
Fusi Cream 15 gm	Unknown	**Antibacterial** Dermatitis الألتهابات الجلدية	**PHARCO** **Egypt**	As directed	
Fusidate Ointment 20 gm	Fusidic Acid	**Antibacterial** Dermatitis الألتهابات الجلدية	**BALSAM** **Syria**	As directed	
Fusidate	Sodium Fusidate	**Antibacterial** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	Orally 500 mg every 8 hours, Topically as directed	
fusimide 40 Tablets 20 tab	Furosemide 40 mg / tablet	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**BIOPHARM** **Yemen**	40 to 80 mg daily by mouth, For children, the usual dose by mouth is 1 to 3 mg/kg daily up to a maximum of 40 mg daily	
Fusl Cream 15 gm	Unknown	**Antibacterial** Dermatitis الألتهابات الجلدية	**PHARCO** **Egypt**	As directed	
Fybogel granule 10 Sachets	Ispaghula husk eff	**Gastro Intestinal drugs** Constipation الأمساك	**Reckett Benckiser =UK** **Unknown**	20 to 35 g daily ; children 5 g daily	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Fybogel	Natural Fibre	**Gastro Intestinal drugs** Constipation الأمساك	**Unknown** **Unknown**	20 to 35 g daily ; children 5 g daily	
Fybogel Sachets 10 Sachets	Natural Fibre	**Gastro Intestinal drugs** Constipation الأمساك	**Unknown** **Unknown**	20 to 35 g daily ; children 5 g daily	Fybogel ORANGE Natural Fibre Drink
Gabakern 300 mg Hard Gelatin Capsules 30 tablets	Gabapentin tablet 300 mg	**Central Nervous system drugs** Epilepsy الصرع	**KERN pharma** **Korea**	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	Gabakern 300 mg hard capsules 30 hard capsules KERN
Gabantin 300 Tablets 30 tablets	Gabapentin tablet 300 mg	**Central Nervous system drugs** Epilepsy الصرع	**SUN** **India**	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	Gabapentin Capsules 300 mg GABANTIN 300 SUN
Gabapentin-100 Capsules 20 capsules	Gabapentin capsule 100 mg	**Central Nervous system drugs** Epilepsy الصرع	**NCPI** **Syria**	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	Gabapentin 100mg
Gabatrex Capsules 50 capsules	Gabapentin capsule 400mg	**Central Nervous system drugs** Epilepsy الصرع	**Hikma** **Jordan**	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	400 mg GABATREX
GABATREX Capsules 50 cap	Gabapentin	**Central Nervous system drugs** Epilepsy الصرع	**HIKMA** **Jordan**	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	400 mg GABATREX

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Galfer Suspension 100 ml	Ferrous fumarate140 mg/ 5 ml	**Vitamines and Menirals** Anaemia فقر الدم	**Unknown** **Unknown**	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	Galfer 140mg/5ml Oral Suspension
Galfer fa Capsules 28 cap	Ferrous fumarate305 mg + 0.35 mg folic acid	**Vitamines and Menirals** Anaemia فقر الدم	**Unknown** **Unknown**	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	Galfer fa 28
Galvus Tablets 28 tab.	Vildagliptin 50mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Novartis** **Switzerland**	Vildagliptin 50 mg once daily by mouth	Galvus 50 mg Vildagliptin
Ganvir Gel 10 gm	Ganciclovir 0.15%	**Ophthalmic drugs** Eye العين	**Orchidia Pharma** **Egypt**	As directed	Ganvir Antiviral Sterile Ophthalmic gel Orchidia
Gasec cap 14 caps	Omeprazol	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Mephe** **Unknown**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	Gasec-20 Omeprazole Proton pump inhibitor mepha
Gasex	Herbal extract	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Himalaya Drug Co** **India**	As directed	Himalaya Gasex
Gastrazole Capsules 14 caps	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**European Egyption Pharma** **Egypt**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	Gastrazole

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Gast-Reg Tablets 20 tabs	Trimebutine 100 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**AMOUN** **Egypt**	100 mg three times up to 600 mg daily by mouth in divided doses	
Gast-Reg Tablets 20 tab	Trimebutline maleate 200 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**AMOUN** **Egypt**	100 mg three times up to 600 mg daily by mouth in divided doses	
Gastrimut cap 14 caps	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Normon** **Spain**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
GASTROFAIT Tablets 20 tab	Sucralfate 1 gm	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**EIPICO** **Egypt**	The usual dose is 1 g four times daily or 2 g twice daily for 4 to 8 weeks	
Gastrosec Tablets 2 x 7 tab	Pantoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**HANSEL** **Unknown**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Gatistar Solution 5 ml	Gatifloxacin 0.5%	**Antibacterial** Eye العين	**Orchidia Pharma** **Egypt**	by mouth, or by intravenous infusion as a 2 mg/mL solution over 60 minutes, The usual adult dose is 400 mg once daily, 0.3% eye drops for the treatment of bacterial	
Gatistar Solution 5 ml	Gatifloxacin 0.3%	**Antibacterial** Eye العين	**Orchidia Pharma** **Egypt**	by mouth, or by intravenous infusion as a 2 mg/mL solution over 60 minutes, The usual adult dose is 400 mg once daily, 0.3% eye drops for the treatment of bacterial	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Gaviscon	Tablets	24 tab	Sodium Alginate + Sodium Bicarbonate while Gaviscon extra strenght contain	**Gastro Intestinal drugs**	Indigestion سوء الهضم	**Unknown**	**Unknown**	As directed	GAVISCON EXTRA STRENGTH 500 GAVISCON
Gaviscone	tab	24 tabs	Na.Aligenate 500 mg + Na.bicarbonate 267 mg+Ca.carbonate 160 mg	**Gastro Intestinal drugs**	Indigestion سوء الهضم	**Reckett Benckiser =UK**	**Unknown**	bid after meal	24 GAVISCON EXTRA STRENGTH 500
Gaviscone	SUSP	200 ml	Na.Aligenate 500 mg + Na.bicarbonate 267 mg+Ca.carbonate 160 mg	**Gastro Intestinal drugs**	Indigestion سوء الهضم	**Reckett Benckiser =UK**	**Unknown**	bid after meal	
Gelo Cough			Dextromethorphan	**Respiratory drugs**	Common Cold نزلات البرد	**Unknown**	**Unknown**	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	Gelo Cough 15mg
Gelofen			Ibuprofen	**Non-Steroidal Anti-**	Analgesic مهدئات الأوجاع	**Unknown**	**Unknown**	Oral doses of400 mg to 1.2 g daily .	50 Capsules GELOFEN 400 Ibuprofen
Gelofen compound	Capsules	30 cap	Acetaminophen 325 mg + Caffine 40 mg + Ibuprofen 200 mg	**Non-Steroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Daana Pharma**	**Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	GELOFEN Compound 30 Capsules
Gelofen- Sinus	Capsules	40 cap	Ibuprofen	**Non-Steroidal Anti-**	Analgesic مهدئات الأوجاع	**Unknown**	**Unknown**	Oral doses of400 mg to 1.2 g daily .	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Gencet Tablets 20 tablets	Cetirizine Hydrochloride 10 mg	**Antihistamines** Allergy الحساسية	**Neopharma** **UAE**	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	Gencet 10 mg Cetirizine Hydrochloride neopharma 20 Tablets
GENTALAB Vial 2 ml / vial	Gentamicin Sulfate 80 mg / 2 ml	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطيرة	**LABORATE** **India**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	GENTALAB Gentamicin Injection BP 80mg/Vial
Gentamicin Ointment 30 gm	Gentamicin Sulfate	**Antibiotics** Dermatitis الألتهابات الجلدية	**MEDICO LABS** **Syria**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	GENTAMICIN
Gentamicin Eye drops 10 ml	Gentamicin Sulfate	**Antibiotics** Eye العين	**EIPICO** **Egypt**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	GENTAMICIN SULPHATE EE
Gentamicin	Gentamicin Sulfate	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطيرة	**Unknown** **Unknown**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	Gentamicin 80
Gentamicin Ampoules 50 amp / 2 ml	Gentamicin Sulfate 40 mg /1 ml	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطيرة		intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	Gentamicin Injection BP, 40mg/ml For IM / IV use Pour usage IM / IV
Gentamicin 40 Ampoules 10 amp x 1 ml	Gentamicin Sulfate 40 mg /1 ml	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطيرة	**KRKA** **India**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Gentamicin 80 Ampoules 10 amp x 2 ml	Gentamicin Sulfate 80 mg / 2 ml	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطرة	**KRKA** **India**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	Gentamicin 80 mg/2 ml solution for injection or infusion Gentamicin 10 ampoules of 2 ml solution for injection or infusion for intramuscular and intravenous use KRKA
gentamicina solfato Ampoules 	Gentamicin Sulfate 80 / 2 ml	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطرة	**LFM** **Italy**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	gentamicina solfato L.F.M. LFM
Gentamicine Ampoules 	Gentamicin Sulfate 80 / 2 ml	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطرة	**NCPC** **China**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	GENTAMICINE INJ NCPC 80mg/2ml
Gentamycin Ampoules 10 amp x 2 ml	Gentamicin Sulfate80 mg	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطرة	**Shanghai pharmaceutical** **China**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	Gentamycin Injection I.M. & I.V. 80mg
Gentamycin Ampoules 10 amp x 2 ml	Gentamicin Sulfate 80 mg	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطرة	**HUAYANG** **China**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	Gentamycin Injection I.M. & I.V. 80mg
Gentamycin Ampoules 2 ml / amp	Gentamicin Sulfate 80 mg / 2 ml = 40 mg /ml	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطرة	**KWALITY** **India**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	GENTAMICIN INJECTION BP 80 mg / 2ml For IM / IV use
Gentamycin Ampoules 2 ml / amp	Gentamicin Sulfate 80 mg / 2 ml = 40 mg / 1 ml	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطرة	**SHIN POONG** **Korea**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	SHIN POONG GENTAMICIN Injection Gentamicin Sulfate 80 mg SHIN POONG PHARM CO. LTD.

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
GENTAMYCIN EYE OIN Ointment 5 gm / tube	Gentamicin Sulfate	**Antibiotics** Eye العين	**MEDICO LABS** **Syria**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	GENTAMYCIN 0.3%
GENTO Ampoules 2 ml / amp	Gentamicin Sulfate 40 mg / 1 ml	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطيرة	**WOCKHADT**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
GERVIZINE Capsules 20 capsules	vit,A 400I.U+vit.E 25 I.U+vit.C 200mg+vit.B1 2.5mg+vit.B2 5mg+vit.B6	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**RAMEDA** **Egypt**	As directed	GERVIZINE RAMEDA
GESAL Cream Cream 40 gm	Diethylamine Salicylate 0.1 gm	**NSAID** Analgesic مهدئ الأوجاع	**Shaphaco** **Yemen**	As directed	For external use only 40 gm cream GESAL Diethylamine Salicylate
GESTAL Tablets 20 tab	progesteron	**Gynaecology drugs** Amenorrhea انقطاع الطمث	**ALFURQAN PHARMA** **Unknown**	It is important to take each dose as directed. If you miss a dose, take it as soon as remembered. Do not "double-up" the dose to catch up. If more than one dose is missed, contact your doctor	
GESTAMRIT Tablets 20 Tablets	Allyestrenol	**Gynaecology drugs** Abortion الأجهاض	**AMRIYA PHARMA** **Egypt**	directet by ;dectore or phrmacist	GESTAMRIT 20 TABLETS
Ginsana Capsules 30 cap	Multi vit +Ginseng	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Ginsana** **Unknown**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
GINSAVIT Capsules 30 cap	vitamin,amino acids,mineral,ginseng	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Huons** **Korea**	As directed	
GINSING TON	Multi vit +Ginseng	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Huons** **Korea**	As directed	
Gioryl-M Tablets 30 tab	Metformin 500mg+glimepiride 2mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Global Pharma** **Yemen**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Glafer Syrup 100 ml.	Ferrous Fumarate oral suspension 140mg/5ml.	**Vitamines and Menirals** Anaemia فقر الدم	**Thornton&ross ltd(UK)** **UK**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Glafer-Fa Capsules 28 capsules	Ferrous Sulfate 305mg+ Folic Acid 0.36mg/capsule.	**Vitamines and Menirals** Anaemia فقر الدم	**Thornton&ross ltd(UK)** **UK**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Glaveral Tablets 14 tab	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Help pharmaceutical** **Unknown**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Glecomin Tablets 30 coated tab	Metformin HCL 850mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Modern Pharama** **Yemen**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
Glemax 2 Caplets 30 cap	Glimepiride 2mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**JOSWE** **Jordan**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Glemax 3 Caplets 30 cap	Glimepiride 3mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**JOSWE** **Jordan**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Glemax 4 Caplets 30 cap	Glimepiride 4mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**JOSWE** **Jordan**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Glibenase Tablets 20 tab	Glibenclamide 5mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**ADCO** **Egypt**	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
glibevance Tablets 30 tab	Metformin 500 mg + Metclopromide 5 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**BIOPHARM** **Yemen**	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
GLIBIL 5mg Tablets 30 tab	Glibenclamide 5mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**HIKMA** **Jordan**	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
GLIBONIL Tablets 20 tab	Glibenclamide 5 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Shiba pharma** **Yemen**	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Gliclazide Tablets 60 tab	Gliclazide 5mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Unknown** **Unknown**	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
GLICOMIN 500 Tablets 30 tab	Metformin HCL 500mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Modern Pharama** **Yemen**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
GLICOMIN 850 Tablets 30 tab	Metformin HCL 850 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Modern Pharama** **Yemen**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Glifix 300 mg Tablets 30 tab	Pioglitazone Hydrochloride	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Bilim** **Turkey**	Minimum/Maximum Adult Daily Dose:30 mg (milligram) OR 1 Tablet	
Glifor 1000 mg Tablets 100 film tab.	Metformin 1000mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Bilim** **Turkey**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Glifor 850 mg Tablets 100 Film coated tab	Metformin 850mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Bilim** **Turkey**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Glimadel 1 Tablets 10 tab	Glimepiride 1mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**dp phrma** **Unknown**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Glimadel 2 Tablets 10 tab	Glimepiride 2mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**dp** **Unknown**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
GLIMARYL Tablets 30 tab	Glimepiride 3mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Y.E.PHARMA** **Yemen**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	Oral Anti-diabetic GLIMARYL 3 mg
GLIMARYL 2 Tablets 30 tab	Glimepiride 2mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Y.E.PHARMA** **Yemen**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
GLIMARYL 2mg Tablets 30 tab	Glimepiride 2mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Y.E.PHARMA** **Yemen**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	Oral Anti-diabetic GLIMARYL
GLIMARYL 3 Tablets 30 tab	Glimepiride 3 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Y.E.PHARMA** **Yemen**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Glimcip 2 Tablets 10 tab	Glimepiride 2mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**CIPLA** **India**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	10 Tablets Glimcip - 2 Glimepiride Tablets 2 mg Cipla
Glimepirid Denk 2 Tablets 30 tab	Glimepiride 2mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Denk pharma** **Germany**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	Glimepirid Denk 2

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Glimepirid Denk 3 Tablets 30 tab	Glimepiride 3mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Denk pharma** **Germany**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	Glimepiride Denk 3
Glipicrone Tablets 20 tab	Glipicrone	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Unknown** **Unknown**	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	Glipicrone Gliclazide Antidiabetic
GLIPRYL ?? Tablets 20 tab	Glimepiride 2mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**RFA** **Yemen**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	GLIPRYL 2 Glimepiride 2mg 20 Tablets RFA
GLIPRYL ??? Tablets 20 tab	Glimepiride 4mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**RFA** **Yemen**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	GLIPRYL 4 Glimepiride 4mg 20 Tablets RFA
Glipryl 1 Tablets 30 tab	Glimepiride 1mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**RAF pharma** **Unknown**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	GLIPRYL 1 30 Tablets
GLIPRYL M Tablets 30 tab	Glimepiride 2 mg+Metformin 500 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**RFA** **Yemen**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	GLIPRYL M Glimepiride 2mg & Metformin HCl 500mg 30 Tablets RFA
GLIPRYL Tablets Tablets 20 tab	Glimepiride 3mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**RFA** **Yemen**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	GLIPRYL 3 Glimepiride 3mg 20 Tablets RFA

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Glired 2 Tablets 30 tab	Glimepiride 2mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Modern Pharama** **Yemen**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Glired 3 Tablets 30 tab	Glimepiride 3mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Modern Pharama** **Yemen**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
GLITRA 3 Tablets 30 tab	Glimepiride 3mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**JPM** **Jordan**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
GLITRA 4 Tablets 30 tab	Glimepiride 4mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**JPM** **Jordan**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Glivance Tablets 30 tab	Metformin + Glibenclamide	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Unknown** **Unknown**	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Glivance Tablets Tablets 30 tab	Metformin 400mg + glibenclamide 2.5mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Matcytl** **Unknown**	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Globacin Tablet 1strip*10Tablet	Pefloxacin	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**GNP** **Egypt**	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Gloclav Tablets 2strip*7tablet	Amoxicillin/Clavulanate Potassium	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global pharma** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Gloclav 1 g	Amoxicillin 875 mg + Clavulanate Potassium 125 mg = 1000 mg / tablet	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global Pharma** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Glomox 1000	Amoxicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	Glomox 1000
Glomox 500 Capsules 100 cap	Amoxicillin 500 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global Pharma** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Glomox Capsules capsules 10strip*10capsules	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global pharma** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	جلوموكس ٥٠٠
Glomox Tablets Tablets 1strip*14tablet	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global pharma** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	Glomox 1000
Glopidon Solution 100 ml	Unknown	**Antihistamines** Allergy الحساسية	**Global Pharma** **Yemen**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
GLORION Tablets 30 tab	Glimepiride 4mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**HIKMA** **Jordan**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	GLORION 4mg
GLORION 2 Tablets 30 tab	Glimepiride 2mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**HIKMA** **Jordan**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	GLORION 2mg
GLORION 3 Tablets 30 tab	Glimepiride 3mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**HIKMA** **Jordan**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	GLORION 3mg
Glorixone	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Glormin 50 Tablets 28 tab	Atenolol 50 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Global Pharma** **Unknown**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Glotac 150 mg Tablets 20 tab	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Global Pharma** **Unknown**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Glotrim Syrup Dry 1bottel*60ml	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Global pharma** **Unknown**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Glotrim 60 ml

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Glotrim Syrup Dry 1bottel*100 ml	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Global Pharma** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Glotrizine Tablets 20 tab	Cetirizine Hydrochloride 10 mg	**Antihistamines** Allergy الحساسية	**Global Pharma** **Unknown**	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Glotrizine	Unknown	**Unknown** Unknown	**global pharma** **Unknown**	As directed	
Glovit 4 Lady Capsules 30 Capsules	Evening primrose oil 250mg, Ca	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Global pharma** **Unknown**	As directed	
Glovit A C &E Capsules 30 Capsules	vit(A,E,C) Copper,Selenium, Chromium picoliate,Excipients	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Global pharma** **Unknown**	As directed	
Glovit cap Capsules 30 capsules	Vit,A 5000I.U+vit.E 25mg+vit.C 100mg+capper 1.0mg+manganese sulphate	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Global Pharma** **Unknown**	As directed	
Glovit-CAL Capsules 30 Caplets	Calcium, Vit-D3-Minerals	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Global Pharma** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Glovit-H capsules 30 capsule	ferrous fumarate350mg+folic acid0.5mg+capper 2.5mg+mganisum 2.5mg+cyanocoba	**Vitamines and Menirals** Anaemia فقر الدم	**Global Pharma** **UAE**	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	Glovit-H Hematinic
GLRMIN-M Tablets 30 tab	Glibenclamide 2.5 mg+metformin500 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**RFA** **Yemen**	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	GLRMIN-M 30 Tablets Glibenclamide 2.5 mg & Metformin HCl 500 mg
GLRMIN-M Tablets 30 tab	Glibenclamide 5 mg+metformin500 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**RFA** **Yemen**	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	GLRMIN-M 5/500 30 Tablets Glibenclamide 5mg & Metformin HCl 500mg
Glucofer Tablets 60 tablets	Ferrous Gluconate 300 mg	**Vitamines and Menirals** Anaemia فقر الدم	**CID** **Egypt**	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	GLUCOFER 60 Tablets
Glucoless Caplets 30 caplets	Metformin 500mg+ glibenclamide 2.5mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Shiba pharma** **Yemen**	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	 glucoless Hypoglycemic Shiba Pharma
Glucoless Caplets 30 caplets	Metformin 500mg+ glibenclamide 5mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Shiba pharma** **Yemen**	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	glucoless Hypoglycemic Shiba Pharma
Glucolow Tablets 30 tab	Metformin 500mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Shiba pharma** **Yemen**	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	Glucolow 500 mg Metformin hydrochloride Oral Hypoglycemic Shiba Pharma

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Glucolow Caplets 30 Caplets	Metformin 500mg Prolonged Release	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Shiba pharma** **Yemen**	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Glucolow 850 mg Caplets 30 Caplets	Metformin 850 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Shiba pharma** **Yemen**	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Glucolow XR 750 mg Caplets 30 Caplets	Metformin 500 mg Prolonged Release	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Shiba pharma** **Yemen**	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Glucoohage 500mg Tablets 50 tab	Metformin 500mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**MERCK** **France**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Glucophage 1000 mg Tablets 2 strips/box	Metformin 1000 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Merck** **France**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
glucophage 500mg Tablets 50 tablet	Metformin 500mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**MERCK** **France**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Glucophage 850mg Tablets 30 tab	Metformin 850mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**MERCK** **France**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Glucophage XR Tablets 30 tab	Metformin 500mg HCL/chlorohydrate	**Antidiabetics** Diabetes Mellitus أمراض السكري	**MERCK** **France**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	GLUCOPHAGE XR MERCK
Glucophage XR 750 Tablets 30 tab	Metformin HCL/chlorohydrate	**Antidiabetics** Diabetes Mellitus أمراض السكري	**MERCK** **France**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	GLUCOPHAGE XR MERCK
Glucoplus Capsules 60 capsules	Glucosamine + Chondrotin	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**SPN pharma** **Unknown**	As directed	
GLUCORED FORTE Tablets	Metformin 500mg+ glibenclamide 5mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**SUN pharma** **India**	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	GLUCORED FORTE
Glucosamin compound Tablets	Glucosamine + Chondrotin	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Unknown** **Unknown**	As directed	جلوكوزامين مركب لعلاج وحماية المفاصل
Glucosamin plus Tablets 30 film caoted tap	Glucosamine HCL 1500mg + Chondrotin S 1200mg	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**HZM** **Syria**	As directed	غلوكوزامين بلس
Glucosamine Tablets 30 tab	Glucosamine 500mg	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Unknown** **Unknown**	As directed	GLUCOSAMINE 500mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
GLUCOSAMINE PLUS Capsules 30 cap	Glucosamine + Chondrotin	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**SUN** **India**	As directed	
Glucosamine T.S Tablets 30 tab	Glucosamine 500mg + Chondrotin 200mg + SMS 300mg	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**HZM** **Syria**	As directed	
glucoseamine plus Tablets 30 film caoted	glucoseamine 1500mg + condrotin 1200mg	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**HZM** **Syria**	As directed	
Glucovance 500mg/2.5mg Tablets 30 Film coated tap.	Metformin 500mg + glibenclamide 2.5mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Merck** **France**	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Glucovance 500mg/5mg Tablets 30 tab.	Glucovance 500mg/5mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Merck** **France**	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Glucox Capsules 30 cap	Glucosamine + Chondrotin	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Unknown** **Unknown**	As directed	
Glufer Vial 10ml oral vial	ferrous gluconate300mg+(equivelent to37.5mg iron	**Vitamines and Menirals** Anaemia فقر الدم	**IBN Al Haytham** **Syria**	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Glycerin	Solution	100 ml	Glycerin	**Skin Disorders**	Health Care الصحة العامة	**Shiba pharma**	**Yemen**	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Glycerin Adult rectal	Suppositoris	5 supps	Glycerin	**Gastro Intestinal drugs**	Constipation الأمساك	**PHARCO**	**Egypt**	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Glycerin 1800	Suppositoris	10 supp	Glycerin 1800 mg	**Skin Disorders**	Health Care الصحة العامة	**Global Pharma**	**Yemen**	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Glycerin 900	Suppositoris	10 supp	Glycerin 900 mg	**Skin Disorders**	Health Care الصحة العامة	**Global Pharma**	**Yemen**	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Glycerin infant	Suppositoris	5 supp	Glycerin	**Gastro Intestinal drugs**	Constipation الأمساك	**PHARCO**	**Egypt**	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
GLYCERIN Infants	supp	5 supps	Glycerin + Gelatin	**Gastro Intestinal drugs**	Constipation الأمساك	**PHARCO**	**Egypt**	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Glyzide	Tablets	60 tab	Gliclazide 80mg	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Julphar**	**UAE**	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
G-Mox Suspension 100 ml	Amoxicillin 125 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global Pharma** **Yemen**	125 to 250 mg every 8 hours	
G-Mox Powder for Suspension 10 ml	Amoxicillin 100mg / 1 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global Pharma** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
G-Mox Powder for Suspension 100 ml	Amoxicillin 250 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global Pharma** **Yemen**	125 to 250 mg every 8 hours	
G-Mox 1000 Tablets 10 tabs	Amoxicillin1000 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global Pharma** **Yemen**	250 - 1000 mg three times daily	
G-Mox 500 Capsules 10 x 10 cap	Amoxicillin 500 mg / cap	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global Pharma** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
G-Mox 500 Capsules 10 x 10 cap	Amoxicillin 500 mg / cap	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Global Pharma** **Yemen**	250 - 1000 mg three times daily	
GOFEN Capsules 10 sofetgel capsules	Ibuprofen sofetgel capsule 400mg.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**MEGA** **Thailand**	Oral doses of400 mg to 1.2 g daily .	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Golden tab Tablets 4 tab	Tadalafil 20 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Shiba pharma** **Yemen**	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
GOLDn Green Powder	Fresh Natural Wheat Germ	**Gastro Intestinal drugs** Nutrition supplementation تغذية تكميلية	**unknown** **Unknown**	As directed	
Goldvite Capsules 30 cap	Multivitamins-minerals	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Shine** **unk**	As directed	
Goovit-COD Capsules 100 cap	Cod Liver Oil	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Global Pharma** **Unknown**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Gordius 300 mg Capsules 50 cap	Gabapentin 300 mg	**Central Nervous system drugs** Epilepsy الصرع	**GEDEON RICHTER** **HUNGARY**	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Gordius-300 Capsules 50 capsules	Gabapentin capsule 300mg	**Central Nervous system drugs** Epilepsy الصرع	**GEDEON RICHTER** **HUNGARY**	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
GRAND-VIT with calcium Syrup 120 ml syrup	Multi vitamin with hany	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**SIGMA** **Egypt**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
GRAND-VIT with iron Syrup 120ml	Multi vitamin with Iron.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**SIGMA** **Egypt**	As directed	
Gripe Water Solution 100 ml	Terpeneless Seed Oil 2.3 mg + Sodium Bicarbonate 52.5 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Shiba pharma** **Yemen**	150 to 300 micrograms up to four times daily by mouth	
Gripe water Solution 100 ml	Each 5 ml contains : Oleum Anisi 0.0006 ml + Oleum Anethi .0.005 ml + Natrii Bicarbonas	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Pharmacare** **Yemen**	Newborn: 2.5mL or ½ teaspoonful , 1-6 months: 5 ml or 1 teaspoonful , 6-12 months: 10 ml or 2 teaspoonfuls 1 year and above: 10-15 ml or 2-3 teaspoonfuls, The dose can	
Griseofulvin Suspension 120ml	Griseofulvin 125mg/5ml	**Antifungals** Fungal Infections الأصابات الفطرية	**ACTAVIS** **Unknown**	0.5 to 1 g daily in single or divided doses; children have been given 10 mg/kg daily	
Griseofulvin tap Tablets 10 tap	Griseofulvin 500mg	**Antifungals** Fungal Infections الأصابات الفطرية	**Unknown** **Unknown**	0.5 to 1 g daily in single or divided doses; children have been given 10 mg/kg daily	
Griseovin Suspension 120ml	Griseofulvin	**Antifungals** Fungal Infections الأصابات الفطرية	**Delta pharma** **Egypt**	0.5 to 1 g daily in single or divided doses; children have been given 10 mg/kg daily	
Grison-250 Tablets 200 tap.	Griseofulvin 250mg	**Antifungals** Fungal Infections الأصابات الفطرية	**VIP** **Unknown**	0.5 to 1 g daily in single or divided doses; children have been given 10 mg/kg daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Guafacin Oral /Drops 15 ml	guava leaves extract	**Respiratory drugs** Common Cold نزلات البرد	**Global Pharma** **Yemen**	As directed	
Guafacin Oral /Drops 15 ml	guava leaves extract	**Respiratory drugs** Common Cold نزلات البرد	**Modern Pharama** **Yemen**	As directed	
Guaflex Syrup 120 ml	herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**MEPACO** **Egypt**	As directed	
Guava Syrup 120 ml	herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**Pharo pharma** **Egypt**	As directed	
Guava Syrup 120 ml	Unknown	**Unknown** Common Cold نزلات البرد	**PHARCO** **Egypt**	As directed	
Guava leaf Syrup 120 ml	Herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**Unknown** **Unknown**	As directed	
Gupisone Tablets 20 tab	Prednisolone Acetate	**Corticosteroid** Inflammations الألتهابات	**Julphar** **UAE**	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
GUPISONE 20 Tablets 20 tab	Prednisolone Acetate	**Corticosteroid** Inflammations الألتهابات	**Julphar** **UAE**	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Gynera Tablets 21 tab	ethinylestradiol 0.03 mg + Gestodene0.07 mg	**Gynaecology drugs** Contraceptives موانع الحمل	**BAYER** **Germany**	one tablte daily from the frist day of menstution for 21 day	
Gynera Tablets 21 tab	ethinylestradiol 0.03 mg + Gestodene0.07 mg	**Gynaecology drugs** Contraceptives موانع الحمل	**SCHERING** **Germany**	one tablte daily from the frist day of menstution for 21 day	
Gyno-candizol Suppositoris 3 Vaginal ovules	Miconazole Nitrate 400mg	**Antifungals** Dermatitis الألتهابات الجلدية	**United** **Jordan**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Gyno-Mikozal Vaginal Ovules 3 Ovules	Miconazole Nitarate 400mg	**Antifungals** Vaginal المهبل	**Julphar** **UAE**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Gynotrim Tablets	Clotrimazole	**Antifungals** Vaginal المهبل	**HANSEL** **Pakistan**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Gynozol Suppositoris 3 Vaginal soft gelatin capsules	Miconazole Nitrate 400mg	**Antifungals** Vaginal المهبل	**PHARCO** **Egypt**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
GYNOZOL Suppositoris 6 vag. Supp	Miconazole Nitrate	**Antifungals** Vaginal المهبل	**PHARCO** **Egypt**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Gyzol 1200 Suppositoris 1supp	Miconazole Nitrate 1200mg	**Antifungals** Vaginal المهبل	**Global Pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Gyzol 200 Suppositoris 7 supp	Miconazole Nitrate 200mg	**Antifungals** Vaginal المهبل	**Global Pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Gyzol 400 Suppositoris 3supp	Miconazole Nitrate 400mg	**Antifungals** Vaginal المهبل	**Global Pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Gyzol M Suppositoris 10 supp	Miconazole Nitrate150 mg+Metronidazole 500 mg	**Antifungals** Vaginal المهبل	**Global Pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Haem plus soft gel capsule 30soft gel capsule	ferrous fumarate45mg+folic acid500mg+vitamineB1 1.5mg+vitamineB	**Vitamines and Menirals** Anaemia فقر الدم	**Unknown** **Unknown**	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
Haem Plus Capsules 15 Softgels	Ferrous Sulfate150 mg+ Folic Acid 0.5mg+Zinc+ other vitamin and meniral /cap.	**Vitamines and Menirals** Anaemia فقر الدم	**Unknown** **Unknown**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Haema-caps Capsules 14 cpsules	ASCORBICACID ,BIOPTERIN,BIOTIN,COBALT,COPPER,CYANOCOBALAMIN,FOLIC	**Vitamines and Menirals** Anaemia فقر الدم	**Amoun Pharmaceutical** **Unknown**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
haemasave Capsules 30soft gelatin capsule	carbony iron+folic acid+adenosyl cobalamine+zinc	**Vitamines and Menirals** Anaemia فقر الدم	**Y.E.PHARMA** **Yemen**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Haemavit	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**BIOPHARM** **Yemen**	As directed	
Haemorich Soft Gelatin Capsules 30 cap	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Global Pharma** **Unknown**	As directed	
Haemovit gold syrup 200ml	iron 14mg+folic acid 400microgram+vit B12 2microgram+vitB6(pyridoxime)2mg	**Vitamines and Menirals** Anaemia فقر الدم	**Unknown** **Unknown**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Haemovit Plus Capsules 30 capsules	Ferrous Sulfate150 mg+ Folic Acid 0.5mg+vit B12+vit B6 /cap.	**Vitamines and Menirals** Anaemia فقر الدم	**Health Aid** **Thailand**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
HAEMUP Capsules 30 cap	Citrate ferrique 160mg+Acide folique 0.5mg+cyanocobalamin 7.5mcg+Sulfate	**Vitamines and Menirals** Anaemia فقر الدم	**CADILA** **India**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
HAEMUP Syrup 200 ml	Citrate ferrique 160mg+Acide folique 0.5mg+cyanocobalamin 7.5mcg+Sulfate	**Vitamines and Menirals** Anaemia فقر الدم	**CADILA** **India**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physician.	
HAEMUP Syrup 200 ml	Ferrus Fumarate 200 mg + Folic Acid 1.5 mg + Cupper sulphate 2.5 mg + Manganese 2.5 mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**CADILA** **India**	As directed	
Haldol Solution 15 ml	Haloperidol oral drop 2mg/ml	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Janssen cilag** **Unknown**	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	
haldol Amp Ampoules 1Ampoule	Haloperidol ampole 2mg/ml	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Janssen cilag** **Unknown**	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	
Halfan All dosage forms	Halofantrine Hydrochloride	**Antimalarial medicines** Malaria الملاريا	**Unknown** **Unknown**	by mouth as 3 doses of 500 mg at intervals of 6 hours, children is based on 24 mg/kg divided into 3 doses.	
Halfan Liquid_ susp 30ml	Halofantrine Hydrochloride	**Antimalarial medicines** Malaria الملاريا	**Unknown** **Unknown**	by mouth as 3 doses of 500 mg at intervals of 6 hours, children is based on 24 mg/kg divided into 3 doses.	
Halothane-phabco Inhaler bottleof 250 ml	Halothane	**Central Nervous system drugs** Anaesthetics General التخدير العام	**Pharco** **Egypt**	2 to 4% v/v of halothane in oxygen or mixtures of nitrous oxide and oxygen	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Hanmi Taxime	Cefotaxime Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	HANMI TAXIME inj 1g I.M./I.V.
Hansprazole Capsules 14 capsules	Esomeprazole 20 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**HANSEL** **Unknown**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	Hansprazole 14 Capsules
Hantox	Ceftriaxone Sodium 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	INJECTION Hantox
HAR-AMOXYL 250 mg Capsules 5 blisters x 10 cap	Amoxicillin 250 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**HARBIN** **China**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	HAR-AMOXYL 250mg 10caps x 5blisters HARBIN PHARMACEUTICAL GROUP
HAWKBEN Tablets 6 tab	Mebendazole 100 mg	**Anthelmentic** Common Worms الديدان الشائعة	**L.B.S** **Thailand**	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Hayadol-1.5 Tablets 30 tablets	Haloperidol tablets 1.5mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**IBN-HYYANpharm** **Syria**	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	HAYADOL 1.5 HALOPERIDOL
HAZI Ca ViD Tablets 50 Tablets	Calcum,Vit-D3	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Ben Al Haytham .syria** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Hb Plus Capsules 30 cap	Ferrous Sulfate+ Folic Acid	**Vitamines and Menirals** Anaemia فقر الدم	**Unknown** **Unknown**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
HCQ 200 Tablets 30 tab	Hydroxychloroquine sulfate 200 mg	**Antimalarial medicines** Malaria الملاريا	**Getz pharma** **USA**	prophylaxis o 400 mg every 7 days, children a weekly prophylactic dose of 6.5 mg/kg - Treatment 800 mg followed after 6 to 8 hours by 400 mg and a further 400 mg on each of	
Healar	Herbal extract	**Antihaemorrhages** Haemorrhoids البواسير	**APM** **Unknown**	As directed	
Heamovit Syrup 120ml	vit.C 75mg, vit.B6 5mg,folic acid 500mcg,vit.B12 100mcg,Iron 47mg,zinc 4mg,	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**HealthAid** **England**	As directed	
Heamovit plus Capsules 30 capsules	vit.C 75mg, vit.B6 5mg,folic acid 500mcg,vit.B12 100mcg,Iron 47mg,zinc 4mg,	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**HealthAid** **England**	As directed	
Heel forte	Unknown	**Skin Disorders** Dermatitis الألتهابات الجدلدية	**Unknown** **Unknown**	As directed	
Heel Forte Ointment 20 gm	Salicylic Acid	**Skin Disorders** Warts الثآليل او النتوء الصغيرة	**OCTOBER PHARMA** **Egypt**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Heli-cure Tablets 14 tabs	Omeprazole 20 mg+Tinidazole 5oo mg+ Clarithromycin 250 mg	**Gastro Intestinal drugs** H-Pylori جرثومة المعدة	**EGYPHAR** **Egypt**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Hema-care Capsules 30 cap	300 mg// folic acid 1 mg + vit B12- 7.5 mg + vit B6 -1.2 mg zinc 66 mg	**Vitamines and Menirals** Anaemia فقر الدم	**Modern Pharama** **Yemen**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
heme Ampoules 10 ml x 20 amp	Iron	**Vitamines and Menirals** Anaemia فقر الدم	**STADA**	As directed	
hemsyl-250mg Tablets 1*10tablet	Etamsylate-250mg	**Antihaemorrhages** Haemorrhage النزيف	**indoco** **Unknown**	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
hemsyl-inj injection 5*2ml ampoules	Etamsylate-injection	**Antihaemorrhages** Haemorrhage النزيف	**indoco** **Unknown**	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Hepa-max plus Soft Gelatin Capsules 20 cap	silymarin +vit b complex+zink	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**marcyral** **Unknown**	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Hepa-Merz Sachets 10 sachets	One 5mg sachets contains L-ornithin-aspartate 3mg	**Natural products** Hepatic Disorders اضطرابات الكبد	**MERZ** **Unknown**	1-2 sachets of L-ornithin-L-aspartate three times daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Hepa-merz amp Ampoules 5 amp	L-Ornithine +L-Aspartate	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**MERZ** **Unknown**	As directed	
Hepa-merz sach Granules 10 sachets	l-orthenine-l-aspartate	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**MERZ** **Unknown**	As directed	
Heparin Vial 10 vial	Heparin Sodium 25000 I.U/ 5 ml or 5000 I.U / 1 ml	**Cardio Vascular System drugs** Thrombosis الجلطات	**PANPHARMA** **Unknown**	intravenous of 5000 to 10 000 units every 4 to 6 hours , Children and small adults continuous intravenous infusion of 15 to 25 units/kg per hour or subcutaneous of 250 units/kg	
Heparin Vial Vial 15ml	heparine	**Cardio Vascular System drugs** Thrombosis الجلطات	**PANPHARMA** **Unknown**	intravenous of 5000 to 10 000 units every 4 to 6 hours , Children and small adults continuous intravenous infusion of 15 to 25 units/kg per hour or subcutaneous of 250 units/kg	
Hepatic Forte Capsules 30 cap	Silymarin + Essential phospholipids	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**ADWIA** **Egypt**	200 mg/BID	
Hepatic Forte Capsules 30 capsules	Silymarin 70mg+essential phospholipids 300mg+Orotic acid 10 mg/capsule.	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Adwia** **Egypt**	Adult 1-2 capsule three tims daily after meals.	
Hepato-forte Capsules 20 cap	essential phospholipids+vit b1,b2,b12,E	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**AMOUN** **Egypt**	Adluts : 1800mg/daily(divaded into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divaded into 3 doses).	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Hepaton Tablets 20 tab	cynarin+ dandelion	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**SEDICO** **Egypt**	200 mg/BID	20 Tablets HEPATON SEDICO
Hepavite cap Capsules 100 CAP	silymarin +vit b complex	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Shine** **Unknown**	200 mg/BID	shine Hepavite
Herbolax Capsules 10x 10 cap	Combination	**Unknown** Unknown	**Himalaya drug co** **India**	As directed	Himalaya Herbolax
Herborist Solution	Combination	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Unknown** **Indonesia**	As directed	
Herborist Solution 200 ml	Combination	**Antiseptic and Desinfectants** Feminine wash الغسولات الأنثوية	**Unknown** **Unknown**	As directed	
HERMES Multivit Tablets 20 effervecent	Vit. A - Vit B1 - Vit. B2 - Vit. B3 - Vit. B5 - Vit. B6 - Vit. B12 - Vit. C - Vit. E - Vit. D3 - Biotine	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**HERMES Arzneimittel GmbH** **Unknown**	As directed	
Hexadyl Mouth Wash 100 ml	Chlorhexidine Gluconate 0.2% W/V	**Antiseptic and Desinfectants** Mouth Wash الغسولات الفموية	**Shiba pharma** **Yemen**	As directed	هكساديل Hexadyl Shiba Pharma

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Hexadyl Mouth Wash 100 ml	Chlorhexidine Gluconate 0.2% W/V	**Antiseptic and Desinfectants** Mouth Wash الغسولات الفموية	**Shiba pharma** **Yemen**	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	Hexadyl هكساديل 100 ml Shiba Pharma
Hexadyl Mouth Wash 100 ml	Chlorhexidine Gluconate 0.2% W/V	**Antiseptic and Desinfectants** Mouth Wash الغسولات الفموية	**Shiba pharma** **Yemen**	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	هكساديل Hexadyl Antiseptic Mouth Wash Shiba Pharma
HICAND 16 Tablets 30 tab	Candesartan Cilexetil 16 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Y.E.PHARMA** **Yemen**	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	30 Tablets HICAND candesartan cilexetil 16mg 16mg
HICAND 8 Tablets 30 tab	Candesartan Cilexetil 8 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Y.E.PHARMA** **Yemen**	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	30 Tablets HICAND candesartan cilexetil 8mg 8mg
Hicipro	Ciprofloxacin Hydrochloride	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	250 to 750 mg twice daily depending on the severity and nature of the infection	HICIPRO Ciprofloxacin 500 mg
Hicipro	Ciprofloxacin Hydrochloride	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	250 to 750 mg twice daily depending on the severity and nature of the infection	HICIPRO Ciprofloxacin 750 mg
Hijuven Soft Gelatin Capsules 100 caps	Vit.E (tocopherols) 200 mg /capsule.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Eisai** **JAPAN**	40 to 50 mg	Hijuven 200mg Eisai Co., Ltd Rip to open

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose** الجرعة	**Product Picture** **صورة الدواء**
Hipres-50 Tablets 14 tab	Atenolol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**CIPLA** **India**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	Atenolol Tablets BP 50mg Hipres-50 Cipla
hiprogin Ampoules 1 Ampoule	250 mg hydroxyprogesterone caporate	**Gynaecology drugs** Amenorrhea انقطاع الطمث	**Duopharma** **Malaysia**	doses of 250 to 500 mg weekly by intramuscular injection have been given during the first half of pregnancy.	HIPROGIN 250 MG INJ.
Hirudoid Cream 40 gm	Heparinoids	**Unknown** Haemorrhoids البواسير	**Daiichi -Sankyo** **Germany**	applied topically	Daiichi-Sankyo Hirudoid®
Histaphen Syrup 100 ml	Chlorphenamine Maleate	**Antihistamines** Common Cold نزلات البرد	**Global Pharma** **Unknown**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Histat Syrup 100 ml	Chlorphenamine Maleate 2.5 mg / 5 ml	**Antihistamines** Common Cold نزلات البرد	**Shiba pharma** **Yemen**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	Histat® Syrup 100ml Shiba Pharma
Histat Tablets 20 tablet	Chlorphenamine Maleate	**Antihistamines** Common Cold نزلات البرد	**Shiba pharma** **Yemen**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	Histat® Shiba Pharma
Histavil Tablets 20 Tablet	Chlorphenamine Maleate 4 mg	**Antihistamines** Common Cold نزلات البرد	**Shaphaco** **Yemen**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	Histavil® Antihistamin

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Histavil Syrup 100 ml	Chlorphenamine Maleate 2 mg	**Antihistamines** Common Cold نزلات البرد	**Shaphaco** **Yemen**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	Histavil (Chlorpheniramine maleate)
Histazin Syrup 125 ml for bottle	promethazine Hydrochloride	**Antihistamines** Allergy الحساسية	**United** **Jordan**	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	 HISTAZIN United
Histazin Tablets 20 tabs	promethazine Hydrochloride	**Antihistamines** Allergy الحساسية	**United** **Jordan**	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	 HISTAZIN® Promethazine To be dispensed on medical prescription 20 F/C Tablets The United Pharmaceutical Mfg Co. Ltd. / Amman, Jordan
HISTAZIN Tablets 20 tab	Promethazine	**Antihistamines** Allergy الحساسية	**United** **Jordan**	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	
Histin Syrup 100 ml	Chlorphenamine Maleate	**Antihistamines** Common Cold نزلات البرد	**YEDCO** **Yemen**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Homtamin Ginseng Capsules 30 S.G capsules	Multi vitamine +Ginseng	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Korea united** **Korea**	As directed	Homtamin Ginseng
Honey Cure Ointment 30 gm	Honey	**Skin Disorders** Burns الحروق	**RAZA** **Unknown**	2- 4 times daily topically	HoneyCure Ointment

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Hostacortin H Tablets 20 tab	Prednisolone 5 mg	**Corticosteroid** Inflammations الألتهابات	**Aventis** **Germany**	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
hovid OMEPRAZOLE Capsules 28 caps	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Hovid** **Malaysia**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
HYCIP-500 Tablets 1strip*10tablet	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Omega** **Italy**	250 to 750 mg twice daily depending on the severity and nature of the infection	
hydikal	Amlodipine	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Hydralazin 10 ,20, 50 mg, amp	Hydralazin	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	40 to 50 mg daily by mouth in divided doses	
Hydro-Atheer Drops 10 ml	Combination	**Health Care** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Atheer** **Yemen**	As directed	
Hydrocortisone 0.5%-1%-2.5% 20gm	Hydrocortisone	**Corticosteroid** Dermatitis الألتهابات الجلدلية	**MISR** **Egypt**	Concentrations usually used have ranged from 0.1 to 2.5%	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
Hydrocortisone Ointment	Hydrocortisone	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	Concentrations usually used have ranged from 0.1 to 2.5%	
Hydrocortisone Acetate Ointment 15 gm	Each 100 gm contains : Hydrocortisone Acetate 1 gm	**Corticosteroid** Dermatitis الألتهابات الجلدية	**PHARCO** **Egypt**	Concentrations usually used have ranged from 0.1 to 2.5%	
Hydrogen Ear Drops	Hydrogen Peroxide	**Antiseptic and Desinfectants** Antiseptic مطهرات	**Unknown** **Unknown**	As directed	
Hydrogen Ear Drops	Hydrogen Peroxide	**Antiseptic and Desinfectants** Antiseptic مطهرات	**Unknown** **Unknown**	As directed	
Hydrogen Peroxid Solution 60 ml	Hydrogen peroxide 6%	**Antiseptic and Desinfectants** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Pharmacare** **Yemen**	Apply Hydrogen peroxide solution on the affected area using clean cotton	
Hyfresh Solution	Unknown	**Unknown** Eye العين	**Unknown** **Unknown**	As directed	
Hygiene Solution	chamomile + Aloe vera + Goldenseal + Propolis	**Antiseptic and Desinfectants** Vaginal المهبل	**Unknown** **Unknown**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
HYLO COMOD Eye drops 10 ml	Unknown	**Unknown** Eye العين	**Unknown** **Unknown**	As directed	
Hymox Capsules 2strip*10capsules	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**SPIMACO** **Saudi Arabia**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Hymox Capsules 2strip*10capsules	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**SPIMACO** **Saudi Arabia**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Hymox Dry syrup 1bottel*100ml	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**SPIMACO** **Saudi Arabia**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
HYOBROMID Tablets 30 tabs	Hyoscine-N-Butylbromide 10 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**unknown** **Unknown**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Hyoscine-Butylbromide Ampoules 10 amps	Hyoscine- N-Butylbromide	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**ROTEXMEDICA** **Germany**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Hyosed Tablets Tablets 20 tabs	Hyoscine-N-Butylbromide 10 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**SEDICO** **Egypt**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Hyper oil Oil 100 ml	Herbal extract	**Unknown** Wounds Healing التئام الجروح	**Ri.MOS. Srl** **Italy**	As directed	
hypopresor	metoprolol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	100- 200 mg daily by mouth	HYPOPRESOR Divitabs 100
Hyposec Capsules 14 caps	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**RAM PHARMA** **Jordan**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Hyzaar Tablets differ	HCTZ + Losartan	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**MERCK SHARP** **Unknown**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Hyzaar ???	Hydrochlorothiazide + Losartan	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Hydrochlorothiazide :12.5 up to 50 mg daily, Losartan : 50-100 mg once daily	HYZAAR 50/12.5 mg MSD
Ibidroxil Capsules Capsules 1strip*8capsule	Cefadroxil 500 mg / cap	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**gsk glaxosmithkline** **UK**	1 to 2 g daily as a single dose or in two divided doses.	Ibidroxil 500 mg capsules
Ibidroxil Syrup Dry syrup 1bottel*60ml	Cefadroxil 250 mg / 5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**gsk glaxosmithkline** **UK**	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	Ibidroxil Syrup 250 mg

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
IBOFEN	Capsules	10 cap	Ibuprofen 400mg/ cap.	**NSAID**	Analgesic مهدئات الأوجاع	**Modern Pharama**	**Yemen**	Oral doses of400 mg to 1.2 g daily .	ايبوفين IBOFEN
IBOFEN	Tablets	10 x 10 tab	Ibuprofen 400mg/ tablet.	**NSAID**	Analgesic مهدئات الأوجاع	**Modern Pharama**	**Yemen**	Oral doses of400 mg to 1.2 g daily .	Ibofen 400 Tablets Analgesic & Anti-inflammatory
IBOFEN	Tablets	10 x 10 tab	Ibuprofen 600mg/ tablet.	**NSAID**	Analgesic مهدئات الأوجاع	**Modern Pharama**	**Yemen**	Oral doses of400 mg to 1.2 g daily .	Ibofen 600 Tablets Analgesic & Anti-inflammatory
IBOFEN	Suspension	100 ml	Ibuprofen 100mg/ 5 ml	**NSAID**	Analgesic مهدئات الأوجاع	**Modern Pharama**	**Yemen**	Oral doses of400 mg to 1.2 g daily .	Ibofen 100 ml
IBUBID	Suspension	60 ml	Ibuprofen 100mg	**NSAID**	Analgesic مهدئات الأوجاع	**RFA**	**Yemen**	Oral doses of400 mg to 1.2 g daily .	60 ml IBUBID® Anti-inflammatory Analgesic & antipyretic RFA
IBUBID 200	Tablets	100 tablets.	Ibuprofen tablet 200mg.	**NSAID**	Analgesic مهدئات الأوجاع	**RFA**	**Yemen**	Oral doses of400 mg to 1.2 g daily .	10X10 Tablets IBUBID® 200 Ibuprofen 200mg Anti-Inflammatory - Analgesic - Antipyretic RFA Pharmaceutical Ind.
IBUBID plus Susp	Suspension	60 ml	Ibuprofen 100mg+paracetamol 125mg suspention/5mg.	**NSAID**	Analgesic مهدئات الأوجاع	**RFA**	**Yemen**	Oral doses of400 mg to 1.2 g daily .	60 ml IBUBID® Plus RFA

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
IBUBID400 Tablets 100 tablets	Ibuprofen tablet 400mg.	**NSAID** Analgesic مهدئ الأوجاع	**RFA** **Yemen**	Oral doses of400 mg to 1.2 g daily .	IBUBID® 400 10 X 10 Tablets Ibuprofen 400mg Anti - Inflammatory - Analgesic - Antipyretic RFA Pharmaceutical ltd
IBUBID600 Tablets 20 tablets	Ibuprofen tablet 600mg.	**NSAID** Analgesic مهدئ الأوجاع	**RFA** **Yemen**	Oral doses of400 mg to 1.2 g daily .	20 Tablets IBUBID® 600 Ibuprofen 600mg Anti-inflammatory - Analgesic & Antipyretic RFA Pharmaceutical ltd
IBUBID-plus Tablets 20 tablets	Ibuprofen+paracetamol tablet 400mg/325mg	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**RFA** **Yemen**	Oral doses of400 mg to 1.2 g daily .	IBUBID® Plus Ibuprofen 400 mg & Paracetamol 325 mg RFA Pharmaceutical ltd
Ibufinal Suspension 60 ml	Ibuprofen 100 mg	**NSAID** Analgesic مهدئ الأوجاع	**Global Pharma** **Yemen**	Oral doses of mg to 1.2 g daily .	Ibufinal 60 ml GLOBAL PHARMA Co.
Ibufinal Suspension 100 ml	Ibuprofen 100 mg	**NSAID** Analgesic مهدئ الأوجاع	**Global Pharma** **Yemen**	Oral doses of mg to 1.2 g daily .	Ibufinal GLOBAL PHARMA Co.
Ibuflam Suspension 100 ml	Ibuprofen 100 mg	**NSAID** Analgesic مهدئ الأوجاع	**Shaphaco** **Yemen**	Oral doses of mg to 1.2 g daily .	Paediatric suspension Ibuflam Ibuprofen 100mg
Ibuflam Suspension 50 ml	Ibuprofen 100 mg	**NSAID** Analgesic مهدئ الأوجاع	**Shaphaco** **Yemen**	Oral doses of mg to 1.2 g daily .	Paediatric suspension Ibuflam Ibuprofen 100mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ibukern 600 mg Tablets	Ibuprofen	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**KERN pharma** **Korea**	Oral doses of400 mg to 1.2 g daily .	
Ibuphil Syrup 100 ml	Ibuprofen	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Unknown** **Unknown**	Oral doses of400 mg to 1.2 g daily .	
Ibuprofen Tablets 100 tablets	Ibuprofen tablet 400mg.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**SHAPHAR** **China**	Oral doses of400 mg to 1.2 g daily .	
Ibuprofen 400	Ibuprofen	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Unknown** **Unknown**	Oral doses of400 mg to 1.2 g daily .	
Ibuprofen 800	Ibuprofen	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Unknown** **Unknown**	Oral doses of400 mg to 1.2 g daily .	
Ibuprofen Denk 400	Ibuprofen	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Denk Pharma** **Germany**	Oral doses of400 mg to 1.2 g daily .	
Ibuprofen-Denk Tablets 100 tablets	Ibuprofen tablet 400mg.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**Denk Pharma** **Germany**	Oral doses of400 mg to 1.2 g daily .	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Idex	Dexamethasone	**Corticosteroid** Inflammations الألتهابات	**Unknown** **Unknown**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	IDEX DEXAMETHASONE + NEOMYCIN EYE / EAR DROPS
Ifenec Suppositoris 3 sup	Econazole Nitrate	**Antifungals** Vaginal المهبل	**LIFEPHARMA** **Italy**	Vaginal candidiasis as pessaries of 150 mg once daily at bedtime for 3 consecutive nights, topically up to 3 times daily as a 1% cream, lotion, powder, or solution.	IFENEC ovules econazole nitrate
Imodium cap 6 caps in Strip	loperamide Hydrochloride	**Gastro Intestinal drugs** Diarrhea الأسهال	**Janseen** **Switzerland**	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	Imodium JANSSEN-CILAG
Imodium Capsules 10x 6 cap	Loperamide Hydrochloride 2 mg	**Gastro Intestinal drugs** Diarrhea الأسهال	**aspen** **Pakistan**	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	Imodium 2 mg Capsule
Improfen Suspension 60 ml	Ibuprofen	**NSAID** Analgesic مهدئات الأوجاع	**Y.E.PHARMA** **Yemen**	Oral doses of400 mg to 1.2 g daily .	60ml IMPROFEN
Imuran Tablets 100 tab	Azathioprine 50 mg / tab	**Immunosuppressive** Immunosuppressive تثبيط المناعة	**aspen** **Ireland**	1 to 5 mg/kg daily	 Imuran 100 tablets Azathioprine Tablets BP 50mg aspen
Indacin Suppositoris 10	Indometacin	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Memphis** **Egypt**	Oral adult: dise 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Inderal 10 Tablets 50 tab	Propranolol Hydrochloride 10 mg , 40 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Unknown**	Adult: 40 - 120 mg orally twice daily ,children 1- 4 mg/kg daily in divided doses by mouth	
INDERAL 40 mg Tablets 50 tab	Propranolol Hydrochloride	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Unknown**	Adult: 40 - 120 mg orally twice daily ,children 1- 4 mg/kg daily in divided doses by mouth	
INDO-250 tablet 10strip*10tablet	Erythromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Indoco** **Unknown**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
INDO-500 Tablet 10strip*10tablet	Erythromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Indoco** **Unknown**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Indocid Suppositoris 10 sup	Indometacin	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**ALGORITHM** **Lebanon**	Oral adult: dise 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Indocine Suppositoris 10 sup	Indometacin	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Razi Pharma** **Syria**	Oral adult: dise 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Indomethacin Capsules 24 capsule .	Indomethacin entric caoted tablet 50mg.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**PHARCO** **Egypt**	Oral adult: dise 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Indomethacin Tablets 24 tablet .	Indomethacin entric caoted tablet 25mg.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**PHARCO** **Egypt**	Oral adult: dise 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	INDOMETHACIN E.C. 25 mg
Indomethacin E.C. 	Indometacin	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Unknown** **Unknown**	Oral adult: dise 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	24 S.G. CAPSULES INDOMETHACIN E.C. 25 mg ENTERIC COATED PHARCO
Indomethacine Suppositoris 10 supp	Indomethacin supp, 100mg.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**MEDICO LABS** **Syria**	Oral adult: dise 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	Indomethacine
Indosan 25 Capsules 20 cap	Indometacin	**NSAID** Analgesic مهدئ الأوجاع	**Shiba pharma** **Yemen**	Oral adult: dise 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	Indosan 25 Shiba Pharma
Infacol Drop 30 ml	simethicone	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Forest lab** **UK**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	infacol relieves wind, infant colic and griping pain
INFLA-BAN 50 Tablets 20 tablets	Diclofenac Sodium tablet 50mg	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**APM** **Jordan**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	INFLA-BAN 50
INFLA-BAN 75 Ampoules 5 amp x 3 ml	Diclofenac Sodium 75 mg	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**APM** **Jordan**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	INFLA-BAN 75

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Inflamac 100 مع تغيير الصورة			Unknown	Non-Steroidal Anti-	Analgesic مهدئ الأوجاع	Unknown	Unknown	As directed	
Ingredient Facts	Soft Gelatin Capsules	cap	gylatin + glycerin + soybean oil	Gastro Intestinal drugs	Nutrition supplementation تغذية تكميلية	SUN Naturals	Unknown	As directed	
Innohep		2ml	Tinzaparin Sodium Syringe	Cardio Vascular System drugs	Thrombosis الجلطات	LEO	Denmark	3500 units of tinzaparin sodium are given by subcutaneous injection 2 hours before the procedure, followed by 3500 units once daily for 7 to 10 days.	
Inosert-50	Tablets	30 tablets	Sertraline tablet 50mg	Central Nervous system drugs	Mental Disorders الأمراض العقلية	Ipca	Unknown	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
INSAAR			Losartan Potassium	Cardio Vascular System drugs	Hypertension ارتفاع ضغط الدم	Unknown	Unknown	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Insaar	Tablets	30tab	losartan potassium	Cardio Vascular System drugs	Hypertension ارتفاع ضغط الدم	Interbat	Egypt	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Insulatard	Vial	10 ml / vial	insulin human 100 i.u / ml	Antidiabetics	Diabetes Mellitus أمراض السكري	Novo Nordisk	Denmark	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Insulated pinfill Vial 5 * 3 ml	insulin human 100 i.u / ml	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Novo Nordisk** **Denmark**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	Insulatard® Penfill®
insulet rapide Vial 1	insulin	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Sothema** **Morocco**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Insulin h mix Vial 10 ml vial	insulin human 100 i.u / ml	**Antidiabetics** Diabetes Mellitus أمراض السكري	**SEDICO** **Egypt**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	10 ml vial Insulin H Mix 100 IU Suspension SEDICO
insulin H mix 100 iu Vial 1	insulin	**Antidiabetics** Diabetes Mellitus أمراض السكري	**SEDICO** **Egypt**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Insulin h r 100iu Vial 10 ml vial	insulin human 100 i.u / ml	**Antidiabetics** Diabetes Mellitus أمراض السكري	**SEDICO** **Egypt**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	Insulin H"R 100 IU SEDICO
Insulin h r 40iu Vial 10 ml vial	insulin human 40 i.u / ml	**Antidiabetics** Diabetes Mellitus أمراض السكري	**SEDICO** **Egypt**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	Insulin H"R 40 IU SEDICO
INTARD Tablets 20 tab	Diphenoxylate Hydrochloride	**Gastro Intestinal drugs** Diarrhea الأسهال	**Julphar** **UAE**	10 mg by mouth followed by 5 mg every six hours	20 tablets INTARD For symptomatic treatment of diarrhoea Julphar

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Interpril	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	usual oral dose is 5 -20 mg daily,	INTERPRIL 10
Intrataxime Ampoules 1 amp	Unknown	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	As directed	INTRATAXIME 1g I.M.-I.V.
Intrataxime TTT Vial 1vial	Cefotaxime Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**LDP** **Unknown**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	INTRATAXIME 0,5g I.M.-I.V.
Intrataxime Vial Vial 1vial	Cefotaxime Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**LDP** **Unknown**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	INTRATAXIME 1g I.M.-I.V.
Intratiaxone Parentral inj 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**LDP** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	INTRATIAXONE CEFTRIAXONE 1g I.M. I.V.
Intratiaxone	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	INTRATIAXONE 0.5 g I.M. I.V.
Iproid Suppositoris	Hydrocortisone	**Corticosteroid** Dermatitis الألتهابات الجلدلية	**Unknown** **Unknown**	Concentrations usually used have ranged from 0.1 to 2.5%	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Iproid			Hydrocortisone	**Corticosteroid**	Dermatitis الألتهابات الجلدية	**Unknown**	**Unknown**	Concentrations usually used have ranged from 0.1 to 2.5%	
Irfen-400	Tablets	20 tab	Ibuprofen	**Non-Steroidal Anti-**	Analgesic مهدئات الأوجاع	**Mepha**	**Unknown**	Oral doses of400 mg to 1.2 g daily .	
IRON+C	Tablets	20	Iron 14mg&vitamin C 134mg	**Vitamines and Menirals**	Anaemia فقر الدم	**hansal**	**Unknown**	treatment of iron-deficiency anaemia is 100 to 200 mg of iron daily in divided doses. The usual adult prophylactic dose is about 60 to 120 mg of iron daily.	
IroVit	Oral /Drops	30 ml	Ferrous Sulfate	**Vitamines and Menirals**	Anaemia فقر الدم	**Vitane pharma**	**Germany**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Isilin	Syrup	120 ml	Pseudoephedrine + guaifenesin	**Respiratory drugs**	Common Cold نزلات البرد	**NILE CO.**	**Egypt**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Isocort	Cream	20 gm	Isoconazole 1 % + diflucortolone 0.1 %	**Antifungals**	Dermatitis الألتهابات الجلدية	**Global Pharma**	**Yemen**	600 mg or 300 mg daily for 3 days, or as a 1% vaginal cream daily for 7 days. For skin infections a 1% or 2% cream or other topical formulation has been used.	
Isofen	Suspension	100 ml	Paracetamol	**Non-Steroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Unknown**	**Palestine**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Isoket	Tablets		Isosorbide dinitrate 60 mg	**Cardio Vascular System drugs**	Angina الذبحة الصدرية	**Unknown**	**Unknown**	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Isoniazid	Tablets	100 tap	Isoniazid 300mg	**Antibiotics**	Tuberculosis (T.B) الدرن	**TEVN**	**Unknown**	300 mg daily by mouth on an empty stomach. Children's doses vary from 5 mg/kg daily, as combination with other T.B drugs or as prophylaxis	
Isoniazid Tab.	Capsules	100 capsules	Isoniazid 300mg	**Antibiotics**	Tuberculosis (T.B) الدرن	**Tevn**	**Unknown**	300 mg daily by mouth on an empty stomach. Children's doses vary from 5 mg/kg daily, as combination with other T.B drugs or as prophylaxis	
ISOPTIN 120 mg	Tablets	100 tab	Verapamil	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**ABBOTT**	**USA**	Oral dose 120 to 480 mg daily in 3 or 4 divided doses	
Isoptin 240 mg	Tablets	30 tab	Verapamil	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**ABBOTT**	**USA**	Oral dose 120 to 480 mg daily in 3 or 4 divided doses	
Isoptin 40 mg	Tablets	50 tab	Verapamil	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**ABBOTT**	**USA**	Oral dose 120 to 480 mg daily in 3 or 4 divided doses	
ISOSORBIDE	Tablets	5 x 20 tablet	Isosorbide Dinitrate 10 mg	**Cardio Vascular System drugs**	Angina الذبحة الصدرية	**EIPICO**	**Egypt**	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
ISOSORBIDE Tablets 30 tablet	Isosorbide Dinitrate 4 mg	**Cardio Vascular System drugs** Angina الذبحة الصدرية	**EIPICO** **Egypt**	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Isuprel	Isoprenalin	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	200 micrograms (as 1 mL of a 0.02% solution) and by slow intravenous injection in initial doses of 20 to 60 micrograms (as 1 to 3 mL of a 0.002% solution);	
Itracon Capsules 12 capsules	Itraconazole INE 100mg	**Antifungals** Dermatitis الألتهابات الجلدية	**Navana pharma** **Bangladesh**	100 - 200 mg daily as the type of fungi	
Itracon Capsules 4 capsules	Itraconazole 100mg	**Antifungals** Dermatitis الألتهابات الجلدية	**REKO** **Unknown**	100 - 200 mg daily as the type of fungi	
Itracon	Itraconazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Cipharma** **Unknown**	100 - 200 mg daily as the type of fungi	
Itracon Capsules Capsules 4 capsules	Itraconazole 100mg	**Antifungals** Dermatitis الألتهابات الجلدية	**GNP** **Egypt**	100 - 200 mg daily as the type of fungi	
Itranox Capsules 4 Capsules	Itraconazole 100mg	**Antifungals** Dermatitis الألتهابات الجلدية	**ADWIA** **Egypt**	100 - 200 mg daily as the type of fungi	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Itronazole-s Capsules 4 Capsules	Itraconazole 100mg	**Antifungals** Dermatitis الألتهابات الجلدية	**BALSAM** **Syria**	100 - 200 mg daily as the type of fungi	
IVEMETRO Liquid_inj. I.P 100ml	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبا	**Torrent** **India**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Ivex Syrup 100 ml	Dried IVY leaf extract 35 mg	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**Shiba pharma** **Yemen**	As directed	
Ivex Syrup 20 ml	Dried IVY leaf extract 20 mg	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**Shiba pharma** **Yemen**	As directed	
IVY Syrup 100 ml	Dried IVY leaf extract	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**Deep** **Saudi Arabia**	As directed	
Ivy Syrup 100 ml	herbal extract cough &common cold	**Respiratory drugs** Common Cold نزلات البرد	**JOSWE** **Jordan**	As directed	
Ivytus Syrup 100 ml	Dried Ivy Leaf extract	**Respiratory drugs** Common Cold نزلات البرد	**neopharma** **UAE**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ixime tablet 1strip*6tablet	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Lupin** **Unknown**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Jamieson Capsules 60 cap	Glucosamine + Chondrotin	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Arthrimin** **Unknown**	As directed	
Janucare M Tablets 30 tabs	Sitagliptine 50 mg + Metformin 500 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Y.E.PHARMA** **Yemen**	As directed	
Janucare M Tablets 30 tabs	Sitagliptine 50 mg + Metformin 500 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Y.E.PHARMA** **Yemen**	As directed	
Janumte 50/500 Tablets 56 tab	Sitagliptine 50mg - Metformin 500mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**MSD** **USA**	As directed	
Januvia 100mg Tablets 28 film coated	Sitagliptine 100mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**MSD** **USA**	As directed	
JOFLEX Capsules 30 cap	Glucosamine sulphate 500mg	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**EMA** **Unknown**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
JOINT ACTION Tablets 30 tab	Glucosamine + Chondrotin	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**LIFEPLAN** **Unknown**	As directed	
Jointace Omega 3	Glucosamine + Chondrotin + Omega 3	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Unknown** **Unknown**	As directed	
JointFlex Cream 14 gm	Glucosamine	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Unknown** **Unknown**	As directed	
Jointfree	Glucosamine + Chondrotin	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Unknown** **Unknown**	As directed	
JOINTLUBE Tablets 30 tab	Glucosamine + Chondrotin	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**HA pharma** **Unknown**	As directed	
JOLTAN	Valsartan	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Oral doses 80 - 160 mg once daily	
Joltan Plus	Valsartan 160 mg + Hydrochorothiazide 12.5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Oral doses 80 - 160 mg once daily	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Jos-Pan Syrup 120 ml	herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**PHARCO** **Egypt**	As directed	JOS-PAN Natural Cough Syrup
Julmentin tablet 3strip*5tablet	Amoxicillin/Clavulanate Potassium	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Julphar** **UAE**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	Julmentin 2x 15 tablets
Jusline 30/70 Vial 10 ml vial	insulin human 100u /ml (30% soluble insulin and 70% isophane insulin	**Antidiabetics** Diabetes Mellitus أمراض السكري	**julphar** **UAE**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	 julphar 10mL 100 units per mL Jusline 30/70 Suspension for Injection in a vial Insulin human rDNA (30% as soluble insulin and 70% as isophane insulin) U-100
Jusline R Vial 10 ml	insulin human 100u /ml	**Antidiabetics** Diabetes Mellitus أمراض السكري	**julphar** **UAE**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	julphar 10mL 100 units per mL Jusline R Solution for Injection in a vial Insulin human, rDNA U-100
Jusprin Tablets 40 E.C.Tablets	Acetylsalicylic acid	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Julphar** **UAE**	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	JUSPRIN Aspirin 81mg Enteric Coated 40 Tablets
Juvamine Fizz Tablets 30 effer. Tablets	Calcium160mg+magnesium 60 mg+iron 6.9mg+zinc 11.9mg+iodine 150mcg/effer,tab.	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**JUVA sante** **France**	Adluts 1tablet every morning . Child, half atablet every morning.	Juvamine Fizz 5 MINERAUX CALCIUM-MAGNESIUM
K-99 Capsules 30 cap	Potassium	**Gastro Intestinal drugs** Nutrition supplementation تغذية تكميلية	**Unknown** **Unknown**	2 to 3 mmol/kg of potassium in 24 hours	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
KADOMET 250 mg Tablets 30 Tablets	Ketoprofen 100 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**KAHIRA PHARM** **Egypt**	250 - 500 mg of methyldopa two or three times daily - children is 10-60 mg/kg daily in 2 to 4 divided doses	KADOMET 250 mg Methyldopa
Kafid Syrup 100 ml	Dextromethorphan + Quaiphenesin+ Psedoephedrine	**Respiratory drugs** Common Cold نزلات البرد	**Shaphaco** **Yemen**	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Kafosed Syrup 100 ml	Dextromethorphan	**Respiratory drugs** Common Cold نزلات البرد	**SPIMACO** **Saudi Arabia**	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	KAFOSED COUGH SUPPRESSANT
Kandizol 150 mg	Fluconazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	ANTIFUNGAL Kandizol 150mg
kanzar 100	Losartan Potassium	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	24 KANZAR 100
kanzar-h	Losartan Potassium	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Kartastamine Syrup 100 ml	Unknown	**Antihistamines** Allergy الحساسية	**ALSHAHBA** **Syria**	As directed	Kartastamine

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Kartastamine Tablets 20 tab	Unknown	**Antihistamines** Allergy الحساسية	**ALSHAHBA** **Syria**	As directed	
Kemadrin Tablets 100 Tablet	Procyclidine tablet 5 mg	**Central Nervous system drugs** Parkinson's disease مرض الرعاش	**GlaxoWellcome** **Unknown**	Minimum/Maximum Adult Daily Dose:7.5 - 20 mg (milligram) OR 1.5 - 4 Tablet	
Kemadrin Tablets 100 tab	Procyclidine 5 mg / tab	**Central Nervous system drugs** Parkinson's disease مرض الرعاش	**aspen** **Ireland**	2.5 mg three times daily by mouth may be increased gradually by 2.5 to 5 mg every 2 or 3 days	
Kenacort-A 1ml	Triamcinolone Acetonide	**Corticosteroid** Dermatitis الألتهابات الجدلدية	**Smthkline Beecham** **Unknown**	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Kenazol Cream Cream 30 gm	Ketoconazole 30g	**Antifungals** Dermatitis الألتهابات الجدلدية	**Domin pharma** **Unknown**	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Keppra Tablets 30 tab	Ketoprofen 500 mg	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Keppra Tablets 10 tablets	levetiracetam tablet 500mg	**Central Nervous system drugs** Epilepsy الصرع	**gsk glaxosmithkline** **UK**	1-3 gm increased gradually, children 50 kg is 20 mg/kg daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Keppra-500 Tablets 30 tablets	levetiracetam tablet 500mg	**Central Nervous system drugs** Epilepsy الصرع	**UCB** **Unknown**	1-3 gm increased gradually, children 50 kg is 20 mg/kg daily	Keppra 500mg levetiracetam 30 film-coated tablets
Kernadol Solution 30 ml	Paracetamol 100 mg / ml	**Non-Steroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**KERN pharma** **Korea**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	KernaDol 100 mg/ml oral solution KERN
KETAMINE Vial 50 mg / ml of vial of 10ml	Ketamine hydrochloride	**Central Nervous system drugs** Anaesthetics General التخدير العام	**ROTEXMEDICA** **Germany**	in adults and children the dose given by intravenous injection may range from the equivalent of 1 to 4.5 mg/kg of ketamine	10 ml KETAMINE HYD INJECTION USP 50 mg Ketamine ROTEXMEDICA TRITTAU · GERMANY
KETESSE Tablets 20 tab	Dexketoprufen 25 mg	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**MENARINI** **Italy**	Oral dose 12.5 mg every 4 to 6 hours or 25 mg every 8 hours; the total daily dose should not exceed 75 mg.	KETESSE 25 mg film-coated tablets Dexketoprofen Trometamol 20 film-coated tablets
Ketesse Ampoules 5 amp	Dexketoprufen	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**MENARINI** **Italy**	Oral dose 12.5 mg every 4 to 6 hours or 25 mg every 8 hours; the total daily dose should not exceed 75 mg.	KETESSE 50 mg/2 ml
KETESSE Tablets 4 tab	25 mg Dexketoprufen	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**MENARINI** **Italy**	Oral dose 12.5 mg every 4 to 6 hours or 25 mg every 8 hours; the total daily dose should not exceed 75 mg.	KETESSE 25 mg film-coated tablets 4 film-coated tablets
Ketlac-10 Tablets 30 tablets	Ketorolac Tromethamine tablet 10mg	**NSAID** Analgesic مهدئات الأوجاع	**RFA** **Yemen**	Oral Adult Daily Dose:10 - 40 mg for 7 days . Single intramuscular 60 mg or intravenous 30 mg - children 0.5 mg/kg up to a maximum of 15 mg.	KETLAC 10 Ketorolac Tromethamine 10mg RFA

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Keto 100	Tablets	30 tablet	Ketoprofen tablet 100 mg .	**NSAID**	Analgesic مهدئ الأوجاع	**Shiba pharma**	**Yemen**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 tablets.	
Ketofan 50	Capsules	20 caps	Ketoprofen 50 mg	**Non-Steroidal Anti-**	Analgesic مهدئ الأوجاع	**European Egyption Pharma**	**Egypt**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Ketofan gel	Gel	40 gm	Ketoprofen gel 2.5%.	**Nonsteroidal Anti-**	Analgesic مهدئ الأوجاع	**AMRIYA PHARMA**	**Egypt**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Ketofan Susp	Suspension	120 ml	Ketoprofen suspension 12.5mg/5ml	**Nonsteroidal Anti-**	Analgesic مهدئ الأوجاع	**AMRIYA PHARMA**	**Egypt**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Ketofan-200 SR	Capsules	14 capsules	Ketoprofen capsule 200mg.	**Nonsteroidal Anti-**	Analgesic مهدئ الأوجاع	**AMRIYA PHARMA**	**Egypt**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Ketolgen SR	Capsules	10 capsules.	Ketoprofen capsule 200mg.	**Nonsteroidal Anti-**	Analgesic مهدئ الأوجاع	**Amoun**	**Egypt**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Ketolgin	Gel	40 g	Ketoprofen gel 2.5%.	**Nonsteroidal Anti-**	Analgesic مهدئ الأوجاع	**Amoun**	**Egypt**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ketolgin 50 Tablets 10 tab	Ketoprofen	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**AMOUN** **Egypt**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Ketoprek 75 mg Capsules 10 Caps	Ketoprofen	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**BORG** **Egypt**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Ketoprof Tablets 30 tablets	Ketoprofen tablet 100mg .	**NSAID** Analgesic مهدئ الأوجاع	**Y.E.PHARMA** **Yemen**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Ketoprofen Ampoules 10 Apmoules of 2 ml	Ketoprofen 100mg/apmoule.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**Huons** **Korea**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
KETORAL Tablets 10 Tab.	Ketoconazole 200mg	**Antifungals** Dermatitis الألتهابات الجلدلية	**Bilim** **Turkey**	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Ketoral Capsules	Ketoconazole 200mg	**Antifungals** Dermatitis الألتهابات الجلدلية	**CPE** **Unknown**	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Ketoral Cream 40 gm	Ketoconazole 2%	**Antifungals** Dermatitis الألتهابات الجلدلية	**Bilim** **Turkey**	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Ketoral SHAMPOO 100 ml	Ketoconazole 2%	**Antifungals** Dermatitis الألتهابات الجلدية	**Bilim** **Turkey**	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Ketotifen Tablets 20 Coated Tablet	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**AMRIYA PHARMA** **Egypt**	adult dose 1-2 mg/bid or pead. 1 mg /bid	
Ketotifen Syrup 100 ml	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**AMRIYA PHARMA** **Egypt**	adult dose 1-2 mg/bid or pead. 1 mg /bid	
Ketotifen Syrup 100 ml	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**hovid** **Malaysia**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
KETOTIPHEN Tablets 20 tab	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**AMRIYA PHARMA** **Egypt**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
KETOTIPHEN Tablets 20 tab	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**AMRIYA PHARMA** **Egypt**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Ketovent Syrup 100 ml	Each 5 ml contains 1mg ketotifen	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**Pharmacare** **Yemen**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ketya-200 Tablets 30 Tablets	Quetiapine tablet 200mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**ABDIIbrahim** **Unknown**	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	
Kiddi pharmaton Syrup 100ml	Multi vitamin and Menirals.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Ginsana** **Unknown**	As directed	
Kiddilyte Solution 200 ml	Dextrose + Fructose + Gripe flavor +Citric Acid + Potassium citrate +Sodium Chloride +	**Gastro Intestinal drugs** Diarrhea الأسهال	**Shiba pharma** **Yemen**	As directed	
Kiddilyte Solution 200 ml	Dextrose + Fructose + Gripe flavor +Citric Acid + Potassium citrate +Sodium Chloride +	**Gastro Intestinal drugs** Diarrhea الأسهال	**Shiba pharma** **Yemen**	As directed	
Kidlyte Solution 250 ml	Combination	**Gastro Intestinal drugs** Diarrhea الأسهال	**Unknown** **Unknown**	As directed	
Kids Plus Tablets 100 tab	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Unknown** **Unknown**	As directed	
Kidviton Syrup 120 ml / bottle	Multi Vitamines with Lysine + Calcium	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**satda** **Unknown**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
KIDZ KIT *3 Forte	Rifampicin + isoniazid + pyrazinamide	**Antibiotics** Tuberculosis (T.B) الدرن	**Unknown** **Unknown**	The usual dose of rifampicin is 600 mg daily by mouth	
Kinsol -5 Tablets 30 tablets	Benzhexol (Trihexyphenidyl) tablet 5 mg	**Central Nervous system drugs** Parkinson's disease مرض الرعاش	**Shiba pharma** **Yemen**	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Kinsol-2 Tablets 30 tablets	Benzhexol (Trihexyphenidyl) tablet 2mg	**Central Nervous system drugs** Parkinson's disease مرض الرعاش	**Shiba pharma** **Yemen**	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Kiroll tablet 1strip*10tablet	Ofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**gsk glaxosmithkline** **UK**	tab 400mg & 200mg	
Kitpylo-c kits 7 kits	Combination	**Gastro Intestinal drugs** H-Pylori جرثومة المعدة	**Unknown** **Unknown**	As directed	
Kitpylo-c kits 7 Kits	tinidazole 30 mg + clarithromycin 250 mg+Lansoprazole 30 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Medley** **India**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Klacid Granules 60 ml	Clarithromycin 125 mg / 5 ml	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**ABBOTT** **USA**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
KLACID 250 Tablets 14 Film Tablet	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**ABBOTT** **USA**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
KLACID 500 Tablet 1strip*14tablet	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**ABBOTT** **USA**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Klamoks	Amoxicillin + Clavulanic Acid	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Klamoks	Amoxicillin + Clavulanic Acid	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Klamoks BID Tablets 2strip*5tablet	Amoxicillin/Clavulanate Potassium	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Bilim** **Turkey**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Klamoks BID	Amoxicillin + Clavulanic Acid	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Klamoks BID	Amoxicillin + Clavulanic Acid	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Klamoks Tablets Tablets 3strip*5tablet	Amoxicillin/Clavulanate Potassium	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Bilim** **Turkey**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
KLARI tab Tablets 14 tabs	Clarithromycin 500 mg	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**Global Pharma** **Yemen**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
KLARI tab Tablets 14 tabs	Clarithromycin 250 mg	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**Global Pharma** **Yemen**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Klavox Tablets 2strip*10tablet	Amoxicillin/Clavulanate Potassium	**Antibiotics** الأصابات الميكروبية Microbial Infections	**SPIMACO** **Saudi Arabia**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Kleen enema adult Enema 120 ml for bottle	sodium phosphate+bi phosphate ad •Do not use more than 1 enema in 24 hours.	**Gastro Intestinal drugs** Constipation الأمساك	**Nabqasim = pakistan** **Unknown**	adult = one bottle 120 ml delivered dose) once dairy = child 60 ml once dairy	
Kleen enema child Enema 60 ml for bottle	sodium phosphate+bi phosphate	**Gastro Intestinal drugs** Constipation الأمساك	**Nabqasim = pakistan** **Unknown**	adult = one bottle 120 ml delivered dose) once dairy = child 60 ml once dairy	
KLION _D 100 Tablets 10 vaginal tab	Metronidazole 100mg + miconazole nitrate 100mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**MEGA** **Thailand**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Klion-D 100 Suppositoris 10 Vaginal Tab.	Miconazole Nitrate+Metronidazole	**Antifungals** Vaginal المهبل	**KLION** **Unknown**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
KLIRAX tab 30 tabs	Chlordiazepoxide 5 mg+Clidinium Bromide2.5 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**RFA** **Yemen**	Chlordiazepoxide up to 30 mg daily in divided doses.	KLIRAX 30 Tablets
Koalavit	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Unknown** **Unknown**	As directed	
Koflet Syrup 100 ml	herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**Himalaya Drug Co** **India**	As directed	Himalaya Koflet
Kofol	Ammonium chloride + ipecacuanha + liquid glucose+ honey + lemon juice	**Respiratory drugs** Common Cold نزلات البرد	**Unknown** **Unknown**	As directed	KOFOL Lozenges
Kofol Lozenges 12 Lozenges	Antiseptic	**Antiseptic and Desinfectants** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Unknown** **Unknown**	As directed	KOFOL Lozenges
Kofol Syrup	Herbal extract	**Unknown** Unknown	**Unknown** **Unknown**	Adult 10 ml TID , Children 5 ml TID	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
KOKAST Tablets 30 tab	Montelukast Sodium 10 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**EGYPHAR** **Egypt**	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
KOKAST Tablets 10 tab	Montelukast Sodium 10 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**EGYPHAR** **Egypt**	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
KOKAST Tablets 7 chewable tablets	Montelukast Sodium 10 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**EGYPHAR** **Egypt**	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Kold off Tablets 20 tab	pseudoephedrine +paracetamol + chloraphiniramine	**Respiratory drugs** Common Cold نزلات البرد	**shiba pharma** **Yemen**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	Kold Off Relief common cold and Nasal decongestant Long - Acting non-sedating Shiba Pharma
Kold Off Capsules 10 cap	Pseudoephedrine 120 mg + Loratidine 5 mg	**Respiratory drugs** Common Cold نزلات البرد	**Shiba pharma** **Yemen**	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	Kold Off Relief common cold and Nasal decongestant Long - Acting non-sedating Shiba Pharma
kontal Tablets 4 tab	niclosamide	**Anthelmentic** Tape Worms الدودة الشريطية	**Unknown** **Unknown**	Tapeworms: Single dose niclosamide 2 gm chewed tablets on empty stomach. Hymenolepis (H.Nana): 2 gm initially + 1 gm daily for 6 days	
kopamin Tablets 30 tablet	mecobalamine 500 micro gram	**Vitamines and Menirals** Anaemia فقر الدم	**Korea Pharma** **Korea**	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day.	Mecobal 500

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
Kopamin Tablets 30 Tablets	Mecobalamin 500mcg Tablets	**Vitamines and Menirals** Anaemia فقر الدم	**Korea Pharma** **Korea**	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	KP Kopamin Tablets (Mecobalamin) 500 µg (3 x 10's)
Krtoprek Capsules 10 capsules	Ketoprofen capsule 75mg.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**BORG** **Egypt**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	BORG PHARMACEUTICAL IND. Ketoprek® 75 mg Ketoprofen 75 mg Analgesic, Anti-inflammatory 10 Capsules
Kupan 50 mg Capsules 20 cap	Ketoprofen 50 mg	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**ALKAN Pharma** **Egypt**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	20 Capsules Kupan® 50 mg Ketoprofen 50 mg
K-Vita Ampoules 10 Amp	Vitamin K	**Antihaemorrhages** Haemorrhage النزيف	**Vitalis** **USA**	Typical doses of phytomenadione are 0.5 to 5 mg by slow intravenous injection or up to 5 mg orally	K-Vita® Vitamin K1 10 mg/mL 10 Ampoules Vitalis
K-VITON Tablets 20 tablets.	Acetomenaphthone 10mg/ tablet.	**Vitamines and Menirals** Haemorrhage النزيف	**KAHIRA PHARM** **Egypt**	Typical doses of phytomenadione are 0.5 to 5 mg 5 mg orally	K-VITON Acetomenaphthone 20 Tablets KAHIRA PHARM. & CHEM. IND. CO. CAIRO - EGYPT
Kwnstan Forte Tablets 20 tab	Mefenamic Acid	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	Kwnstan Forte 500 mg
L.C Cream 60 gm	Glycerin	**Skin Disorders** Dermatitis الألتهابات الجلدية	**L.C** **Syria**	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Labamezole Tablets 20 tab	Labamezole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**LABATEC pharma** **Switzerland**	As directed	
LABMOX-125 Suspension 100 ml	Amoxicillin 125 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**MILAN** **India**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
LABMOX-250 Suspension 100 ml	Amoxicillin 250 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections		cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
LABOZOL Tablets 2x1 tab	Secnidazole 1000 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**LABORATE** **India**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Labrtalol 5 mg/ml	Labetalol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	100 mg twice daily by mouth with food	
LABTAC-150 Tablets 10 x 10 tab	Ranitidine 150 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**LABORATE** **India**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
LACALUT Solution 75 ml	Antiseptic	**Antiseptic and Desinfectants** Mouth Wash الغسولات الفموية	**Unknown** **Unknown**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
lacine 50mg Tablets 50tab	losartan potassium (50mg)	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**JPM** **Unknown**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Lacteol fort Sachets 100 Sachets	Lactic Acid	**Gastro Intestinal drugs** Vaginal المهبل	**AXCAN PHARMA** **France**	As directed	Lactéol fort sachets 100 sachets
Lacteol fort Capsules 12 cap	Lactic Acid	**Gastro Intestinal drugs** Vaginal المهبل	**AXCAN PHARMA** **France**	As directed	Lactéol fort capsules
Lacteol forte Sachets 6 Sachets	Lactic Acid	**Gastro Intestinal drugs** Vaginal المهبل	**AXCAN PHARMA** **France**	As directed	Lactéol fort
Lacti vag Solution 200 ml	Lactic Acid	**Gastro Intestinal drugs** Vaginal المهبل	**Shiba pharma** **Yemen**	As directed	Lacti vag Solution Shiba Pharma
Lactisyr Solution 300 ml	Combination	**Antiseptic and Desinfectants** Vaginal المهبل	**Unknown** **Unknown**	As directed	
lactolac syr 100 ml for bottle	Lactulose	**Gastro Intestinal drugs** Constipation الأمساك	**Domin = Jorden** **Unknown**	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose** الجرعة	**Product Picture** صورة الدواء
Ladium Capsules 20 cap	Loperamide Hydrochloride	**Gastro Intestinal drugs** Diarrhea الأسهال	**Stada** **Unknown**	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	
Lakzil tab 30 tabs	Bisacodyl	**Gastro Intestinal drugs** Constipation الأمساك	**Unknown** **Unknown**	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	3 x 10 Tablets LAKZIL Bisacodyl Tablets BP 10 mg
Lamicream Cream 15 g	Terbinafine HCL 1%	**Antifungals** Dermatitis الألتهابات الجلدية	**Global Pharma** **Yemen**	As directed	Lamicream 15 g
Lamictal-25 Tablets 30 tablets	Lamotrigine tablet 25mg	**Central Nervous system drugs** Epilepsy الصرع	**gsk glaxosmithkline** **UK**	25 mg once daily by mouth for 2 weeks followed by 50 mg once daily for 2 weeks; thereafter the dose is increased by a maximum of 50 to 100 mg every 1 to 2 weeks to usual	25 mg Lamotrigine Lamictal
Lamictal-50 Tablets 30 tablets	Lamotrigine tablet 50mg	**Central Nervous system drugs** Epilepsy الصرع	**gsk glaxosmithkline** **UK**	25 mg once daily by mouth for 2 weeks followed by 50 mg once daily for 2 weeks; thereafter the dose is increased by a maximum of 50 to 100 mg every 1 to 2 weeks to usual	Lamictal 50mg Lamotrigine 50mg 30 tablets
LAMIFEN Cream 15 gm	Terbinafine HCL 1% W/W	**Antifungals** Dermatitis الألتهابات الجلدية	**Jamjoum Pharma** **Saudi Arabia**	As directed	
Lamivir HBV Tablets 10 tab.	Lamivudine 100mg	**Antivirals** Hepatic Disorders اضطرابات الكبد	**CIPLA** **India**	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	Lamivudine Tablets IP 100 mg Lamivir HBV Cipla

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose** الجرعة	**Product Picture** صورة الدواء
Lamivir HBV tab Tablets 28 tab	lamivudine	**Antivirals** Hepatic Disorders اضطرابات الكبد	**CIPLA** **India**	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
LANASOPRAL-30 Capsules 20 caps	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Bahry medical** **Syria**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
LANCER 30 Capsules 30 caps	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Aurobindo** **Unknown**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Lancid cap 14 caps	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Micro lab =India** **Unknown**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Lancid	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Unknown** **Unknown**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Lanoxin Tablets 100 tab	Digoxin 0.25 mg / tab	**Cardio Vascular System drugs** Congstive Heart Failure	**aspen** **Ireland**	If rapid digitalisation is required loading dose of 750 to 1500 micrograms of digoxin by mouth during the initial 24-hour period, maintenance is 125 to 250 micrograms by	
Lanoxin Ampoules 5 amp x 2 ml	Digoxin 0.5 mg / 2 ml	**Cardio Vascular System drugs** Congstive Heart Failure	**aspen** **Ireland**	If rapid digitalisation is required loading dose of 750 to 1500 micrograms of digoxin by mouth during the initial 24-hour period, maintenance is 125 to 250 micrograms by	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Lanprol Capsules 14 caps	Lansoprazole 30 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shiba pharma** **Yemen**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	Lanprol Lansoprazole 14 Capsules Shiba Pharma
Lanprol Capsules 10 x 10 cap	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shiba pharma** **Yemen**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	Lanprol Shiba Pharma
Lanprol Capsules 10 x 10 Capsules	Lansoprazole 30 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shiba pharma** **Yemen**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	Lanprol Shiba Pharma
Lansazol cap 14 caps	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Hayat pharma** **Unknown**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	Lansazol 30 mg
lansec Capsules 14 caps	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**CIPLA** **India**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	14 Capsules Lansec 30mg Lansoprazole Capsules 30 mg Cipla
Lansec Capsules 14 cap	Lansoprazole 30 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Unknown** **Unknown**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	14 Capsules Lansec 30mg Lansoprazole Capsules 30 mg
Lansoprazol	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Unknown** **Unknown**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	LANSOPRAZOL 15 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Lansoprol Tablets 28 tab	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**NOBEL** **Unknown**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
lansotac Capsules 14 caps	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**BIOPHARM** **Yemen**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Lanspral- 30	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Medical Bahri** **Syria**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
LANTAK Capsules 14 caps	Lansoprazole 30 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Global Pharma** **Yemen**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Lantanon Capsules 14 caps	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**UNICHiMA** **Syria**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Lanzack Capsules 14 cap	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Y.E.PHARMA** **Yemen**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Lanzin Capsules 14 caps	Lansoprazole 30 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**YEDCO** **Yemen**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
LANZOL	Capsules	14 caps	Lansoprazole	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**Modern Pharama**	**Yemen**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Lanzomac 30	Capsules	100 cap	Lansoprazole	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**Shaphaco**	**Yemen**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
LANZOMAC 30	Capsules	14 cap	Lansoprazole 30 mg	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**Shaphaco**	**Yemen**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Lanzor			Unknown	**Unknown**	Unknown	**Unknown**	**Unknown**	As directed	
Lanzoram-30	Capsules	14 cap	Lansoprazole 30 mg	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**RAM PHARMA**	**Jordan**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
lanzotec 15	Capsules	15 caps	Lansoprazole 15 mg	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**JOSWE**	**Jordan**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
lanzotec 30	Capsules	15 caps	Lansoprazole 30 mg	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**JOSWE**	**Jordan**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Lapril 5 Tablets 20 tab	Enalapril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**MID Pharma** **Jordan**	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Laredine Tablets 10 tab	Loratadine 10 mg	**Antihistamines** Allergy الحساسية	**Shaphaco** **Yemen**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
larither Liquid_ampoule 	Artemether	**Antimalarial medicines** Malaria الملاريا	**Ipca** **Unknown**	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Lasilactone Tablets 10 tab	Spironolactone	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	initial dose of 100 mg daily by mouth, subsequently adjusted as necessary; some patients may require doses of up to 400 mg daily.	
Lasix 40 Tablets 24 tab	Furosemide	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Aventis Pharma** **Egypt**	40 to 80 mg daily by mouth, For children, the usual dose by mouth is 1 to 3 mg/kg daily up to a maximum of 40 mg daily	Lasix 40mg Aventis
Lasoprol 30 mg Capsules 14 cap	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**DELORBIS** **Cyprus**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	LASOPROL 30mg
Lavia 10 Tablets 4 tab	Vardenafil 10 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Modern Pharama** **Yemen**	10 mg taken about 25 minutes to one hour before sexual intercourse.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Lax -child Enema 60 ml for bottle	sodium phosphate+bi phosphate	**Gastro Intestinal drugs** Constipation الأمساك	**Hariri** **Syria**	adult = one bottle 120 ml delivered dose) once dairy = child 60 ml once dairy	
laxamid tab 20 tabs	Bisacodyl	**Gastro Intestinal drugs** Constipation الأمساك	**MEDICO LABS** **Syria**	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
Laxdrop Drop Oral 20 ml	sodium picosulfate 7.5 mg / 1 ml	**Gastro Intestinal drugs** Constipation الأمساك	**Shiba pharma** **Yemen**	children aged less than 4 years 0.250 mg/kg.	
LAXIN Tablets 20 tabs	Bisacodyl	**Gastro Intestinal drugs** Constipation الأمساك	**PHARCO** **Egypt**	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
LAXOFIN Suspension 125 ml / bottle	lactulose	**Gastro Intestinal drugs** Constipation الأمساك	**EIPICO** **egypt**	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Laxolac Syrup 100 ml for bottle	lactulose	**Gastro Intestinal drugs** Constipation الأمساك	**MUP** **egypt**	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
LAXOLAC Syrup 120 ml	Lactulose 67%	**Gastro Intestinal drugs** Constipation الأمساك	**MUP** **Egypt**	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Laxolac Syrup 300 ml	Lactulose 67%	**Gastro Intestinal drugs** Constipation الأمساك	**MUP** **Egypt**	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
laxolyne adult rectal supp 10 supps	Glycerin	**Gastro Intestinal drugs** Constipation الأمساك	**Julphar** **UAE**	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	 10 suppositories Laxolyne glycerin suppositories for adults Laxative
Laxonil Oral /Drops 15 ml	sodium picosulfate 7.5 mg/1ml	**Gastro Intestinal drugs** Constipation الأمساك	**Global Pharma** **Yemen**	adult = one bottle 120 ml delivered dose) once dairy = child 60 ml once dairy	Laxonil 15 ml
Lbidroxil Tablets 8 tab	Cefadroxil 1000 mg / tab	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**gsk glaxosmithkline** **UK**	1 to 2 g daily as a single dose or in two divided doses.	
L-Carnitine Capsules 20 cap	levocarnitine 350 mg	**Gastro Intestinal drugs** Nutrition supplementation تغذية تكميلية	**MEPACO** **Egypt**	up to 200 mg/kg daily of levocarnitine is given by mouth, in 2 to 4 divided doses.	L-Carnitine
L-Cet Tablets 20 tab	Levocetirizine	**Antihistamines** Allergy الحساسية	**ZYNOVA** **Unknown**	by mouth in a dose of 5 mg once daily.	
Lecital-20 Tablets 30 tablets	Citalopram tablet 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**JOSWE** **Jordan**	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	LeCital 20 30 Caplets Citalopram 20 mg JOSWE

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Lee-Flox tablet 1strip*5tablet	Levofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Pharo pharma** **Egypt**	Tab 500mg & 250mg Infu 500mg	
Lefoxin Tablets 5 tablet	Levofloxacin* 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	Tab 500mg & 250mg Infu 500mg	
Lermacine Tablets 20 Coated tablets	Vit. B1 + B2 +B6	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**LABATEC pharma** **Switzerland**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Lesflam Tablets 10 x 10 tab	Diclofenac Potassium	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Unknown** **Unknown**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Lesflam 50 Tablets 10 x 10 tab	Diclofenac Potassium 50 mg	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**UNISON** **Thailand**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
LETHAR amp Ampoules 6 amp	Artemether 80 mg / 1 ml	**Antimalarial medicines** Malaria الملاريا	**Unknown** **Unknown**	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Letizen 10mg Tablets 20 tab	Cetirizine Hydrochloride	**Antihistamines** Allergy الحساسية	**KRKA** **India**	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
LETROX 100 tablte toon	levothyroxine sodium	**Hormones** Thyroid hormone الغدة الدرقية	**MENARINI** **Italy**	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
LETROX 50 TABLTE toon	levothyroxine sodium	**Hormones** Thyroid hormone الغدة الدرقية	**MENARINL GERMANY** **Unknown**	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
Levanic tablet 1strip*5tablet	Levofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**MUP** **Egypt**	Tab 500mg & 250mg Infu 500mg	
Levanic	Levofloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	Tab 500mg & 250mg Infu 500mg	
Levar Tablets 10 tab	Levocetirizine	**Antihistamines** Allergy الحساسية	**Unknown** **Unknown**	by mouth in a dose of 5 mg once daily.	
Levipil-250 Tablets 30 tablets	levetiracetam tablet 250mg	**Central Nervous system drugs** Epilepsy الصرع	**SUN** **India**	1-3 gm increased gradually, children 50 kg is 20 mg/kg daily	
Levobact Infusion Infusion Bottle 1bottel*100ml	Levofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	Tab 500mg & 250mg Infu 500mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
LEVOBACT-250 tablet 1strip*10tablet	Levofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	Tab 500mg & 250mg Infu 500mg	10 Tablets Levofloxacin Tablets 250 mg LEVOBACT 250 Cipla
LEVOBACT-500 tablet 1strip*10tablet	Levofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	Tab 500mg & 250mg Infu 500mg	10 Tablets Levofloxacin Tablets 500 mg LEVOBACT 500 Cipla
Levocar Tablets 10 tablets	Carbidopa/Levodopa tablet (25/250)mg	**Central Nervous system drugs** Parkinson's disease مرض الرعاش	**Alphamoun** **Egypt**	Minimum/Maximum Adult Daily Dose:2 - 8 Tablet, Sustained Action	Levocar Anti-parkinsonian Agent
Levolin Inhaler 200 doses	levosalbutamol 50 mic g	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	630 mcg are inhaled three times daily as a nebulised solution, increased if necessary to 1.25 mg three times daily. Children aged 6 to 11 years may be given 310 micrograms three	Levolin Inhaler LEVOSALBUTAMOL INHALER 50 MCG 200 Cipla
Levolin Rotacaps Capsules Rotacaps 30 cap	levosalbutamol 100 mic g	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	630 mcg are inhaled three times daily as a nebulised solution, increased if necessary to 1.25 mg three times daily. Children aged 6 to 11 years may be given 310 micrograms three	Levolin Rotacaps LEVOSALBUTAMOL ROTACAPS 100 MCG 30 capsules Cipla
Levomac 500 Tablets 7 film-coated tablets	Levofloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**MACLEODS** **India**	Tab 500mg & 250mg Infu 500mg	Levomac 500 Levofloxacin 500 mg film-coated tablets Oral use
Levorid Tablets 10 tablets	Levocetrizine 5 mg	**Antihistamines** Allergy الحساسية	**CIPLA** **India**	by mouth in a dose of 5 mg once daily.	10 Tablets Levorid Levocetirizine Tablets 5 mg Cipla

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Levoscot 500 Tablets	Levofloxacin 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Scott Edil Pharma** **India**	Tab 500mg & 250mg Infu 500mg	
LEVOTA 250 tablet 10 TABS	Levofloxacin 250 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	Tab 500mg & 250mg Infu 500mg	LEVOTA 250 10 Tablets Levofloxacin 250mg
LEVOTA 500 tablet 10 tabs	Levofloxacin500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	Tab 500mg & 250mg Infu 500mg	LEVOTA 500 10 Tablets Levofloxacin 500mg
Levoxine 500 Caplets 10 F/C caplets	Levofloxacin 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shiba pharma** **Yemen**	Tab 500mg & 250mg Infu 500mg	Levoxine 500 Levofloxacin Strong Broad-Spectrum Antibacterial Shiba Pharma
LEVOZIN Oral / Solution 100 ml	Levocetirizine 2.5 mg/ 5 ml	**Antihistamines** Allergy الحساسية	**Modern Pharama** **Yemen**	by mouth in a dose of 5 mg once daily.	
LEVOZIN 5 Tablets 30 Film Coated Tablets	Levocetirizine 5 mg	**Antihistamines** Allergy الحساسية	**Modern Pharama** **Yemen**	by mouth in a dose of 5 mg once daily.	
Lexotanil Anxiety, Insumnea 30 tablets	Bromazepam tablets 3mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**ROCHE** **Germany**	Tablets	Lexotanil Bromazepam 3 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Lezin 5 Tablets 10 tab	Levocetirizine5 mg / tab	**Antihistamines** Allergy الحساسية	**Global Pharma** **Yemen**	by mouth in a dose of 5 mg once daily.	
Librax Tablets 30 Tablets	Chlordiazepoxide 5 mg + Clidinium bromaid capsule 2.5mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**MEDA** **Unknown**	Minimum/Maximum Adult Daily Dose:1 - 8 Capsule	 Librax Dragées (sugar-coated tablets) Chlordiazepoxide + Clidinium bromide 5/2.5 mg 20 Dragées MEDA
Librax tab 30 tabs	Chlordiazepoxide +Clidinium Bromide	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**ICN** **USA**	Chlordiazepoxide up to 30 mg daily in divided doses.	Librax MEDA
Librocol Tablets 30 tablets	Chlordiazepoxide + Clidinium bromaid tablet (5/2.5)mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Lagap** **Switzerland**	Minimum/Maximum Adult Daily Dose:1 - 8 Capsule	 Librocol Anticholinergic Lagap
Librocol Tablets 30 tab	Chlordiazepoxide Hydrochloride 5 mg + Clidinium Bromide 2.5 mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Lagap** **Switzerland**	30 mg daily in divided doses; in severe conditions up to 100 mg daily has been given	 Librocol Anticholinergic Lagap
librocol tab 30 mg	Chlordiazepoxide +Clidinium Bromide	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Lagap** **Switzerland**	Chlordiazepoxide up to 30 mg daily in divided doses.	 Librocol Anticholinergique Lagap
Lidaprim forte Tablets 10 tab	Trimethoprim 160 mg + 800 mg Sulphamethoxazole	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Nycomed** **Viena, Austria**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Lidaprim forte

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
LIDO 40 Ampoules 10 amp x 2 ml	lidocaine 40 mg / 2 ml	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**CSPC** **China**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
LIDOCAINE Tube box of 10 cartridges of 36 mg	adrinaline	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**Huons** **Korea**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
lidocaine injection BP2% Vial bottle of 50 ml of 2%	lidocaine injection BP2%	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**ROTEXMEDICA** **Germany**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
LIDOGEL 2% Gel bottle of 30mg	lidocaine 2%	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**MEDICO LABS** **Syria**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Lidosol Spray bottle of 10% w/w in 50ml	lidocaine 5 gm / 50 ml 0f 10 % w/v	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**Shiba pharma** **Yemen**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Lidosol Plus Spray 50 ml	Lidocaine 5 gm + Cetrimide 0.0357 gm / 50 ml	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**Shiba pharma** **Yemen**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Limbitrol Capsules 30 capsules	Amitriptyline + Chlordiazopoxide capsule (12.5/5)mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**MEDA** **Unknown**	Minimum/Maximum Adult Daily Dose:2 - 6 Tablet	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Lincocile	Lincomycin	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Unknown** **Unknown**	Cap 500mg Vial 600mg & 300mg	LINCOCILE 600 LIQUID VIAL Lincomycin HCL INJECTABLE
Lincocile - 500 Capsules 12 capsule	Lincomycin*	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Alpha** **Syria**	Cap 500mg Vial 600mg & 300mg	12 Capsules LINCOCILE 500 LINCOMYCIN HCL MONOHYDRATE ALPHA
Lincocile 300 Vial 2 ml	Lincomycin*	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Alpha** **Syria**	Cap 500mg Vial 600mg & 300mg	2 ML LINCOCILE 300 LIQUID VIAL Lincomycin HCL INJECTABLE For IM IV Use
Lincocile 500	Lincomycin	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Unknown** **Unknown**	Cap 500mg Vial 600mg & 300mg	12 Capsules LINCOCILE 500 LINCOMYCIN HCL MONOHYDRATE
Lincocile 600 Vial 2 ml	Lincomycin*	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Alpha** **Syria**	Cap 500mg Vial 600mg & 300mg	2 ML LINCOCILE 600 LIQUID VIAL Lincomycin HCL INJECTABLE For IM IV Use ALPHA
Lincocin Vial 1vial	Lincomycin 600 mg / 2 ml	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Pfizer** **USA**	Cap 500mg Vial 600mg & 300mg	Pfizer LINCOCIN™ 600 mg LINCOMYCIN Sterile solution Lincomycin 2ml FOR INTRAMUSCULAR OR INTRAVENOUS USE
LINCOLIFE Vial 30 vial of 2 ml	Lincomycin 300 mg / ml	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**eurolife** **India**	Cap 500mg Vial 600mg & 300mg	eurolife ℞ Prescription drug 10 Vials LINCOLIFE Lincomycin Injection BP 300mg/ml eurolife

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Lincomycin Vial 10 vial x 2 ml	Lincomycin 300 mg / nl	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**SHIN POONG** **Korea**	Cap 500mg Vial 600mg & 300mg	Lincomycin SHIN POONG PHARM CO.,LTD.
Lincomycin Ampoules 10 amp x 1 ml	Lincomycin 300 mg / ml	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Hemofarm** **Yugoslavia**	Cap 500mg Vial 600mg & 300mg	Lincomycin 300 mg/ml Hemofarm
Lincomycin	Lincomycin	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**ZHEJIANG** **China**	Cap 500mg Vial 600mg & 300mg	LINCOMYCIN
Lincomycin Vial 2 ml / Vial	Lincomycin	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Hebel** **China**	Cap 500mg Vial 600mg & 300mg	Lincomycin 600mg
Lincomycin Vial 2 ml /vial	Lincomycin 600 mg / 2ml	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Shanghai pharmaceutical** **China**	Cap 500mg Vial 600mg & 300mg	
Lincomycin normon parentral inj 1vial	Lincomycin*	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Normon** **Spain**	Cap 500mg Vial 600mg & 300mg	 VIAL OF 2 ml LINCOMYCIN NORMON 600 INJECTABLE SOLUTION 300 mg/ml FOR INTRAMUSCULAR OR INTRAVENOUS USE
Lincomycin vial Vial 10 vial x 2 ml	Lincomycin 600 / 1 vial	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**ILDONG** **Korea**	Cap 500mg Vial 600mg & 300mg	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Lincomycin-UMD Vial 1vial	Lincomycin*	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Unknown** **Unknown**	Cap 500mg Vial 600mg & 300mg	2 ml. Lincomycin-UMD Sterile Solution Injection
Lincovit parentral inj 1vial	Lincomycin*	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Vitalis** **USA**	Cap 500mg Vial 600mg & 300mg	Lincovit Lincomycin 600 mg/2ml 1 Vial Vitalis SOLUTION FOR INJECTION I.M. / I.V.
Lincovit	Lincomycin	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Unknown** **Unknown**	Cap 500mg Vial 600mg & 300mg	Lincovit 1 Vial Vitalis
Lindynette Tablets 21	ethinylestradiol - dessogestrel	**Gynaecology drugs** Contraceptives موانع الحمل	**GEDEON RICHTER** **HUNGARY**	one tablte daily from the frist day of menstution for 21 day	Lindynette 30
lindynette Tablets 21	ethinylestradiol - gestoden	**Gynaecology drugs** Contraceptives موانع الحمل	**GEDEON RICHTER** **HUNGARY**	one tablte daily from the frist day of menstution for 21 day	Lindynette 20
Linocin Vial 1vial of 2 ml	Lincomycin 600 mg /vial	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Thai** **Thailand**	Cap 500mg Vial 600mg & 300mg	2 ml. LINOCIN
Linopril 10 mg Tablets 28 tablet	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Pharma International** **Jordan**	usual oral dose is 5 -20 mg daily,	Linopril 10 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Linopril 5 mg Tablets 28 tablet	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**PHARMA INTERNATIO NAL** **Jordan**	usual oral dose is 5 -20 mg daily,	
Liocaine Spray 60 ml	Lidocaine	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**Unknown** **Unknown**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Lioraz 10 Syrup 120 ml	Baclofen 10 mg	**Muscle relaxations** Hiccup الفهقة او الفواق	**unknown** **Unknown**	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	
lioraz 25 Tablets 3strip of 10 coated tablet of 25mg	Baclofen 25 mg	**Muscle relaxations** Hiccup الفهقة او الفواق	**Razi Pharma** **Syria**	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	
lipanthyl-200mg capsule 30capsule	fenofibrate200mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**reci pharama laboratory** **Unknown**	Primary H ypercholesterolemia/Mixed Hyperlipidemia: ADULTS: PO Initial dose is 160 mg/day. Hypertriglyceridemia: ADULTS: PO Start with 54 to	
Lipinorm 20 Tablets 28 tab	Atorvastatin Calcium	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**MUP** **Egypt**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
lipitor-20mg tablet 30film coated tablet	atorvastatin-20mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Pfizer** **USA**	Oral only.: ADULTS: PO 10 to 80 mg/day.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Lipo-Flavonoid Caplets 100 cap	Combination	**Dietary Supplement** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Unknown** **Unknown**	As directed	
lipolysin-20mg tablet 10film coated tablet	atorvastatin20mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**OUBARY PHARMA** **Syria**	Oral only.: ADULTS: PO 10 to 80 mg/day.	LIPOLYSIN 20 mg
Liquid paraffin Solution 100 ml	paraffin oil	**Gastro Intestinal drugs** Constipation الأمساك	**Shiba pharma** **Yemen**	Adults (15 – 45 ml). Children(5 – 15 ml) / a day. Liquid paraffin should not be given to children under 6 for fear of pulmonary aspiration.	 بارافين سائل Liquid Paraffin B.P 100 ml Shiba Pharma
Liquid Paraffin Solution 60 ml	Paraffin oil	**Gastro Intestinal drugs** Constipation الأمساك	**Unknown** **Unknown**	Adults (15 – 45 ml). Children(5 – 15 ml) / a day. Liquid paraffin should not be given to children under 6 for fear of pulmonary aspiration.	بارافين سائل Liquid Paraffin B.P.
Liseva cap Soft Gelatin Capsules 30 SC	nicotinamide+vit b6,b12+riboflavin +thiamine	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**ILDONG** **Korea**	2 tab /day or 10 ml /day	Liseva ILDONG
Lisinopril 12.5-5-10 mg	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	usual oral dose is 5 -20 mg daily,	Lisinopril Tablets
lisistril	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	usual oral dose is 5 -20 mg daily,	LISISTRIL 5 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
lisistril 10 Tablets 20 tabs	Lisinopril 10 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**BIOPHARM** **Yemen**	usual oral dose is 5 -20 mg daily,	LISISTRIL 10 mg 28 Tablets
lisitens	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	usual oral dose is 5 -20 mg daily,	Lisitens 28 tablets
lisopress	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	usual oral dose is 5 -20 mg daily,	LISOPRESS 10 mg 28
Lisopril 5 mg Tablets 30 tab	Lisinopril 5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ACTAVIS** **Unknown**	usual oral dose is 5 -20 mg daily,	actavis Lisopril 5 mg Lisinopril 30 tablets
LITOR-20 tablet 30tablet	atorvastatin20mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**BIOPHARM** **Yemen**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
LITOR-40 Tablets 30tablet	atorvastatin 40 mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**BIOPHARM** **Yemen**	Oral only.: ADULTS: PO 10 to 80 mg/day.	LITOR-40 30 Tablets Atorvastatin 40 mg
LiV-52 200ml	herbal mieral product	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Himalaya Drug Co** **India**	1-3 capsule daily.	Himalaya Liv.52

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Liv-52 syr Syrup 200 ml syr	herbal products	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Himalaya Drug Co** **India**	2 tab b.i.d __ or ___ 1 teaspoonful 2 or 3 tim dailt	Himalaya Liv.52
Liv-52 tab Tablets 100 tab	herbal products	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Himalaya Drug Co** **India**	2 tab b.i.d __ or ___ 1 teaspoonful 2 or 3 tim dailt	Himalaya Liv.52
Liver albumin plus Capsules 20 cap	l-methionine+ methionine+ inositol+choline +vit b1,2,5,6,12	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**drug agency** **Unknown**	1-3 cap daily	Liver Albumin Plus 20 Capsules
Liver Albumin Plus Capsules 20 capsules	L-gluta(thion10mcg+min10mg)+lecithin300mg+silymarin140mg+EggAlbumin100mg+Why	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**International drug agency** **Unknown**	1-3 capsule daily.	Liver Albumin Plus 20 Capsules
Liver care Tablets 60 tab	herbal products	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**HealthAid** **England**	2 tab b.i.d __ or ___ 1 teaspoonful 2 or 3 tim dailt	Livercare Detoxify, Cleanse & Maintain Liver Health HealthAid
Livercare Tablets 60 tab	Hepatoprotective Agents	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Health Aid** **Thailand**	1-3 capsule daily.	Livercare Detoxify, Cleanse & Maintain Liver Health
Livertonic Capsules 30 cap	l-methionine	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**australin meda** **Australia**	1-3 cap daily	30 Livertonic digestive health

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Livolin forte Soft Gelatin Capsules 30 SC	essential phospholipids with vit	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**MEGA** **Thailand**	Adluts : 1800mg/daily(divaded into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divaded into 3 doses).	LIVOLIN Hepatotonic Forte PHOSPHOLIPIDS WITH VITAMINS MEGA
livolin Forte Capsules 30 CAPSULS	Essentiol phospholipids 300mg+vit.B1 10mg+vit.B2 6mg+vit.B6 10mg+ vit.B12	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**MEGA** **Thailand**	1-3 capsule daily.	LIVOLIN Forte
lizo 10 mg Tablets 30 tablet	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Shiba pharma** **Yemen**	usual oral dose is 5 -20 mg daily,	Lizo 10 mg Lisinopril 30 Tablets Antihypertensive Shiba Pharma
lizo 20 mg Tablets 30 tablet	Lisinopril 20 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Shiba pharma** **Yemen**	usual oral dose is 5 -20 mg daily,	Lizo 20 mg Lisinopril 30 Tablets Antihypertensive Shiba Pharma
lizo 5 Tablets 30 tablet	Lisinopril 5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Shiba pharma** **Yemen**	usual oral dose is 5 -20 mg daily,	Lizo 5 mg Lisinopril 30 Tablets Antihypertensive Shiba Pharma
Locain Gel 30 gm	Lidocaine	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**Unknown** **Unknown**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Lodoz Tablets 28 TAB	Bisoprolol + Hydrochlorothiazide	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**MERCK** **France**	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Lofoto Suspension 5 ml	Tobramycin 0.3% + Dexamethasone 0.1%	**Antibiotics** Eye العين	**RAFARM** **Unknown**	As directed	
Lohist 	Loratadine	**Antihistamines** Allergy الحساسية	**NPI Pharma** **Unknown**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	Lohist* Loratadine Tablets 10 mg NP
Lohist* Tablets 10 tab	Loratadine	**Antihistamines** Allergy الحساسية	**NP** **Unknown**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Lokit cap 100 caps	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Kopran** **India**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	LOKIT OMEPRAZOLE CAPSULES 20mg
LOKIT Capsules 10 cap	Omeprazole 20 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Unknown** **Unknown**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	LOKIT OMEPRAZOLE CAPSULES 20mg
LOMAC vial Vial 1 vial	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**CIPLA** **India**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	Omeprazole for Injection LOMAC For Intravenous Injection Only Cipla
LOMAC-20 Caplets 10x 10 cap	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**CIPLA** **India**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Lome Max Tablets 1strip*10 tablet	Lomefloxacin HCl*	**antibacterial** Bacterial Infections الأصابات البكتيرية	**Shiba pharma** **Yemen**	Tab 400mg	Lome Max Lomefloxacin Strong broad spectrum antibacterial Shiba Pharma
Lomefent Suppositoris 1 vagenal supp	Fenticonazole nitrate 600mg	**Antifungals** Dermatitis الألتهابات الجلدية	**Global Pharma** **Yemen**	200-mg pessary is inserted into the vagina at bedtime for 3 nights or a 600-mg pessary is inserted once only at bedtime.	Lomefent 1 Vaginal Ovule
Lomefent Suppositoris 1 vagenal supp	Fenticonazole nitrate 1000mg	**Antifungals** Dermatitis الألتهابات الجلدية	**Global Pharma** **Yemen**	200-mg pessary is inserted into the vagina at bedtime for 3 nights or a 600-mg pessary is inserted once only at bedtime. Fenticonazole nitrate is also applied topically as a 2% cream	
Lomenaz 1000 vaginal ovule 1 vagenal supp	Fenticonazole nitrate 1000mg	**Antifungals** Dermatitis الألتهابات الجلدية	**Modern Pharama** **Yemen**	200-mg pessary is inserted into the vagina at bedtime for 3 nights or a 600-mg pessary is inserted once only at bedtime.	Lomenaz 1000 Lomenaz
Lomenaz 600 vaginal ovule 1 vagenal supp	Fenticonazole nitrate 600 mg	**Antifungals** Dermatitis الألتهابات الجلدية	**Modern Pharama** **Yemen**	200-mg pessary is inserted into the vagina at bedtime for 3 nights or a 600-mg pessary is inserted once only at bedtime.	لوميناز Lomenaz
Lomex tablet 1strip*10tablet	Lomefloxacin HCl*	**antibacterial** Bacterial Infections الأصابات البكتيرية	**SIGMA** **Egypt**	Tab 400mg	Lomex 400 Lomefloxacin 400 mg 10 tablets SIGMA
Lomexin Suppositoris 3 Ovules	Fenticonazole nitrate 200 mg	**Antifungals** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	200-mg pessary is inserted into the vagina at bedtime for 3 nights or a 600-mg pessary is inserted once only at bedtime. Fenticonazole nitrate is also applied topically as a 2% cream	 LOMEXIN Fenticonazole nitrate 3 Ovules 200 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Lomflox Tablet 1strip*5tablet	Lomefloxacin HCl	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Ipca** **Unknown**	Tab 400mg	
Lomiflox Tablets 1strip *10 tablet	Lomefloxacin 400 mg / tab	**antibacterial** Bacterial Infections الأصابات البكتيرية	**Pharmacare** **Yemen**	One tablet a day for 10 – 14 days.	
Lopid 600 Tablets 30 tab	Gemfibrozil	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Pfizer** **USA**	The usual dose, by mouth, is 1.2 g daily in 2 divided doses given 30 minutes before the morning and evening meals.	
Loprax 200 Tablets 10 tablet	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**EXIR** **IRAN**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Loprax 400 Tablets 6 tablet	Cefpodoxime Proxetil	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**EXIR** **IRAN**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Loprax Syrup Powder for Suspension 100 ml	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**EXIR** **IRAN**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
lopril	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	usual oral dose is 5 -20 mg daily,	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
LORA Tablets 10 tab	Loratadine	**Antihistamines** Allergy الحساسية	**Modern Pharama** **Yemen**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Loracin tablet 1strip*14tablet	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**OUBARY PHARMA** **Syria**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	LORACIN 250 mg Clarithromycin
Loracin	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**Unknown** **Unknown**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	Loracin Clarithromycin
LORANS 1mg Tablets 30 tablets	lorazepam tablets 1mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق و القلق	**Medochemia** **Unknown**	Minimum/Maximum Adult Daily Dose:0.5 - 10 mg (milligram) OR 1 - 20 Tablet	LORANS 1mg Lorazepam
LORATIN Tablets 20 tab	Loratadine 10 mg	**Antihistamines** Allergy الحساسية	**SEDICO** **Egypt**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Loraxone Parentral inj 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**EXIR** **IRAN**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	LORAXONE 1000 Ceftriaxone EXIR
Lorista H Tablets 28 tab	Losartan Potassium 50 mg + Hydrochlorthiazide 12.5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**KRKA** **India**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	Lorista H 50 mg/12.5 mg Film-coated tablets

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
LORSEC 20 Capsules 14 caps	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**EXIR** **IRAN**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
LOSAKAL	Losartan Potassium	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
losakal 50mg Tablets 28tab	losartan potssium	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Torrent** **India**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
losart ???	Losartan Potassium	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
losart Tablets Tablets 30tab	losartan potassium	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**RAM PHARMA** **Jordan**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
losartan 50 Tablets 10tab	Losarta potassium	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**AMRIYA PHARMA** **Egypt**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
losartan 50mg Tablets 10tab	losartan potassium	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Pharma Check** **Unknown**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
losartan-H Tablets 30 tab	Losartan potassium	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**BIOPHARM** **Yemen**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
losartic Tablets 30tab	Losartan +hydrochlorothiazid	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**OUBARY PHARMA** **Syria**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Losil Ampoules 10 amp	Hyoscine N-Butylbromide	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Vitalis** **USA**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Losiram 10 mg Tablets 28 tab	Escitalopram Oxalate 10 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Bilim** **Turkey**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Losiram-10 Tablets 28 tablets	Escitalopram tablet 10mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**bilim** **Turkey**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Losiram-20 Tablets 28 tablets	Escitalopram tablet 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**bilim** **Turkey**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Lostamin Syrup 100 ml	Loratadine	**Antihistamines** Allergy الحساسية	**Avenzor** **Syria**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
LOTAN Tablets 20 tab	Unknown	**Gastro Intestinal drugs** Diarrhea الأسهال	**MEDICO LABS** **Syria**	As directed	
Lotensin 10 Tablets 30 tabs	Lisinopril 10 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Y.E.PHARMA** **Yemen**	usual oral dose is 5 -20 mg daily,	
Lotensin 20 Tablets 30 tabs	Lisinopril 20 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Y.E.PHARMA** **Yemen**	usual oral dose is 5 -20 mg daily,	
Lotensin 5 Tablets 30 tabs	Lisinopril 5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Y.E.PHARMA** **Yemen**	usual oral dose is 5 -20 mg daily,	
Lotensin-H 10 Tablets 30 tabs	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Y.E.PHARMA** **Yemen**	usual oral dose is 5 -20 mg daily,	
Lotensin-H 20 Tablets 30 tabs	Lisinopril 20 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Y.E.PHARMA** **Yemen**	usual oral dose is 5 -20 mg daily,	
Lotensin-H 5 Tablets 30 tabs	Lisinopril 5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Y.E.PHARMA** **Yemen**	usual oral dose is 5 -20 mg daily,	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Lotriderm			Clotrimazole	**Antifungals**	Dermatitis الألتهابات الجلدية	**Unknown**	**Unknown**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Lover	Tablets	4 tab	Vardenafil 10 mg	**Sex Stimulants**	Sex Stimulants منشطات جنسية	**Y.E.PHARMA**	**Yemen**	10 mg taken about 25 minutes to one hour before sexual intercourse.	10mg Lover Vardenafil
lowrac 5			Amlodipine	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**Unknown**	**Unknown**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	LOWRAC 5 5mg Amlodipine THE JORDANIAN PHARMACEUTICAL MANUFACTURING
Loxtra			Ofloxacin + Prednisolone + Tetracycline	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Unknown**	**Unknown**	tab 400mg & 200mg	Ophthalmics Loxtra
Lozole-20	Capsules	2 x 10 caps	Omeprazole	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**Unknown**	**Unknown**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Lumartem	Tablets	3 x 8 tab	Artemether + Lumefantine	**Antimalarial medicines**	Malaria الملاريا	**CIPLA**	**India**	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Lumartem			Artemether	**Antimalarial medicines**	Malaria الملاريا	**CIPLA**	**India**	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Lvertonic Capsules 30 capsules	silybum marianum(milk thistle)fruit equiv.to dry 3000mg .cyanara scolymus(globe	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**vitex pharmaceutical s(Australia)** **Unknown**	1-3 capsule daily.	
Lyrica Capsules 14 capsules	pregabalin capsule 75mg	**Central Nervous system drugs** Epilepsy الصرع	**Pfizer** **USA**	Initial 50 mg orally three times/day , incease to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
Lyrolin Capsules 30 cap	Pregabalin	**Central Nervous system drugs** Epilepsy الصرع	**HIKMA** **Jordan**	Initial 50 mg orally three times/day , incease to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
Lyse Nasal / Drops 10 ml	Combination	**Respiratory drugs** Nose	**PHARCO** **Egypt**	As directed	
Maalox Sachets 20 saches	Al(OH)+Mg(OH) +Simethicone	**Gastro Intestinal drugs** Indigestion سوء الهضم	**SANOFI** **France**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Maalox Plus Suspension 180 ml	Aluminium Hydroxide 230 mg + Magnesium Hydroxide 430 mg + Simeticone	**Gastro Intestinal drugs** Indigestion سوء الهضم	**SANOFI** **France**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Macriate -20 Tablets 30 tab	Rabeprazole Sodium	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**MACLEODS** **India**	*20 mg once daily * 10 mg bid	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Magnacef	Dry syrup	1bottel*60ml	Cefixime	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**RAM PHARMA**	**Jordan**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Magnacef	Capsules	1strip*8capsule	Cefixime	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**RAM PHARMA**	**Jordan**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Magnacef	Suspension	30 ml	Unknown	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**RAM PHARMA**	**Unknown**	As directed	
Magnacef Tablets	Tablets	1strip*6tablet	Cefixime	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**RAM PHARMA**	**Jordan**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Magnafin	Suspension	90 ml	Each 15 ml contains milk of magnesia USP 11.25 ml and Liquid paraffin BP 3.75 ml.	**Gastro Intestinal drugs**	Constipation الأمساك	**Pharmacare**	**Yemen**	As laxative:Adults and children 5 - 20ml at bedtime -- As antacid : Adults and children 5 –10 ml.	
Magnesium	Suspension	240 ml	Magnesium Citrate	**Gastro Intestinal drugs**	Constipation الأمساك	**BMP**	**Thailand**	ADULTS: PO 1 glassful (approximately 240 ml) prn. CHILDREN 2–6 YR: PO 4–12 ml. CHILDREN 6–12 YR: PO 50–100 ml. Repeat if necessary.	
Magnesium	Solid		Magnesium Citrate	**Gastro Intestinal drugs**	Constipation الأمساك	**hansal**	**Unknown**	ADULTS: PO 1 glassful (approximately 240 ml) prn. CHILDREN 2–6 YR: PO 4–12 ml. CHILDREN 6–12 YR: PO 50–100 ml. Repeat if necessary.	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Magnesium Tablets	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Unknown** **Unknown**	As directed	JUVAMINE Magnésium +Vitamines B6, B2
Magnesium Tablets 30 eff. Tab	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**JUVAMINE** **France**	As directed	JUVAMINE Magnésium +Vitamines B6, B2
Magnesium Sulphate amp, vial	Magnesium Sulphate	**Gastro Intestinal drugs** Constipation الأمساك	**Unknown** **Unknown**	ADULTS: PO 1 glassful (approximately 240 ml) prn. CHILDREN 2–6 YR: PO 4–12 ml. CHILDREN 6–12 YR: PO 50–100 ml. Repeat if necessary.	Sulphate Heptahydrate POM
Malaquin Syrup 60 ml	Chloroquine Phosphate	**Antimalarial medicines** Malaria الملاريا	**YEDCO** **Yemen**	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Malarim Tablets 3 tab	Sulfadoxine 500 mg + Pyrimethamine 25 mg	**Antimalarial medicines** Malaria الملاريا	**Shiba pharma** **Yemen**	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	Malarim Shiba Pharma
Malartam Tablets 20 tabs	Artemether 20 mg + lumefantrine 120 mg	**Antimalarial medicines** Malaria الملاريا	**Modern Pharama** **Yemen**	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children artemether 20- 80 mg with lumefantrine 120- 480 mg	
MALICUR FORTE Tablets	Sulfadoxine 750 mg + Pyrimethamine 37.5 mg	**Antimalarial medicines** Malaria الملاريا	**RFA** **Yemen**	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	MALICUR FORTE Sulfadoxine 750mg + Pyrimethamine 37.5mg Antimalarial RFA

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Maltofer	Tablets	30 chewable tablets.	Ferrous Sulfate 100mg/ chewable tablet.	**Vitamines and Menirals**	Anaemia فقر الدم	**Vifor**	**Unknown**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Maltofer	drops	30 ml	Ferrous Sulfate	**Vitamines and Menirals**	Anaemia فقر الدم	**Vifor**	**Unknown**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Maltofer	Syrup	150 ml	Ferrous Sulfate	**Vitamines and Menirals**	Anaemia فقر الدم	**Vifor**	**Unknown**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Mamera	Capsules	30 Capsules	Multi Vitamines	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**JOSWE**	**Jordan**	As directed	
Maquine	Syrup	60 ml	Chloroquine Phosphate 120 mg	**Antimalarial medicines**	Malaria الملاريا	**Shaphaco**	**Yemen**	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Maquine	Tablets	500 tabs	Chloroquine Phosphate 250 mg	**Antimalarial medicines**	Malaria الملاريا	**Shaphaco**	**Yemen**	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Maquine	Tablets	20 tabs	Chloroquine Phosphate 250 mg	**Antimalarial medicines**	Malaria الملاريا	**Shaphaco**	**Yemen**	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	Maquine Chloroquine Phosphate 20 Tablets

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Maquine Forte Syrup (60 ml)	Chloroquine Phosphate	**Antimalarial medicines** Malaria الملاريا	**Shaphaco** **Yemen**	Treatment :adult 600 mg followed after 6 by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - Prophylaxis one dose each	
Marevan 3 mg Tablets 100 Tablets	warfarin 3mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**glaxosmithkline** **UK**	3 - 10 mg daily	
Marevan 5 mg Tablets 100tablet	warfarin 5 mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**glaxosmithkline** **UK**	3 - 10 mg daily	
Mariagon Capsules 20 cap	silymarin 140 mg	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Alphamoun** **Egypt**	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Mariagon Capsules 20 capsules	silymarin capsule 140mg.	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Alphamoun** **Unknown**	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Marvelon Tablets 21	ethinylestradiol - desogestrel 4	**Gynaecology drugs** Contraceptives موانع الحمل	**organon** **Unknown**	one tablte daily from the frist day of menstution for 21 day	
Maxgalin 150 Capsules	Pregabalin	**Central Nervous system drugs** Epilepsy الصرع	**Unknown** **Unknown**	Initial 50 mg orally three times/day , incease to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Maxgalin 50			Pregabalin	**Central Nervous system drugs**	Epilepsy الصرع	**SUN Pharma**	**India**	Initial 50 mg orally three times/day , incease to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
Maxgalin-75			pregabalin capsule 75mg	**Central Nervous system drugs**	Epilepsy الصرع	**SUN**	**India**	Initial 50 mg orally three times/day , incease to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
MAXI-CAL	Capsules	60 cap	Ca+ Vit D	**Vitamines and Menirals**	Osteoarthritis التهابات العظام	**CENTURY**	**USA**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
MAXI-CAL	Caplets	60 caplet	Calcum 1200mg+ vit d 400IU/caplet.	**Vitamines and Menirals**	Osteoarthritis التهابات العظام	**CENTURY**	**USA**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
MAXIDEX	Eye drops	5 ml	Dexamethasone 0.1%	**Corticosteroid**	Eye العين	**Alcon**	**Unknown**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Maxime			Ceftriaxone Sodium	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Unknown**	**Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Maximum Strength	Tablets	84 coated tablets	Ibuprofen tablet 400mg tab.	**Nonsteroidal Anti-**	Analgesic مهدئ الأوجاع			Oral doses of400 mg to 1.2 g daily .	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
MAXIMUM STRENGTH Tablets 60 tab	Glucosamine + Chondrotin	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**CENTURY** **USA**	As directed	
Maxitrol Eye ointement 3.5 gm	Dexamethasone + Neomycin Sulfate + Polymyxin B Sulfate	**Corticosteroid** Inflammations الألتهابات	**Alcon** **Unknown**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Mazit Dry syrup 1bottel*15ml	Azithromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Neopharma** **UAE**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Mazit	Azithromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Mazit	Azithromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
MEBO	Sitosterol	**Skin Disorders** Burns الحروق	**Unknown** **Unknown**	The usual dose is 3 to 6 g daily in divided doses by mouth	
Mebo Ointment 30 gm	Herbal extract	**Skin Disorders** Wounds Healing التئام الجروح	**Julphar** **UAE**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
MEBOROL Ointment 30 g	Sitosterol 0.25 % w/w	**Skin Disorders** Burns الحروق	**Global Pharma** **Yemen**	The usual dose is 3 to 6 g daily in divided doses by mouth	
Mecam Tablets 10 tab	Meloxicam 7.5 mg	**NSAID** Analgesic مهدئات الأوجاع	**Y.E.PHARMA** **Yemen**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Mecan Tablets	Meloxicam 7.5 mg	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Meclozin- B6 Tablets 24 tabs	Meclozine + Pyrodixine	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**BIOPHARM** **Yemen**	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Mecobal Ampoules 6 amp	Mecobalamin 500 mg /1 ml	**Vitamines and Menirals** Anaemia فقر الدم	**BIOPHARM** **Yemen**	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Mecobal Tablets 30 Tablets	Mecobalamin 500mcg . Tablets	**Vitamines and Menirals** Anaemia فقر الدم	**BIOPHARM** **Yemen**	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Mecobal Tablets 10 tabs	Mecobalamin 500 mg	**Vitamines and Menirals** Anaemia فقر الدم	**BIOPHARM** **Yemen**	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Medacin T solution 1bottel*30ml	Clindamycin 1%	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Unknown** **Unknown**	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
Medafen Suspension 100 ml	Ibuprofen 100 mg / 5 ml	**Non-Steroidal Anti-** Analgesic مهدئة الأوجاع	**Unknown** **Unknown**	Oral doses of400 mg to 1.2 g daily .	
Medazole Tablets 6 tab	Mebendazole 100 mg	**Anthelmentic** Common Worms الديدان الشائعة	**Shaphaco** **Yemen**	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Medazole Tablets Tablets 20 tablete	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**MUP** **Egypt**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
MEDIAZOLE Infusion 100 ml	Metronidazole 500 mg / 100 ml	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Mediocon Lifesciences** **India**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Medical Spirit Solution 100 ml	Cloroform Spirit	**Antiseptic and Desinfectants** Antiseptic مطهر	**Shiba pharma** **Yemen**	As directed	
MEDITROL ???	Alpha calciferol	**Vitamines and Menirals** Ricketsia الكساح	**MEGA** **Thailand**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Mediveine Tablets 30	diosmine	**Antihaemorrhages** Haemorrhoids البواسير	**Sothema** **Morocco**	hamorrhoidal crisis 1.2g to 1.8g ----------or----------- circulation disorders 600mg per day -----	
Medocalum Tablets 30 tabs	Chlordiazepoxide 5 mg+Clidinium Bromide 2,5	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**MEDOCHEMIE** **Unknown**	Chlordiazepoxide up to 30 mg daily in divided doses.	
Medomycin capsules 1strip*10capsules	Doxycycline	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Medochimi** **Unknown**	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Medroxol Syrup 100 ml	Ambroxol	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**med pharma** **Unknown**	5 ml by mouth, in 2 or 3 divided doses.	
Mefamol Suspension 60 ml	Mefenamic Acid 50mg	**NSAID** Analgesic مهدئات الأوجاع	**Global Pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Mefex Tablets 20 tab	Mefenamic Acid	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Neopharma** **UAE**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
MefnacD.S Tablets 10 tablets.	Mefenamic Acid tablet 500mg.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Efroze** **Unknown**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
mega h-40 Capsules 30 cap	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Power Health**	Onc a day	
Megamox tablet 2strip*7tablet	Amoxicillin/Clavulanate Potassium	**Antibiotics** الأصابات الميكروبية Microbial Infections	**JPI** **Saudi Arabia**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Meki A-H Syrup 60 ml	Mequitazine	**Antihistamines** Allergy الحساسية	**BORG** **Egypt**	5 mg twice daily by mouth.	
Melagin Suppositoris 10 supp	Miconazole 100mg Metronidazole 500mg	**Antifungals** Vaginal المهبل	**Fulton-Italy** **Italy**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Melflam Ampoules 3 ampules	Meloxicam tablet 15 mg/3ml	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**CIPLA** **India**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Melflam 7.5 Tablets 20 tablets.	Meloxicam tablet 7.5mg.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**CIPLA** **India**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
melobak Tablets box of strip of 10 tablets of	baclofen	**Muscle relaxations** Hiccup او الفهقة الفواق	**pharo pharma** **Egypt**	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Melocam 15 mg Tablets 20 tab	Meloxicam 15 mg	**NSAID** Analgesic مهدئات الأوجاع	**Shiba pharma** **Yemen**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Melocam 15 mg Tablets 20 tablets.	Meloxicam tablet 15 mg	**NSAID** Analgesic مهدئات الأوجاع	**Shiba pharma** **Yemen**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Melocam 7.5 Tablets 20 tablets.	Meloxicam tablet 7.5mg.	**NSAID** Analgesic مهدئات الأوجاع	**Shiba pharma** **Yemen**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Melocox 15 Tablets 10 tablets.	Meloxicam tablet 15 mg.	**NSAID** Analgesic مهدئات الأوجاع	**Modern Pharama** **Yemen**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Meloria Tablets 5 tab	Mefloquine HCl 250 mg / tab	**Antimalarial medicines** Malaria الملاريا	**Pharmacare** **Yemen**	Treatment: 5 tablets (1250 mg) as a single dose, Prophylaxis: 1 tablet (250 mg) weekly starting 1 week before travilling, continuing weekly during travel and for 4 weeks after leaving	
Melostone	Betamethasone + Neomycin Sulfate	**Corticosteroid** Dermatitis الألتهابات الجدلدية	**Unknown** **Unknown**	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Melox	Meloxicam	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Melox 15 mg Tablets 10 tab	Meloxicam	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**NOBEL** **Unknown**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Melox FORT Tablets	Meloxicam 15 mg	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Unknown** **Unknown**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Meloxi Tablets 20 tablets.	Meloxicam tablet 7.5mg.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**MBC** **Unknown**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Meloxi Tablets 20 tab	Meloxicam 15 mg	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**BAHRI** **Syria**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Meloxican 15 Tablets 20 tab	Meloxicam 15 mg	**NSAID** Analgesic مهدئ الأوجاع	**Y.E.PHARMA** **Yemen**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Meloxican 7.5 Tablets 20 tab	Meloxicam 7.5 mg	**NSAID** Analgesic مهدئ الأوجاع	**Y.E.PHARMA** **Yemen**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Melrose Syrup 100 ml	herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**YEDCO** **Yemen**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Melrosum Syrup 100 ml	herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**Sanofi Aventis** **France**	As directed	Melrosum Sirop S
Mentat Syrup 200 ml syr	Herbal extract	**Natural products** غير معروف	**Himalaya Drug Co** **India**	2 tab b.i.d __ or ___ 1 teaspoonful 2 or 3 tim dailt	Himalaya Mentat
Mepaco bran Tablets 60 caps	Bran 500 mg + Celluose + Mineral 740 mg	**Gastro Intestinal drugs** Constipation الأمساك	**MEPACO** **Egypt**	20 to 35 g daily ; children 5 g daily	MEPACO BRAN
Mepaco bran Capsules 60 cap	Bran 400 mg + Celluose+ Mineral	**Gastro Intestinal drugs** Constipation الأمساك	**MEPACO** **Egypt**	20 to 35 g daily ; children 5 g daily	MEPACO BRAN
Mepaco Bran Capsules	Bran (treated) 400 mg	**Gastro Intestinal drugs** Constipation الأمساك	**MEPACO** **Egypt**	20 to 35 g daily ; children 5 g daily	MEPACO BRAN
MEPACOL Ampoules 5 amp	L-methionine 1g+inositol 1g+chlorhydrte de choline 0.02g+vit.B2 o.002g+ vit.B6	**Vitamines and Menirals** Hepatic Disorers	**A.B.C International Pharma** **Italy**	2 tab /day or 10 ml /day	MEPACOL ABC INTERNATIONAL PHARMA S.r.l.
MEPACOL Sy Solution 150 ml	L-methionine 2g+inositol 0.56g+choline 1.6g+vit.pp 0.075g+vit.B1 0.02g+vit.B2	**Vitamines and Menirals** Hepatic Disorders اضطرابات الكبد	**A.B.C International Pharma** **Italy**	2 tab /day or 10 ml /day	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
MEPACOL tab Tablets 40 tab /600 mg	L-methionine 2g+inositol 0.56g+choline 1.6g+vit.pp 0.075g+vit.B1 0.02g+vit.B2	**Vitamines and Menirals** Hepatic Disorders اضطرابات الكبد	**A.B.C International Pharma** **Italy**	2 tab /day or 10 ml /day	
MEPACURE	Hepatoprotective Agents	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**MEPACO** **Egypt**	1-3 capsule daily.	
Mepacure cap Capsules 30 cap	silymarin+D.D.T(dicarboxlate)	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**MEPACO** **Egypt**	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
MEPASIL Tablets 20 tablets	Silymarin 160 mg+Milk thistle 200mg/tablet.	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**MEPACO** **Egypt**	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Mepasil tab Tablets 20 tab	silymarin	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**MEPACO** **Egypt**	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	MEPASIL Silymarin Liver support
MERCA-BURN Cream	Aloe Vera	**Skin Disorders** Burns الحروق	**Unknown** **Unknown**	As directed	MERCA-BURN CREAM Aloe vera Extract
Mesi prazole cap 20 caps	Lansoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**MEDICO LABS** **Syria**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	Mesi Prazole 30 Lansoprazole 30 mg

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Metacardia	Tablets	20 tab	Trimetazidine di-HCl	**Cardio Vascular System drugs**	Angina الذبحة الصدرية	**GLOBAL NAPI**	**Egypt**	40 to 60 mg is given daily by mouth in divided doses.	Metacardia
METADIL	Tablets	10 x 10 tab	Chlorphenamine Maleate	**Antihistamines**	Common Cold نزلات البرد	**Unknown**	**Unknown**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	CHLORPHENAMINE TABLETS BP 4 mg METADIL
Metazol	Tablets	20 tab	Metronidazole	**Antiprtozoal**	Amoebiasis , Gardiasis جارديا واميبيا	**Global Pharma**	**Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Metazol	Suspension	100 ml	Metronidazole	**Antiprtozoal**	Amoebiasis , Gardiasis جارديا واميبيا	**Global Pharma**	**Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	Metazol 100 ml
Metazol Fort	Tablets	20 tab	Metronidazole 500mg	**Antiprtozoal**	Amoebiasis , Gardiasis جارديا واميبيا	**Global Pharma**	**Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	Metazol Forte
Metazol Plus	Tablets	20 tab	Metronidazole 200 mg + Diloxanide 250 mg	**Antiprtozoal**	Amoebiasis , Gardiasis جارديا واميبيا	**Global Pharma**	**Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	Metazol Plus
Metazol Plus	Suspension	100 ml	Metronidazole +Diloxanide	**Antiprtozoal**	Amoebiasis , Gardiasis جارديا واميبيا	**Global Pharma**	**Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	Metazol Plus 100 ml

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Metazol_plus	Semisolid	100ml	Metronidazole	**Antiprtozoal**	Amoebiasis , Gardiasis جارديا واميبيا	**globar**	**Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	Metazol-Plus 100 ml
MetfoKern	Tablets	50 film coated tap	Metformin HCL 850mg	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**KERN pharma**	**Korea**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	MetfoKern 850 mg film-coated tablets KERN
METFORAL 500 mg	Tablets	50 film coated tablets	Metformin HCL 500mg	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Berlin**	**Germany**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
METFORAL 850 mg	Tablets	30 coated tab	Metformin HCL 850mg	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Berlin**	**Germany**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	METFORAL 850
METFORMAX	Tablets	20 tab	Metformin HCL 500mg	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Y.E.PHARMA**	**Yemen**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	ميتفورماكس
METFORMAX	Tablets	10×10 tab	Metformin HCL 500mg	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Y.E.PHARMA**	**Yemen**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	10X10 Tablets METFORMAX Metformin Hydrochloride
METFORMAX	Tablets	30 tab	Metformin HCL 850 mg	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Y.E.PHARMA**	**Yemen**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Metformin 500 Tablets 30 tab	Metformin HCL 500 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Shaphaco** **Yemen**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	Metformin 500mg Metformin 30 FC Tablets
Metformin 850 Tablets 30 tab	Metformin HCL 850 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Shaphaco** **Yemen**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	Metformin 850mg Metformin 30 FC Tablets
Metformin Denk Tablets 100 tab.	Metformin HCL 500mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Denk Pharma** **Germany**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	Metformin Denk 500
Metformin Denk 850 	Metformin Hydrochloride	**Unknown** Diabetes Mellitus أمراض السكري	**Unknown** **Unknown**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	Metformin Denk 850
Metformin XR Tablets 20 tab.	Metformin HCL 750mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Biomed** **Syria**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	ميتفورمين XR 750 mg
Mether 40 mg 	Artemether	**Antimalarial medicines** Malaria الملاريا	**Unknown** **Unknown**	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	METHER ANTIMALARIAL DRUG
METHER 80 mg Ampoules 6 ampoule	Each 1ml contains 80 mg Artemether	**Antimalarial medicines** Malaria الملاريا	**Unknown** **Unknown**	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	METHER ANTIMALARIAL DRUG 1ml:80mg x 6Amp

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Methergin	Ergometrine	**Antihaemorrhages** Haemorrhage النزيف	**unknown** **Unknown**	by mouth in a dose of 500 micrograms three times daily for 2 to 7 days.	ضع صورة الدواء بنفس هذا الرقم
Methotrexat Ampoules 5 amp of 5 ml	Methotrexate 5 mg / 5 ml	**Antineoplastics** Cancer (الأمراض الخبيثة (السرطان)	**Unknown** **Unknown**	Acute lymphoblastic leukaemia is 15 mg/m2 once or twice weekly	
Methtrexat	Methotrexate 2.5	**Antineoplastics** Cancer (الأمراض الخبيثة (السرطان)	**Unknown** **Unknown**	Acute lymphoblastic leukaemia is 15 mg/m2 once or twice weekly	Methotrexat "Ebewe" 2.5mg 2.5mg
Methycobal Tablets 30 Tablets	Mecobalamin) Methylcobalamin. 500mcg Tablets	**Vitamines and Menirals** Anaemia فقر الدم	**Eisai** **JAPAN**	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	Methycobal 500 Eisai Co., Ltd. TOKYO, JAPAN
Methycobal ??? Ointment 3 gm / tube	Chloramphenicol	**Ophthalmic drugs** Eye العين	**Cusi** **Spain**	applied as a 0.5% solution or as a 1% ointment.	OPHTHALMIC USE COMPOSITION
methylcobal Ampoules 10 amp x 1 ml	Mecobalamin 500 micro gram / 1 ml	**Vitamines and Menirals** Anaemia فقر الدم	**Eisai** **JAPAN**	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day.	Methycobal 500 500 Eisai Co., Ltd.
Meticron Tablets 30 tab.	Metformin HCL 500mg + Gliclazide 80mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Biomed** **Syria**	Gliclazide 40 to 320 mg daily	BIOMED Meticron Oral Hypoglycemic 30 Tablets

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Metlazel Drops	Drops	15 ml	metoclopramide	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**Shaphaco**	**Yemen**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Metlazel Tablets	tab	20 tabs	metoclopramide	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**Shaphaco**	**Yemen**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Metoclopramide	Tablets	20 tab	metoclopramide 10 mg	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**BIOPHARM**	**Yemen**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Metoclopramide	Ampoules	5 amp	metoclopramide 10 mg / 2 ml	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**BIOPHARM**	**Yemen**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Metograine	Tablets	20 tab	Ergotamine Tartarate 1 mg + Caffeine 50 mg + Paracetamol 325 mg	**Cardio Vascular System drugs**	Migraine	**EVA PHARMA**	**Egypt**	1 to 2 mg of ergotamine tartrate by mouth, repeated, if necessary, half an hour later. Usually not more than 6 mg should be given in 24 hours, although	
Metoprolol	100-200 mg		Metoprolol	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**Unknown**	**Unknown**	100- 200 mg daily by mouth	
Metran cap	Capsules	30 cap	Mecobalamin	**Vitamines and Menirals**	Anaemia فقر الدم	**Daewon**	**Unknown**	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
metran Capsules 30 cap	mecobalamine	**Vitamines and Menirals** Anaemia فقر الدم	**Daewon** **Unknown**	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day.	
Metrodilox Suspension 90 ml	Metronidazole +Diloxanide	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Pharmacare** **Yemen**	500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Metrodilox Suspension 90 ml	Metronidazole 100mg + 125mg diloxnide/ 5 ml	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Pharmacare** **Yemen**	500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Metrodilox Tablets 3 x 10 tab	Metronidazole 200mg + Diloxanide furoate 250mg / tablet	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Pharmacare** **Yemen**	500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Metrogyl V-Gel Gel	Metronidazole	**Antiprtozoal** Vaginal المهبل	**Unknown** **Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Metrolag 259 mg Tablets 100 tab	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Unknown** **Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Metronidazole Infusion Infusion 100 ml	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**unknown** **Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Metronidazole Infusion Infusion 100 ml	Metronidazole 500 / 100 ml infusion single dose	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**eurolfe** **Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	METRONIDAZOLE INTRAVENOUS INFUSION BP
Metronidazole Normon Tablets 20 tab	Metronidazole 250 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Normon** **Spain**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	Metronidazole NORMON 250 mg tablets 20 TABLETS ORAL ROUTE LABORATORIOS NORMON, S.A.
Metronir	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Unknown** **Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	100ml Metronidazole Injection USP 5mg/ml METRONIR FOR IV USE ONLY Single Dose Container
MEVA Tablets 30 Film Coated Tablets	135 mg Mebeverine hydrochloride	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Jamjoum Pharma** **Saudi Arabia**	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Mevluxa Solution 300 ml	levetiracetam 100 mg / ml	**Central Nervous system drugs** Epilepsy الصرع	**WOCKHADT** **Unknown**	start by 1 g , then increased in increments of 1 g every 2 to 4 weeks until effective antiepileptic control is achieved, up to a maximum dose of 3 g daily.children 20	Mevluxa 100mg/ml Oral Solution Levetiracetam Colour Free For adults and children aged four years and older 300 ml
Mezolam Tablets 10 Tablets	Midazolam 7.5 mg / tab	**Central Nervous system drugs** Anaesthetics General التخدير العام	**Shiba pharma** **Yemen**	insomnia; midazolam 7.5 to 15 mg at night. Intramuscularly as a premedicant 5 mg; Children may be premedicated with oral midazolam	Mezolam 10 tablets Midazolam 7.5mg Shiba Pharma
Miconaz Cream 20 gm	Miconazole Nitrate 2%	**Antifungals** Fungal Infections الأصابات الفطرية	**MUP** **Egypt**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	MICONAZ 20g Topical Cream

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Miconaz oral Gel 20 gm	Miconazole 2%	**Antifungals** Fungal Infections الأصابات الفطرية	**MUP** **Egypt**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Miconaz oral Gel 1 tupe 20g	Miconazole 2%	**Antifungals** Fungal Infections الأصابات الفطرية	**MUP** **Egypt**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Micozole Suppositoris 10 vag. Ovules	Miconazole nitrate 150mg+Metronidazole 500mg	**Antifungals** Vaginal المهبل	**Barakat pharm** **Syria**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Microgynon Tablets 21	levonorgestrel and ethinnylestradiol	**Gynaecology drugs** Contraceptives موانع الحمل	**BAYER** **Germany**	one tablte daily from the frist day of menstution for 21 day	
Midazole Tablets 20 tab	Metronidazole 250 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**MUP** **Egypt**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Midazole Suspension 120 ml	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**MUP** **Egypt**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Midocef	Cefaclor	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	tab 750mg & 375mg cap 500mg 250mg 125mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Mikalogis Vial 1 vial / 2 ml	Amikacin Sulfate 500 mg/ 2 ml	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطرة	**Vitalis** **Unknown**	IM, IV. : Adults, children, older infants: 15 mg/kg in 2–3 divided doses, 7–10 days. Maximum: 15 mg/kg/d. Once daily dosing of amikacin has been advocated	
Miko-penotran Suppositoris 1 Vaginal Pessary	Miconazole Nitrate 1200mg	**Antifungals** Vaginal المهبل	**MEGA** **Thailand**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Milk Thistle Extract	Silymarin	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Unknown** **Unknown**	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
MILOXY Suspension 100 ml	Amoxicillin 125 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**MILAN** **India**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Minadex Syrup 200 ml	Vit.A 195 mcg, vit.D 1.62 mcg , iron 12mg , potassium 2.25 mg , calcium 11.25 mg,	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Unknown** **Unknown**	As directed	
MINERAVIT Capsules 20 Capsules	Multi vitamin and Menirals	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**EIPICO** **Egypt**	As directed	
Miniguava Oral /Drops 15 ml	herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**pharo pharma** **Egypt**	As directed	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
Miniscar Cream 30 gm	Combination	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Charak** **Unknown**	As directed	
MINOFEN Ampoules 5 amp x 10 ml	Aminophylline 250 mg / 10 ml	**Respiratory drugs** Bronchial Asthma الربو الشعبي		16 mg/kg/daily	
Minox Solution 100 ml	Minoxidil 2 gm / 100 ml	**Skin Disorders** Health Care الصحة العامة	**Shiba pharma** **Yemen**	1 mL of a 2% or 5% solution of minoxidil is applied twice daily to the scalp. The 5% solution is not recommended for women.	
Minox Solution 100 ml	Minoxidil 5 gm / 100 ml	**Skin Disorders** Health Care الصحة العامة	**Shiba pharma** **Yemen**	1 mL of a 2% or 5% solution of minoxidil is applied twice daily to the scalp. The 5% solution is not recommended for women.	
Mirtaz-15 Tablets 30 tablets	Mirtazapine tablet 15mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**SUN** **India**	PO for depression 15 mg/day at bedtime initially, increasing at 1–2-week intervals to a maximum of 45 mg/day. Minimum/Maximum Adult Daily Dose:15 - 45 mg	
Miscadol Tablets box of 20 tablets of 35mg/tablet	Orphenadrine Citrate	**Muscle relaxations** Parkinson's disease مرض الرعاش	**julphar** **UAE**	by mouth in a dose of 100 mg twice daily or by intramuscular or slow intravenous injection in a dose of 60 mg which has been repeated every 12 hours.	
MISOCLEAR Tablets 10 tab	Misoprostol 200 microgrames	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Unknown** **Unknown**	200 micrograms two to four times daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Mixderm Cream 15 gm	Unknown	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	Mixderm Cream
Mixtard 30 Vial 10 ml vial	insulin human	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Novo Nordisk** **Denmark**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Mixtard 30 Vial 1	insulin	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Novo Nordisk** **Denmark**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Mixtard 30 hm penfill Vial 5 * 3 ml	insulin human	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Novo Nordisk** **Denmark**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	Mixtard® 30 HM Penfill®
Mixtard 30 penfill Vial 5 * 3 ml	insulin human	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Novo Nordisk** **Denmark**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	Mixtard® 30 Penfill®
Mixtard 50 penfill Vial 5*3ml	insulin human	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Novo Nordisk** **Denmark**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	Mixtard® 50 Penfill®
Mmusol Solution 100 ml	ambroxol (15 mg/ 5ml)	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Global Pharma** **Unknown**	5 ml by mouth, in 2 or 3 divided doses.	Musol 100 ml

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Mobic Tablets 10 tablets.	Meloxicam tablet 15 mg	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**Boehringer Ingelheim** **Germany**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Mobicam Tablets 20 tablets.	Meloxicam tablet 15 mg & 7.5mg.	**NSAID** Analgesic مهدئ الأوجاع	**BIOPHARM** **Yemen**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Mobitil Ampoules 3 ampules.	Meloxicam ampule 15mg/1.5ml.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**MUP** **Egypt**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
MOBITIL Suppositoris 6 rectal sup	Meloxicam 15 mg	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**MUP** **Egypt**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Mobitil Ampoules 3 ampules.	Meloxicam ampule 15mg/1.5ml.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**MUP** **Egypt**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Mobitil 15 mg Tablets 10film coated tablets.	Meloxicam tablet 15mg.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**MUP** **Egypt**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Mobitil 15 mg Tablets 10 Film Coated Tablets	Meloxicam	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**MUP** **Egypt**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Mobitil 7.5 mg Tablets 10 tablets.	Meloxicam tablet 7.5mg.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**MUP** **Egypt**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Mobitil 7.5 mg	Meloxicam	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Unknown** **Unknown**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
MOBIXIN 15 Tablets 10 tabs	Meloxicam	**NSAID** Analgesic مهدئ الأوجاع	**Global Pharma** **Yemen**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
MOBIXIN 15 Suppositoris 6 supp	Meloxicam 15 mg	**NSAID** Analgesic مهدئ الأوجاع	**Global Pharma** **Yemen**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Modazar Tablets 4tab OR 8tab	Losartan 100 mg + Hydrocholrothiazide 25 m / tab	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**EGYPHAR** **Egypt**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
MODECEF Dry syrup 100 ml	Cephradine 250 mg/ 5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
MODECEF 500 Capsules 1strip*10capsul	Cephradine 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	The usual dose for adults is 1 to 2 g daily given in divided doses, Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Moduretic			Amiloride HCL 5 mg + Hydrochlorothiazide 50 mg	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**MSD**	**USA**	Amiloride 5 to 10 mg daily, Hydrochlorothiazide 25 to 50 mg daily	
Moduretic			Amiloride +Hydrochlorothiazide	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**unknown**	**Unknown**	Amiloride 5 to 10 mg daily, Hydrochlorothiazide 25 to 50 mg daily	
Momenta	Cream	30 gm /tube	Mometasone furoate 0.1% w/w+ Miconazole 2% w/w + Gentamicin 0.1% w/w	**Corticosteroid**	Dermatitis الألتهابات الجلدية	**Jamjoom Pharma**	**Saudi Arabia**	Once daily or as directed	
MONICURE NH	Suppositoris	6 Vaginal supp	Miconazole Nitrate 100mg+Neomycin sulfate 50mg+Nystatin 100000iu	**Antifungals**	Vaginal المهبل	**Pharo pharma**	**Egypt**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Monotrate	Tablets	10 x 10 tab	Isosorbide Mononitrate 20 mg	**Cardio Vascular System drugs**	Angina الذبحة الصدرية	**Unknown**	**Unknown**	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Montas	Tablets	28 tab	Montelukast Sodium	**Respiratory drugs**	Bronchial Asthma الربو الشعبي	**ZYNOVA**	**Unknown**	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Monte H5	Tablets	1x 10 chewable tab	Montelukast Sodium	**Respiratory drugs**	Bronchial Asthma الربو الشعبي	**HETERO**	**Unknown**	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Mopidon Solution 100 ml	Dexamethasone 0.5 mg + Chlorphenamine Maleate 2 mg	**Antihistamines** Allergy الحساسية	**Modern Pharama** **Yemen**	As directed	
Mosetifen Tablets 30 tablet	Pizotifen 0.5 mg	**Antihistamines** Appetizer Stimulant منشطات الشهية	**Modern Pharama** **Yemen**	1.5 mg daily by mouth either in three divided doses or as a single dose at night	
Moti susp 100 ml for bottle	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Global Pharma** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Motidom Tablets 3 x 10 tab	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Medfey** **Unknown**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	MOTIDOM DOMPERIDONE TABLETS
Motil Drops 30 ml	Domperidone 1mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Global Pharma** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Motil Suppositoris 5 supp	Domperidone 10mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Global Pharma** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	Motil Suppositories Domperidone 10 mg Anti nausea & Anti vomiting
Motil Suppositoris 5 supp	Domperidone 30mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Global Pharma** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	Motil Supp. for Children Domperidone 30 mg Anti nausea & Anti vomiting

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Motil 10 Tablets 20 tabs	Domperidone 10 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**Global Pharma** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Motilat Tablets 30 tab	Domperidone 10 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**RAM PHARMA** **Jordan**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Motilat Suspension 100 ml	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**RAM PHARMA** **Jordan**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Motildon Tablets 20 tab	Domperidone 10 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**BIOPHARM** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Motilin Suspension 60 ml	Domperidone 5 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**Shiba pharma** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Motilin Suspension 100 ml	Domperidone 5 mg / 5 ml	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**Shiba pharma** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Motilin Suspension Oral Drops 30 ml	Domperidone 1 mg / 1 ml	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**Shiba pharma** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Motilin Tablets Tablets 20 tab	Domperidone 10 mg / tab	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Shiba pharma** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	Motilin Domperidone 20 Tablets Shiba Pharma
Motilium Suspension 200 ml for bottle	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Janssen-Cilag** **Switzerland**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Motilium Tablets 30 tab	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**janssen** **Switzerland**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	Motilium 30 oral tablets janssen
Motilium Tablets 30 tab	Domperidone 10 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Janssen-Cilag** **Germany**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	Motilium JANSSEN-CILAG
Motilium Suspension 100 ml	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Global Pharma** **Yemen**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Motin Suppositoris 10 child sup	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**OUBARY PHARMA** **Syria**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	MOTIN Children Domperidone
Motin Tablets 20 tab	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**OUBARY PHARMA** **Syria**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	MOTIN 10 mg Domperidone 20 Film Coated Tablets

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Motin Babies Suppositoris 10 babies supps	Domperidone	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**OUBARY PHARMA** **Syria**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Movilox	Moxifloxacin Hydrochloride	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
Moxal plus Susp Suspension 100 ml for bottle	Al(OH) 215 mg+Mg(OH) 80 + Simethicone 25 mg	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Julphar** **UAE**	*tab = 40 -120 mg QID orall a.m * susp = 10 ml QID * sachets = one sachet QID	
Moxal plus Tab Tablets 30 tabs	Al(OH)200 mg+Mg(OH) 200mg+Simethicone25 mg	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Julphar** **UAE**	tab = 40 -120 mg QID orall a.m * susp = 10 ml QID *sachets = one sachet QID	
Moxalin Dry syrup 1bottel*100ml	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	125 to 250 mg every 8 hours	
Moxalin capsules 10strip*10capsules	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	250 - 1000 mg three times daily	
MOXALIN Oral /Drops 10 ml	Amoxicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	125 to 250 mg every 8 hours	

MOTIN Babies
Domperidone
10 Suppositories for Babies
Movilox
Antibacterial
Moxal PLUS
موكسال بلس
موكسالين ٢٥٠
MOXALIN
Amoxicillin 100mg/1ml
10ml
Powder for pediatric Drops
Broad Spectrum Antibiotic
MODERN PHARMA

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Moxalin Dry Syrup 100 ml	Amoxicillin 125 ml / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	125 to 250 mg every 8 hours	MOXALIN Amoxicillin Dry Syrup
MOXALIN 500 Capsules 20 cap	Amoxicillin 500 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Modern Pharama** **Yemen**	250 - 1000 mg three times daily	MOXALIN 500 Amoxicillin 500mg Broad Spectrum Antibiotic 20 Capsules
Moxaquin	Moxifloxacin Hydrochloride	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	MOXAQUIN 400 mg
Moxen 500mg Capsules 100 cap	Amoxicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**DELORBIS** **Cyprus**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	MOXEN 500mg
Moxicare Capsules 2strip x 10 capsules	Amoxicillin 500 mg / cap	**Antibiotics** الأصابات الميكروبية Microbial Infections	**pharmacare** **Yemen**	250 - 1000 mg three times daily	20 Capsules MOXICARE AMOXICILLIN 500mg Pharmacare
Moxicare Dry syrup 100 ml	Amoxicillin 250 mg/ 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Pharmacare** **Yemen**	125 to 250 mg every 8 hours	100ML MOXICARE DRY SYRUP FAST ACTING ANTIBIOTIC
Moxicin Eye drops	Moxifloxacin Hydrochloride	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Moxicip tablet 1strip*5tablet	Moxifloxacin HCl*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	Moxifloxacin Hydrochloride Tablets 400 mg Moxicip-400 Cipla
Moxiflo	Moxifloxacin Hydrochloride	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	Moxiflox-Razi
Moxiram tablet 1strip*10tablet	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RAM PHARMA** **Jordan**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	Moxiram -1 gm
MOXIVAL Tablets 5 tabs	Moxifloxacin Hydrochloride 400 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Global Pharma** **Yemen**	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	Moxival 400mg
MUCACID Suspension 125 ml	Unknown	**Gastro Intestinal drugs** Indigestion سوء الهضم	**EIPICO** **Egypt**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	EIPICO MUCACID
Mucodil Syrup 100 ml	Bromhexine (…….)	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**MEDREICH** **Unknown**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	MUCODIL Chesty Coughs MEDREICH
Muconil Syrup 100 ml	Each 5 ml contains : Ambroxol HCl 30mg + Guaiphenesin 50mg	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Pharmacare** **Yemen**	5 ml by mouth, in 2 or 3 divided doses.	100 ml MUCONIL Syrup With Honey Mucolytic Expectorant Pharmacare

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Muconil Drops 30 ml	Each 1 ml contains Ambroxol HCl 7.5 mg	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Pharmacare** **Yemen**	Children 1 - 6 years: 1 ml 2-3 times daily and Children over 6 years: 2 ml 2 - 3 times daily	
Muconil SR Capsules 10 cap	Each capsule contains Ambroxol HCl 75 mg	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Pharmacare** **Yemen**	Adults & children over 12 years: 1 capsule once daily	
Mucosental Oral Drops / Solution 30 ml	Ambroxol Hydrochloride 7.5 mg / 1 ml	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Shiba pharma** **Yemen**	usual daily dose of 60 to 120 mg	
Mucosin S.R Hard Gelatin Capsules 10 Hard Gelatin Capsules	ambroxol 75 mg	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**RAMEDA** **Egypt**	1 capsule by mouth, in 2 or 3 divided doses.	
Mucosolvan Elixir 100 ml	ambroxol (15mg/5ml)	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Boehringer Ingelhim** **Germany**	5 ml by mouth, in 2 or 3 divided doses.	
Mucosolvan Tablets 20 tab	Ambroxol Hydrochloride 30 mg /tab	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**Boehringer Ingelhim** **Germany**	usual daily dose of 60 to 120 mg	
MUFIK-15 Tablets 20 tablets	meloxicom15mg/tablet.	**NSAID** Analgesic مهدئات الأوجاع	**RFA** **Yemen**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
MUFIK-7.5 Tablets 20 tablets	Meloxicam7.5 mg/tablets.	**NSAID** Analgesic مهدئ الأوجاع	**RFA** **Yemen**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
MULTIPLAN+IRON Tablets 60 tablet	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**LIFEPLAN** **Unknown**	As directed	
Multiplus Syrup 100 ml	Multi vitamin and Menirals + omega3	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Sona nutrition LTD. Ireland** **Unknown**	As directed	
Multiplus Capsules 30 Capsules	Multi vitamin and Menirals + omega3	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Sona nutrition LTD. Ireland** **Unknown**	As directed	
Multi-sanostol Syrup 200 gm	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Unknown** **Unknown**	As directed	
Multi-sanostol	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Unknown** **Unknown**	As directed	
Multi-sanostol with calcium Syrup 200mg of syrup	multi vitamin with calcium	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Nycomed .Germany** **Unknown**	As directed	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Multi-sanostol with iron	Syrup	syrup 285g	multi vitamin with iron	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**Nycomed ,Germany**	**Unknown**	As directed	
MULTITABLETS	Tablets	30 coated tabs	12 vitamines+11 minerals+iron	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**lab.Wolfs N V**	**Unknown**	As directed	
Multivitol Fort	Syrup	120ml	MULTIVITAMINS + IRON + ZINC.	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**OCTOBER PHARMA**	**Egypt**	As directed	
Musol	Oral /Drops	30 ml	Ambroxol (7.5 mg/1 ml)	**Respiratory drugs**	Respiratory Disorders اضطرابات الجهاز التنفسي	**Global Pharma**	**Unknown**	1 ml by mouth, in 2 or 3 divided doses.	
Musol			Ambroxol Hydrochloride	**Respiratory drugs**	Respiratory Disorders اضطرابات الجهاز التنفسي	**Unknown**	**Unknown**	usual daily dose of 60 to 120 mg	
Muvit	Capsules	30 cap	vitamins + minerals ,food supplement	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**shaphaco**	**Yemen**	Adult : 5 ml three times a day , Children : 2.5 - 5 ml two times a day .	
Muvit antioxidant	Capsules	30 cap	vitamins + minerals ,food supplement	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**shaphaco**	**Yemen**	Adult : 5 ml three times a day , Children : 2.5 - 5 ml two times a day .	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Muvit cal Capsules 30 soflets	Calcium 500mg+ Vit d250IU+Mg oxide 40mg+Mg sulphate 1.8mg+Zinc 7.5mg+copper	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Shaphaco** **Yemen**	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Muvit Gold capsules 15 capsules	vitamin,amino acids,mineral,ginseng	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**shaphaco** **Yemen**	One capsule or more daily or as prescribed by the physician	
Mybacin lozenges Lozenges 100 tab	neomycin 2.5 mg +Bacitracin 100 mg +amyloczine 0.5 mg	**Antiseptic and Desinfectants** Common Cold نزلات البرد	**greater ph.** **Unknown**	As directed	
Mycocur Cream 15 gm	Terbinafine HCl 1%	**Antifungals** Dermatitis الألتهابات الجلدية	**NOBEL** **Unknown**	As directed	
Mycoheal 200 Suppositoris 7 Supositore vaginale	Nitrate de miconazol B.P. 200mg	**Antifungals** Vaginal المهبل	**Dar Al Dawa** **Jordan**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Mycoheal HC cream Cream 1 tube 15 gm	miconazol 20 mg + hydrocortisone 10 mg	**Antifungals** Fungal Infections الأصابات الفطرية	**Dar Al Dawa** **Jordan**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Mycosat Oral Suspension 30 ml	Nystatin 100000 i.u./ml+Propyl paraben 0.04mg+Methyl paraben 0.1mg	**Antifungals** Fungal Infections الأصابات الفطرية	**Amman pharma** **Jordan**	Three to four times daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Mycosyst 150 mg Capsules 2 cap	Fluconazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	MYCOSYST 150 mg 2
Mycoten Cream 20 gm	Clotrimazole	**Antifungals** Vaginal المهبل	**beit jala** **Palestine**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Mycoten Tablets Tablets 1	Each vaginal tablet contains 500 mg Clotrimazole	**Antifungals** Vaginal المهبل	**Beit Jala** **Palestine**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
MYDOCALM Tablets 30 tab	Tolperisone Hydrochloride	**Central Nervous system drugs** Muscle relaxation مرخيات العضلات	**Unknown** **Unknown**	doses of 50 to 150 mg three times daily by mouth. It has also been given by injection.	MYDOCALM 50 mg 30
MYDOCALM 50 mg Ampoules 5 amp	Tolperisone Hydrochloride	**Central Nervous system drugs** Muscle relaxation مرخيات العضلات	**Unknown** **Unknown**	doses of 50 to 150 mg three times daily by mouth. It has also been given by injection.	
Mylobac	Baclofen	**Muscle relaxations** Hiccup الفهقة او الفواق	**Unknown** **Unknown**	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	
Mylor Syrup 120 ml	herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**Y.E.PHARMA** **Yemen**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Mylor Syrup 120 ml	Unknown	**Unknown** Common Cold نزلات البرد	**Unknown** **Unknown**	As directed	Mylor Syrup Cough Relief
Myogerl Tablets 30 tab	Clopidogrel Bisulfate	**Cardio Vascular System drugs** Thrombosis الجلطات	**ADWIA** **Egypt**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	Myogrel 30 Tablets Antiplatelet
myogesic Tablets box of 20 tablet of 35mg	Orphenadrine Citrate + paracetamol	**Muscle relaxations** Parkinson's disease مرض الرعاش	**Dar Al Dawa** **Jordan**	by mouth in a dose of 100 mg twice daily or by intramuscular or slow intravenous injection in a dose of 60 mg which has been repeated every 12 hours.	Myogesic Orphenadrine citrate & Paracetamol 20 Tablets Dar Al Dawa دار الدواء
Myogesic Tablets 20 tablets.	Orphenadrine 35mg+paracetamol 450mg /tablet.	**Muscle relaxations** Parkinson's disease مرض الرعاش	**Dar al dawa.** **Unknown**	Minimum/Maximum Adult Daily Dose:3 - 8 Tablets.	Myogesic Orphenadrine citrate & Paracetamol 20 Tablets Dar Al Dawa دار الدواء
MYOLGESIC Tablets 10 tab	Ibuprofen	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**KAHIRA PHARM** **Egypt**	Oral doses of400 mg to 1.2 g daily .	MYOLGESIC Ibuprofen 400 mg KAHIRA PHARM. & CHEM. IND. CO. CAIRO - EGYPT
Myolgin Capsules 20 capsules of 250mg/capsule	paracetamol	**Skeletal Muscle** Muscle relaxation مرخيات العضلات	**GlaxoWellcome** **Unknown**	250 mg three or four times daily, up to 750 mg three or four times daily may be given if necessary.	Myolgin Capsules 20 Capsules GlaxoWellcome
Myonal Tablets 30 talet	Eperisone	**Muscle relaxations** Muscle relaxation مرخيات العضلات	**Eisai** **JAPAN**	by mouth in usual doses of 50 mg three times daily after food.	Myonal 50 mg TABLETS Eisai Co., Ltd TOKYO, JAPAN

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Nadine Tablets 10 tabs	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**DIC** **Jordan**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Naklofen Ampoules 5 amp of 3 ml	Diclofenac potassium	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**KRKA** **India**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Naklofen Capsules 20 cap	Diclofenac Potassium	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**KRKA** **India**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Naldix Suspension 100 ml	Naldidixic Acid 125 mg / 5 ml	**Antibacterial** Diarrhea الأسهال	**Shiba pharma** **Yemen**	Adult 4 gm , Children 50 to 60 mg/kg: daily by mouth in 4 divided doses for at least 7 days in acute infections	
Naldix 500 Tablets 20 tab	Naldidixic Acid 500 mg / tab	**Antibacterial** Diarrhea الأسهال	**Shiba pharma** **Yemen**	Adult 4 gm , Children 50 to 60 mg/kg: daily by mouth in 4 divided doses for at least 7 days in acute infections	
Nalicid Suspension 120 ml	Naldidixic Acid 250 mg / 5 ml and Naldidixic Acid 125 mg / 5 m	**Antibacterial** Diarrhea الأسهال	**Pharmacare** **Yemen**	Adult 4 gm , Children 50 to 60 mg/kg: daily 4 divided doses for 7 days in acute infections	
Napilac Capsules 20 capsules	Etodolac capsule 200mg.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**GLOBAL NAPI** **Egypt**	Minimum/Maximum Adult Daily Dose:500 - 1000 mg (milligram) OR 1 - 2 Tablet	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose** الجرعة	**Product Picture** صورة الدواء
Naprorex 500 mg Tablets 20 tab	Naproxen	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**DELORBIS** **Cyprus**	500 mg to 1 g of naproxen daily , children 10 to 15 mg/kg twice daily	NAPROREX 500mg
Napta-40 Vial 1 vial	Pantoprazole 40 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Alex** **Unknown**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	Pantoprazole injection NAPTA-40
Nasal Drops 10 ml	Combination	**Respiratory drugs** Nose	**Global Pharma** **Unknown**	As directed	
NASATAB Tablets 100 tab	Clopheniramine 4 mg + Psedoephedrine 60 mg + Paracetamol 50 mg	**Respiratory drugs** Common Cold نزلات البرد	**Axcel** **Unknown**	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	Axcel NASATAB
Nasivin 0.025 % Drops 10 ml	Oxymetazoline Hydrochloride	**Respiratory drugs** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Julphar** **UAE**	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	
Nasivin Adult D Adult Nasal / drops 10 ml	Oxymetazoline HCL 0.05%	**Respiratory drugs** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**julphar** **UAE**	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	Adult Nasal Drops NASIVIN 0.05 % 10 ml Decongestant Nasal Drops
Nasivin Pediatric D Pediatric Nasal / drops 10 ml	Oxymetazoline HCL 0.025%	**Respiratory drugs** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**julphar** **UAE**	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	Pediatric Nasal Drops NASIVIN 0.025% 10 ml Decongestant Nasal Drops

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Nasocin Nasal Drops 10 ml	Sodium chloride 9 mg	**Respiratory drugs** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Modern Pharama** **Yemen**	As directed	
Nasonex Spray 120 meterd sprays	Mometasone Furoate	**Respiratory drugs** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Schering-Plough** **Belgium**	Once daily	
Nasonex Nasal / Spray 120 dose	Mometasone Furoate 0.05% 50 mic g	**Respiratory drugs** Nose	**schering-ploughg** **Belgium**	Once daily	
NATELAL Tablets 60 tab	Calcium +Vitamin D	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**LIFEPHARMA** **Italy**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Nature Tears Drops	Unknown	**Natural products** Eye العين	**Liqvor** **Unknown**	As directed	NATURE TEARS LIQVO
Navidoxine Tablets 10 tabs	Meclozine Hydrochloride 25 mg + PyridoxineHydrochloride 50 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**UCB** **Unknown**	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	Navidoxine Meclozine hydrochloride Pyridoxine hydrochloride 10 tablets
Navoproxin Tablets 20 tab	Meclozine Hydrochloride 25 mg + PyridoxineHydrochloride 50 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Delta pharma** **Egypt**	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	Navoproxin DELTA PHARMA

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Naxiprazol Capsules 20 caps	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**NCPI** **Syria**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
NEBILET Tablets 14 tab	Nebivolol 5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**MENARINI** **Italy**	2.5 - 5 mg of nebivolol daily	
Nebilol Tablets 30 tab	Nebivolol 5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Shiba pharma** **Yemen**	2.5 - 5 mg of nebivolol daily	
Neo - HEALAR Suppositoris 10 supp	Combination	**Antihaemorrhages** Haemorrhoids البواسير	**Unknown** **Unknown**	As directed	
Neo_Penotran Suppositoris 14 vaginal pessaries	Metronidazole 100mg+ miconazole 100mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**MEGA** **Thailand**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Neocarbon Soft Gelatin Capsules 30 caps	Charcoal activated 315mg +soya oil 145 mg+essence of anise50 mg + essence of mint	**Gastro Intestinal drugs** Poisons التسمم	**MARNYS** **UK**	A usual adult dose for reduction of absorption is 50 g, but higher doses have been used. Children 1 to 12 years old may be given 25 to 50 g and infants under 1 year 1 g/kg.	
Neoclav	Amoxicillin/Clavulanate Potassium	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Neopharma** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Neoclav Tablets 20 tab	Amoxicillin/Clavulanate Potassium	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Neopharma** **UAE**	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Neoclav Suspension 70 ml	Amoxicillin/Clavulanate Potassium	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Neopharma** **Unknown**	Children up to 10 years 125 to 250 mg every 8 hours or Three times daily	
Neoclave tablet 2strip*7tablet	Amoxicillin/Clavulanate Potassium	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Neo pharma** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Neoday Tablets 10 tab	Loratadine	**Antihistamines** Allergy الحساسية	**Neopharma** **UAE**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Neoflam-Retard Tablets 10 tablets	Diclofenac Sodium tablet 100mg	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**Neopharma** **UAE**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Neogastro plus Tablets 50 Chewable tablets	Unknown	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Neopharma** **UAE**	As directed	
Neogyl Tablets 20 tab	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Neopharma** **Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Neolax solution 100 ml for bottle	Lactulose	**Gastro Intestinal drugs** Constipation الأمساك	**Global Pharma** **Yemen**	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
NEOMERCAZOLE Tablets 100	carbimazole	**Hormones** Thyroid hormone الغدة الدرقية	**AMDIPHARM** **Unknown**	in oral by dectore only	
Neomet Tablets 30 tab	Metformin 500mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Neopharma** **UAE**	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Neomox Capsules 10strip * 10cap	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Neo pharma** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Neomox Suspension 100 ml	Amoxicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Neo pharma** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Neomycin Tablets 2strip*10tablet	Neomycin	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطيرة	**Memphis** **Egypt**	tab 500mg	
Neo-Penotran Suppositoris 14 vaginal pessaries	Miconazole nitrate 100mg+Metronidazole 500mg	**Antifungals** Vaginal المهبل	**MEGA** **Thailand**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Neoprazole - 40 mg Capsules 14 cap	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Neopharma** **UAE**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
neopril	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	usual oral dose is 5 -20 mg daily,	
Neoxicam Tablets 10 tablets	Meloxicam tablet 15mg.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Neopharma** **Unknown**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Nervamin Tablets 30 Tablets	Vit. B12(micobalamine)	**Vitamines and Menirals** Anaemia فقر الدم	**Pharma International** **Jordan**	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
nervamine Tablets 30 tablet	mecobalamine500 micro gram	**Vitamines and Menirals** Anaemia فقر الدم	**Pharma International** **Jordan**	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Neseom 20 Tablets 10 tab	Esomeprazole 20 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**YEDCO** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
NEUROBILT Capsules 30 caps	Gabapentin tablet 300 mg	**Central Nervous system drugs** Epilepsy الصرع	**Modern Pharama** **Yemen**	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Neurobion Ampoules 3 ampoules 3ml	vit B1 100mg+B6 200mg+B12 200Mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**MERCK** **Germany**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Neurobion Tablets 20 tablet	Vitamin B Substances	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**MERCK** **Germany**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Neuromax Tablets 20 Tablets	vit [B1+B6+B12]	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Global Pharma** **Yemen**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Neuromeal Tablets 20 tabs	vit B1 100mg+B6 200mg+B12 200Mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Modern Pharama** **Yemen**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Neurorubine Ampoules 5 amp	Vitamin B Substances	**Vitamines and Menirals** Neuritis; vitamin B deficiency	**Unknown** **Unknown**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Neurorubine Ampoules 5 ampoules of 3ml	Vit. B1.100MG&B6-200MG&B12-200 MG 5 Ampoules of 3ml	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**mepha** **Unknown**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Neurorubine-forte Tablets 20 tab	Vitamin B Substances	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Acino** **Switzerland**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
neurorubine-forte Tablets 20 tablet	vitB1 200mg+vitB6 50mg+vitB12 1000microgram	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**mepha** **Unknown**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	Neurorubine-forte mepha
Neurorubine-Forte Tablets 20 Tablets	vit B1 100mg+B6 200mg+B12 200Mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**mepha** **Unknown**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	Neurorubine-forte mepha
Neurotopretard 300 Tablets 50 Tablet	carbamazepin tablet 600 mg	**Central Nervous system drugs** Epilepsy الصرع	**GEROT LANNACH** **Viena, Austria**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	 Neurotop retard 300 mg 50 tablets Carbamazepine Anticonvulsant, antineuralgic GEROT LANNACH
Neurotopretard 600 Tablets 50 Tablet	carbamazepin tablet 600 mg	**Central Nervous system drugs** Epilepsy الصرع	**GEROT LANNACH** **Viena, Austria**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	 Neurotop retard 600 mg 50 tablets Carbamazepine Anticonvulsant, antineuralgic GEROT LANNACH
neurovit Tablets 20 Tablets	vit B1 100mg+B6 200mg+B12 200Mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**AMRIYA PHARMA** **Egypt**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	Neurovit High Potency Vitamin 20 tablets
Neurovit Ampoules 3 ampoules	Vitamin B Substances	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**AMRIYA PHARMA** **Egypt**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	Neurovit High Potency Vitamin 3 Ampoules
NEUROZAN Plus Capsules 30 capsules	Ginkgo Biloba+L-Arginine+Glutamine+Glutathione+Co-enzyme Q10+Phosphatidyl	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**VITABIOTICS** **Unknown**	As directed	Vitabiotics neurozan plus brain function & mental performance Co-Q10

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Nevxal	Suspension	5 ml	Nepafenac 0.1%	**Ophthalmic drugs**	Eye العين	**Orchidia Pharma**	**Egypt**	instilled 3 times daily starting on the day before surgery and continuing for 2 weeks after surgery.	Nevxal Nepafenac 0.1% Sterile Ophthalmic Suspension Orchidia
New-dol	Oral /Drops	15 ml	Paracetamol drops 100/ml.	**Nonsteroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Global Pharma**	**Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
New-dol	Tablets	20 tab	Paracetamol 500 mg	**NSAID**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Global Pharma**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
New-dol	Tablets	10×10 tab	Paracetamol 500 mg	**NSAID**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Global Pharma**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
New-dol	Suspension	60 ml	Paracetamol 250 mg	**NSAID**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Global Pharma**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	New-dol 250mg 60 ml Paediatric Suspension
New-dol	Suspension	60 ml	Paracetamol 160mg mg	**NSAID**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Global Pharma**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	New-dol 160mg 60 ml Paediatric Suspension
New-dol	Tablets	20 tab	Pseudoephedrine +cetrizine ???	**Respiratory drugs**	Common Cold نزلات البرد	**Global Pharma**	**Unknown**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	New-dol Cold & Flu

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
New-dol 125 mg Suppositoris 10 supp,	Paracetamol supp, 125mg.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Global Pharma** **Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
New-dol 250 mg Suppositoris 10 supp,	Paracetamol supp, 250mg.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Global Pharma** **Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
New-dol EXTRA Tablets 20 tab	Paracetamol	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Global Pharma** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
New-gra Tablets 4 tab	Sildenafil Citrate 50 mg/ tablet	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Global Pharma** **Yemen**	25 - 100 mg depending on response, about one hour before sexual intercourse	
new-gra Tablets 10 tab	Sildenafil Citrate 25 mg/ tablet	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Global Pharma** **Yemen**	25 - 100 mg depending on response, about one hour before sexual intercourse	
NEXAZOL Capsules 14 cap	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Modern Pharama** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Nexazol 40 mg Capsules 14 caps	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Modern Pharama** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
NEXITO-10 Tablets 30 tablets	Escitalopram tablet 10mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**SUN** **India**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
NEXITOP Capsules 100 caps	Esomeprazole 20 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Y.E.PHARMA** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
NEXITOP Capsules 14 caps	Esomeprazole 40 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Y.E.PHARMA** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Nexium 20 mg Tablets 14 tabs	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**ASTRAZENECA** **UK= United Kingodom**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Nexium 40 mg Tablets 14 tabs	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**ASTRAZENECA** **UK= United Kingodom**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
NEXOL Capsules 14 caps	Esomeprazole 20mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Global Pharma** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
NEXOL Capsules 14 caps	Esomeprazole 20	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Global Pharma** **Yemen**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
Nexpro vial 1 vial	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Torrent** **India**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	ESOMEPRAZOLE SODIUM POWDER FOR INJECTION Nexpro IV
NICE-BABAY Ointment 20 gm / tube	Unknown	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	
Nice-Derm Cream 15 g	Nystatin	**Antifungals** Dermatitis الألتهابات الجلدية	**Global Pharma** **Yemen**	Three to four times daily	Nice-Derm Cream For external use only 15g
Niclosamide Tablets 4 tab	Niclosamide	**Anthelmentic** Tape Worms الدودة الشريطية	**Unknown** **Unknown**	Tapeworms: Single dose niclosamide 2 gm chewed tablets on empty stomach. Hymenolepis (H.Nana): 2 gm initially + 1 gm daily for 6 days	Niclosamide 500 mg
Nifedipine 20, 10 mg	Nifedipine	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	10 to 40 mg twice daily	Nifedipin STADA 10 mg
Night&day Tablets 10 tab	pseudoephedrine +paracetamol + diphenhydramine	**Respiratory drugs** Common Cold نزلات البرد	**MUP** **Egypt**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	Advanced Formula Night & Day N Fast Relief from Cold and Flu
Nilstat Oral /Drops 24 ml	Nystatin 100000 I.U.24 ml	**Antifungals** Fungal Infections الأصابات الفطرية	**SIGMA** **Egypt**	Three to four times daily	PHARMACIST ONLY MEDICINE KEEP OUT OF REACH OF CHILDREN Nilstat Oral drops 24 ml

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Nimodipine Tablets 30 tab	Nimodipine	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**BAYER** **Germany**	orally in a dose of 60 mg every 4 hours	
Nistan Oral /Drops 30 ml	Nystatin 100000 I.u./ml suspention	**Antifungals** Fungal Infections الأصابات الفطرية	**Modern Pharama** **Yemen**	Three to four times daily	
Nitrest 10 Tablets 10 tab	Zolpidem Tartrate 10 mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**SUN Pharma** **India**	10 mg taken immediately before retiring. In elderly or debilitated patients, treatment limited to a dose of 5 mg at night.	Zolpidem Tartrate Tablets 10 mg Nitrest 10
Nitrocor Retard 6 x 10 	Nitroglycerin 2.5 mg	**Cardio Vascular System drugs** Angina الذبحة الصدرية	**Unknown** **Unknown**	One sublingual tablet (usual strength 300 to 600 micrograms) is placed under the tongue. ,for total of 3 doses within 15 minutes.	Nitrocor Retard
Nitromack Retard Tablets 30 tab	Nitroglycerin .2.5 and 5 mg	**Cardio Vascular System drugs** Angina الذبحة الصدرية	**OCTOBER PHARMA** **Egypt**	One sublingual tablet (usual strength 300 to 600 micrograms) is placed under the tongue. ,for total of 3 doses within 15 minutes.	Nitro MAK Retard
Nitrotard Caplets 60 cap	Glyceryl Trinitrate (Nitroglycerin)	**Cardio Vascular System drugs** Angina الذبحة الصدرية	**MUP** **Egypt**	One sublingual tablet (usual strength 300 to 600 micrograms) is placed under the tongue. ,for total of 3 doses within 15 minutes.	Nitrotard Nitroglycerin 2.5 mg Coronary Therapeutic Agent
Nizoral Cream 30 gm	Ketoconazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Janssen-Cilag** **Switzerland**	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	Nizoral crema

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Nizoral Tablets 10 tab	Ketoconazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Janssen-Cilag** **Switzerland**	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	Nizoral 10 tabletas orales JANSSEN PHARMACEUTICA
Nocuf Syrup 120 ml	Unknown	**Unknown** Common Cold نزلات البرد	**JOSWE** **Jordan**	As directed	JOSWE NOCUF
NOLVADEX Tablets 30	tamoxifen citrate 10	**Gynaecology drugs** Infertility العقم	**ASTRENECA** **Unknown**	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 2 - 4 Tablet	
Nootropil Tablets 200 ml	Piracetam	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	Nootropil Piracetam
NOOTROPIL 800mg Tablets 30 film coated tab	Piracetam 800mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	Nootropil 800mg Piracetam
Noradrenaline amp	Noradrenaline	**Cardio Vascular System drugs** Hypotension انخفاض ضغط الدم	**Unknown** **Unknown**	intravenous infusion of a solution containing the equivalent of 4 micrograms of the base per mL in glucose 5%, or sodium chloride 0.9%	NORDLINE Cartel Pharmaceuticals Pvt. Ltd.
Norcetam Syrup 120 ml /bottle	Piracetam 200mg / 1 ml	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**RAM pharma** **Jordan**	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	Norcetam Syrup 120 ml RAM PHARMA

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Norcetam - 800 Tablets 30 tab	Piracetam	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**RAM PHARMA** **Jordan**	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Norcetam 400 Capsules 30 capsule	piracetam- 400 / cap	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**RAM Pharma** **Jordan**	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
NORCOLUT Tablets 20	norethisterone 1	**Gynaecology drugs** Contraceptives موانع الحمل	**GEDEON RICHTER** **HUNGARY**	one tablte daily from the frist day of menstution for 21 day	
NOREGYN 5 mg Tablets 3X 10 tablet	norethisterone 5 mg	**Gynaecology drugs** Contraceptives موانع الحمل	**ZAFA** **Pakistan**	one tablte daily from the frist day of menstution for 21 day	
Norethisterone 5 mg Tablets 30 tablet	norethisterone 5 mg	**Gynaecology drugs** Contraceptives موانع الحمل	**WOCKHADT** **UK**	one tablte daily from the frist day of menstution for 21 day	
Norflox Tablets 1strip* 10tablet	Norfloxacin 400	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	Tab 400mg	
Norfloxacin Tablets 10 tab	Norfloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Huons** **Korea**	Tab 400mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Normalax Syrup 100 ml for bottle	Lactulose	**Gastro Intestinal drugs** Constipation الأمساك	**Shiba pharma** **Yemen**	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
normodipine	Amlodipine	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Normolute N Tablets 20 tab	progesterone and northiesterone	**Gynaecology drugs** Contraceptives موانع الحمل	**ASIA** **Syria**	one tablet daily or As directed	Normolute N
Normovite Dragees 50 Drages	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Normon** **Spain**	As directed	
NOROX Tablets 10 tablet	Norfloxacin*400 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	Tab 400mg	
Norplat Tablets 28 tab	Clopidogrel Bisulfate	**Cardio Vascular System drugs** Thrombosis الجلطات	**Getz pharma** **USA**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Nortival Tablets 30 tablets	Nortriptyline+Flu phenazine tablet 10/0.5mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**ASIA** **Syria**	Minimum/Maximum Adult Daily Dose: 1 - 4 Tablets three times daily	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Norvasc	Capsules	30 cap	Amlodipine	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**Unknown**	**Unknown**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Norzol	Liquid_ suspension	100ml	metronidazole	**Antiprtozoal**	Amoebiasis , Gardiasis جارديا واميبيا	**Y.E.PHARMA**	**Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
NO-SPA	Tablets	20 tab	Drotaverine	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**Sanofi Synthelabo**	**Unknown**	120 to 240 mg daily by mouth in divided doses.	
No-Spa 40	Tablets	20 tablet	Drotaverine	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**SANOFI**	**HUNGARY**	120 to 240 mg daily by mouth in divided doses.	
No-Spa 40	Ampoules	25 amp	Drotaverine	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**SANOFI**	**France**	120 to 240 mg daily by mouth in divided doses.	
No-Spa forte 80 mg	Tablets	20 tablet	Drotaverine	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**Sanofi Synthelabo**	**HUNGARY**	120 to 240 mg daily by mouth in divided doses.	
NO-Spalgin	Tablets	12 tabs	Drotaverine 40 mg +paracetamol 500 mg+ codeine 8 mg	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**Sanofi Aventis**	**France**	Usua dose is 40-80mg three daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
not clear	Unknown	**Unknown** Unknown	**Unknown** **Unknown**	As directed	
Nova-75 Capsules 10 capsules	pregabalin capsule 75mg	**Central Nervous system drugs** Epilepsy الصرع	**CIPLA** **India**	Initial 50 mg orally three times/day , incease to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
Novacetam Syrup 100 ml	Piracetam 1g/5ml	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Shiba pharma** **Yemen**	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Novatax	Cefotaxime Sodium 1 gm	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CIPLA** **India**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	
Novecin tablet 1strip*10tablet	Ofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**United** **Jordan**	tab 400mg & 200mg	
Novepam 1.5 Tablets 30 tablet	Bromazepam	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**RAM PHARMA** **Jordan**	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily have occasionally been given. Initial doses for elderly and	
Novepam-3 Tablets 30 tablets	Bromazepam tablets 3mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**RAM PHARMA** **Jordan**	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily have occasionally been given. Initial doses for elderly and	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Novex	Ampoules	2 amp	Enoxaparin Sodium 4000 i.u / 0.4 ml	**Cardio Vascular System drugs**	Thrombosis الجلطات	**Sothema**	**Morocco**	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
Novo Norm 0.5mg	Tablets	30 tab	Repaglinide 0.5mg	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Novo Nordisk**	**Denmark**	Minimum/Maximum Adult Daily Dose:2 - 10 mg (milligram) OR 2 - 10 Tablet	
NOVOFEN 10	Tablets	30	tamoxifen	**Gynaecology drugs**	Infertility العقم	**REMEDICA**	**Cyprus**	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 2 - 4 Tablet	
NovoNorm 2mg	Tablets	30 tab	Repaglinide 2mg	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Novo Nordisk**	**Denmark**	Minimum/Maximum Adult Daily Dose:2 - 10 mg (milligram) OR 2 - 10 Tablet	
novorapid flexpen	Vial	1	insulin	**Antidiabetics**	Diabetes Mellitus أمراض السكري	**Novo Nordisk**	**Denmark**	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
NOVYNETTE	Tablets	21	ethinylestradiol - desogestrel	**Gynaecology drugs**	Contraceptives موانع الحمل	**GEDEON RICHTER**	**HUNGARY**	one tablte daily from the frist day of menstution for 21 day	
Noxafil	Suspension	105 ml	Posaconazole 200mg/5ml	**Antifungals**	Fungal Infections الأصابات الفطرية	**MSD**	**USA**	orally at a dose of 400 mg twice daily with a meal	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
NOXAPARIN	Ampoules	1 amp	Enoxaparin Sodium 40 mg / 0.4 ml	**Cardio Vascular System drugs**	Thrombosis الجلطات	**Unknown**	**Unknown**	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
Noxban	Gel	50 gm	Unknown	**Skin Disorders**	Acne حب الشباب	**Unknown**	**Unknown**	As directed	
Nuflu	Capsules		Fluconazole 150mg	**Antifungals**	Dermatitis الألتهابات الجلدية	**Stellar**	**Unknown**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
NU-SPASM	Tablets	20 tabs	Hyoscine-N-Butylbromide 10 mg / tablet	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**EIPICO**	**Egypt**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Nutreints for blood Formation			Nutrients	**Gastro Intestinal drugs**	Nutrition supplementation تغذية تكميلية	**Unknown**	**Unknown**	As directed	
Nutri-plus	Capsules	30 cap	Multi vitamin and Menirals	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**Pharmacare**	**Yemen**	One capsule or more daily or as prescribed by the physician	
Nutri-plus	Syrup	100 ml	Multi vitamin and Menirals	**Vitamines and Menirals**	Vitamins Deficiency نقص فيتامينات	**Pharmacare**	**Yemen**	Adult : 5 ml three times a day , Children : 2.5 - 5 ml two times a day .	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Nuzac Capsules 20 capsules	Fluoxetine capsule 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	2 x 10 Capsules Fluoxetine Capsules BP 20 mg Nuzac Capsule Cipla
Nuzac Capsules 2 x 10 cap	Fluoxetine Hydrochloride	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	20 mg once daily up to a maximum of 80 mg daily (60 mg in the elderly).	Nuzac Capsule Cipla
NYAGRA 50 mg Tablets 2 tab	Sildenafil Citrate 50 mg/ tablet	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Pharmacare** **Yemen**	25 - 100 mg depending on response, about one hour before sexual intercourse	
Nystagram Cream 20 gm	Nystatin + Neomycin Sulfate + Gramicidin + Triamcinolone Acetonide	**Corticosteroid** Dermatitis ألتهابات الجلدية	**Unknown** **Unknown**	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Nystagram Ointment 20 gm	Nystatin + Neomycin Sulfate + Gramicidin + Triamcinolone Acetonide	**Corticosteroid** Dermatitis ألتهابات الجلدية	**Unknown** **Unknown**	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Nystagram Cream 15 gm	Nystatin 100000 IU/ g + Triamcinolone Acetonide 0.1 %	**Corticosteroid** Dermatitis ألتهابات الجلدية	**Modern Pharama** **Yemen**	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Nystamed Tablets 20 coated tablets	Nystatin 20mg	**Antifungals** Fungal Infections الأصابات الفطرية	**Medico Labs** **Syria**	Three to four times daily	NYSTAMED Antifungal

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Nystatin Suspension 30 ml	Nystatin 100000 i.u./ml	**Antifungals** Fungal Infections الأصابات الفطرية	**EIPICO** **Egypt**	Three to four times daily	
Nystatin Oral /Drops 30 ml	Nystatin 100000 I.u./ml	**Antifungals** Fungal Infections الأصابات الفطرية	**Global Pharma** **Yemen**	Three to four times daily	
Nystatin Suspension 30 ml	Nystatin 100000 i.u./ml	**Antifungals** Fungal Infections الأصابات الفطرية	**BIOPHARM** **Yemen**	Three to four times daily	
Nystatin Asia Suspension 60 ml	Nystatin 1000000u/I	**Antifungals** Fungal Infections الأصابات الفطرية	**Delta pharma** **Egypt**	Three to four times daily	
Nystatin Cream Cream	Nystatin 100000 I.U.	**Antifungals** Fungal Infections الأصابات الفطرية	**TARO** **Unknown**	Three to four times daily	
Nystatin Ointment Ointment 15 gm	Nystatin + Triamcinolone Acetonide	**Antifungals** Fungal Infections الأصابات الفطرية	**TARO** **Unknown**	Three to four times daily	
Nystatin oral drops Oral /Drops 24 ml	Nystatin 100000 I.u./ml	**Antifungals** Fungal Infections الأصابات الفطرية	**Unknown** **Unknown**	Three to four times daily	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
O.M strip	Capsules	100 caps	Omeprazole 20 mg	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**Shiba pharma**	**Yemen**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
O2	Tablets	10 tablet	Ofloxacin & Ornidazole	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**MEDLEY**	**India**	tab 400mg & 200mg	
Obariphyllin SR 12-150 mg	Capsules	20 cap	Theophyllin	**Respiratory drugs**	Bronchial Asthma الربو الشعبي	**OUBARY PHARMA**	**Syria**	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Obenasin 200 mg	tablet	1strip*10tablet	Ofloxacin*	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Huons**	**Korea**	tab 400mg & 200mg	
Obenasin 400 mg	tablet	1strip*10tablet	Ofloxacin*	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Huons**	**Korea**	tab 400mg & 200mg	
Ocean Spray	Nasal /Spray	15 ml	sodium chloride +bezyl alcohol	**Respiratory drugs**	Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**ORSA ph.**	**Unknown**	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	
Octovent cr 4	Tablets	20 tab	salbutamol 4mg	**Respiratory drugs**	Bronchial Asthma الربو الشعبي	**OCTOBER PHARMA**	**Egypt**	2 -4 mg / or 2 buffs *qid	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ocuflox Ointment 3.5 gm	Ofloxacin	**Antibacterial** Eye العين	**Samil** **Unknown**	tab 400mg & 200mg	
OcuFlox Eye solution 5 ml	Ofloxacin	**Antibacterial** Eye العين	**Samil** **Unknown**	0.3% eye drops	
Ocuguard Soft Gelatin Capsules 20 cap	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Orchidia Pharma** **Egypt**	Onc a day	
ODORAL Solution 200 ml	Combination	**Antiseptic and Desinfectants** Mouth Wash الغسولات الفموية	**HPP** **Egypt**	As directed	
Oflacin Ram tablet 1strip*10tablet	Ofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RAM PHARMA** **Jordan**	tab 400mg & 200mg	
Oflobac Tablets 1strip*10tablet	Ofloxacin 200 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Global Pharma** **Yemen**	tab 400mg & 200mg	
OFLOBAC Tablets 1strip*10tablet	Ofloxacin 400 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Global Pharma** **Yemen**	tab 400mg & 200mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Oflomed Ear drops 4shets*5bottel	Ofloxacin*	**Antibacterial** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Unimed** **Tunisia**	0.3% ear drops	
Oflosed tablet 1strip*10tablet	Ofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**SEDICO** **Egypt**	tab 400mg & 200mg	
Oflox tablet 1strip*10tablet	Ofloxacin 200 mg / tab	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shiba pharma** **Yemen**	tab 400mg & 200mg	
Oflox Forte 400 Tablets 1strip*10 tablet	Ofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shiba pharma** **Yemen**	tab 400mg & 200mg	
OFLOXACIN Tablets 10 tab	Ofloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**ALSHAHBA** **Syria**	tab 400mg & 200mg	
Ofloxin 200 Tablets 1strip* 10tablet	Ofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	tab 400mg & 200mg	
Ofloxin 400 Tablets 1strip*10 tablet	Ofloxacin 400 mg / tablet	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	tab 400mg & 200mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
OFTALMOLOSA Ointment 3.5 gm / tube	5 mg of Erythromycin / 1 gm of ointment	**Ophthalmic drugs** Eye العين	**Cusi** **Spain**	As directed	Cusi OFTALMOLOSA CUSI ERYTHROMYCIN 0.5% Eye ointment
OFTALMOLOSA CUSI Eye ointement 1tube* 5gm	Erythromycin	**Antibiotics** Eye العين	**Cusi** **Spain**	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	Cusi OFTALMOLOSA CUSI ERYTHROMYCIN 0.5% Eye ointment
OLCA Soft Gelatin Capsules 20 cap	Calcitriol	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Huons** **Korea**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
OlenzRapitab10 Tablets 50 Tablet	Olanzapin tablet 10mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**SUN** **India**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	Olanzapine Rapidly Dissolving Tablets 10 mg OLEANZ RAPITAB 10 SUN
Olexar-10 Tablets 10 Tablet	Olanzapin tablet 10mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	10 Tablets Olexar-10 Olanzapine Tablets 10 mg Cipla
Olexar-5 Tablets 10 Tablets	Olanzapin tablet 5mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	 10 Tablets Olanzapine Tablets 5 mg Olexar-5 Cipla
Oligofer Ampoules 10 amp	Mineral preparation with vitamin B12	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Unknown** **Unknown**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	

Trade name	Generic Name and Composition	Therapeutic Category	Manufactrer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
OLMETERO 20	Olmesartan Medoxomil 20 mg	**Cardio Vascular System drugs**	**HETERO**	20 mg once daily	
Tablets		Hypertension ارتفاع ضغط الدم	**Unknown**		
1 x 10 tab					
OLMETERO 40	Olmesartan Medoxomil 40 mg	**Cardio Vascular System drugs**	**HETERO**	20 mg once daily	
Tablets		Hypertension ارتفاع ضغط الدم	**Unknown**		
1 x 10 tab					
Olmetero H	Olmesartan Medoxomil	**Cardio Vascular System drugs**	**Unknown**	20 mg once daily	
		Hypertension ارتفاع ضغط الدم	**Unknown**		
Omafen	Ibuprofen	**Non-Steroidal Anti-**	**NPI Pharma**	Oral doses of400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	**Unknown**		
20 tab					
Omatan	Mefenamic Acid	**Nonsteroidal Anti-**	**Unknown**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
		Analgesic مهدئات الأوجاع	**Unknown**		
Omec	Each capsule contains omeprazole 20 mg as enteric-coated pellets.	**Gastro Intestinal drugs**	**Pharmacare**	20 mg , or 40 mg in severe cases, continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	**Yemen**		
14 caps					
Omefast	Omeprazole 20 mg	**Gastro Intestinal drugs**	**Global Pharma**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	**Yemen**		
10×10 caps					

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
omega -3	Capsules	30 cap	cod liver oil + omega -3	**Vitamines and Menirals**	Hyperlipidaemias زيادة الدهون في الدم	**Vitex pharma**	**Unknown**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
omega 3-6-9	Soft Gelatin Capsules	80 softgels	Borage Seed Oil 400 mg+ Flaxseed Oil.400 mg+Fish Oil , 400 mg+Omega 3 Fatty Acids 267	**Vitamines and Menirals**	Hyperlipidaemias زيادة الدهون في الدم	**Jamieson**	**Canada**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
omega -H3	Capsules	30 Capsules	cod liver oil + omega -3	**Vitamines and Menirals**	Hyperlipidaemias زيادة الدهون في الدم	**VITABIOTICS**	**Unknown**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Omega-3 plus	Capsules	20 Capsules	fish oil 1000mg +wheat germ oil 100mg/Capsule.	**Vitamines and Menirals**	Hyperlipidaemias زيادة الدهون في الدم	**SEDICO**	**Egypt**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Omegavyte 3-6-9	Soft Gelatin Capsules	90 softgels	Borage Seed Oil 400 mg+ Flaxseed Oil.400 mg+Fish Oil , 400 mg+Omega 3 Fatty Acids . . .	**Vitamines and Menirals**	Hyperlipidaemias زيادة الدهون في الدم	**Vitane pharma**	**Germany**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Omepak	cap	14 caps	Omeprazole	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**SEDICO**	**Egypt**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
OMEPRA	Capsules	14 caps	Omeprazole 20 mg / cap	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**Modern Pharama**	**Yemen**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
OMEPRA Capsules 10 x 10 caps	Omeprazole 20 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Modern Pharama** **Yemen**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
omeprazole Capsules 100 caps	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Unknown** **Unknown**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	10 x 10 Capsules OMEPRAZOLE CAPSULES 20mg
Omeprazole 40 Powder for Solution Injection 	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Vitalis** **USA**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	Omeprazole 40 mg 1 Vial + 1 Ampoule Vitalis
Omeral 20 Capsules 14 cap	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**JPI** **Saudi Arabia**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	Omeral 20 JPI
Ometop tab 100 tabs	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shaphaco** **Yemen**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	100 Caps. Ometop®-20 Omeprazole 20mg Antiulcer
Omezin Capsules 14 caps	Omeprazole 20 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**YEDCO** **Yemen**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Omezol Capsules 14 caps	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shiba pharma** **Yemen**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	Omezol Omeprazole 14 Capsules Shiba Pharma

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Omezol Capsules 14 caps	Omeprazole 20 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shiba pharma** **Yemen**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Omizac cap 50 caps	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Torrent** **India**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
OMNIC Capsules 30 cap	Tamsulosin Hydrochloride 0.4 mg	**Urinary tract drugs** Urinary Tract Infection اصابات الجهاز البولي	**Saja pharmaceutical** **Saudi Arabia**	400 - 800 micrograms daily by mouth for up to 4 weeks	
Omnicif Capsul 1bottel*10cap	Cefdinir	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**JPI** **Saudi Arabia**	600 mg daily as a single dose or in two divided doses. Children may be given 14 mg/kg daily up to a maximum of 600 mg daily.	
Omnicin Capsules 20 cap	Tamsulosin Hydrochloride 0.4 mg	**Urinary tract drugs** Urinary Tract Infection اصابات الجهاز البولي	**Y.E.PHARMA** **Yemen**	400 - 800 micrograms daily by mouth for up to 4 weeks	
Omtran tablet 10strip*10tablet	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**OMEGA** **Italy**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	CO-TRIMOXAZOLE TABLETS B.P. OMTRAN
ONCEAIR 4 mg Tablets 28 tab	Montelukast Sodium	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**ABDIIbrahim** **Unknown**	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	ONCEAIR 4 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
One-Alpha	Alfacalcidol	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**LED pharma** **Unknown**	As directed	One-Alpha 1 mcg Alfacalcidol
One-Alpha 0.25mcg Tablets 100 tablets.	Alfacalcidol tablet 0.25mcg.	**Vitamines and Menirals** Ricketsia الكساح	**LEO** **Denmark**	As directed	 One-Alpha 0.25 mcg. Alfacalcidol
ONSET-4 Tablets 60 tabs	Ondansetron Hydrochloride 4mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**RFA** **Yemen**	4-8 mg of ondansetron base	ONSET - 4 Ondansetron tablets 4 mg RFA
Opera	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Unknown** **Unknown**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	40 mg Omeprazole for Injection OPERA Lyophilized For I.V. Infusion after dilution
Opizole-B Cream 20 gm	Clotrimazole	**Antifungals** Dermatitis الألتهابات الجدلدية	**Unknown** **Unknown**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	Opizole-B Cream
OPRED 20 mg Tablets 30 tab	Prednisolone Acetate	**Corticosteroid** Inflammations الألتهابات	**Unknown** **Unknown**	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
OPSAR Drops 5 ml	Sulfacetamide	**Antibacterial** Eye العين	**Thai P.D** **Thailand**	As directed	OPSAR Eye Drops

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
OPSARDEX Eye / Ear Drops 5 ml	Dexamethasone Phosphate + Neomycin Sulfate	**Antibacterial** Eye العين	**Thai** **Thailand**	As directed	
Optal Solution 100 ml	Combination	**Unknown** Eye العين	**Olan** **Unknown**	As directed	
Optanac Solution 5 ml	Unknown	**Unknown** Eye العين	**Unknown** **Unknown**	As directed	
Opticin Eye drops	Ciprofloxacin Hydrochloride	**Antibacterial** Eye العين	**Jamjoum Pharma** **Saudi Arabia**	250 to 750 mg twice daily depending on the severity and nature of the infection	
Optilone Eye drops	Fluorometholone	**Corticosteroid** Eye العين	**Unknown** **Unknown**	one drop	
OPTOVITE B12 Ampoule 5 ampoules of 2ml	Vitamin B12 1000 gammas	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Normon** **Spain**	1000 micrograms every 2 to 3 months	
Oracure Tube Tube of 2,0 g / 15 g	Cetylpyridinium chloride 0,1 g	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**Amoun Pharmaceutical Co** **Unknown**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Orafresh Solution 100 ml	Thymol 0.06 % + Benzoic acid 0.15 % + Eucalyptol 0.09 % + Menthol 0.04 % +Methyl	**Antiseptic and Desinfectants** Mouth Wash الغسولات الفموية	**Pharmacare** **Yemen**	Gargle for 30 seconds every morning and night. For best results use undiluted	
oral contraceptive Tablets 21	levonorgestrel 0.03	**Gynaecology drugs** Contraceptives موانع الحمل	**BAYER** **Germany**	one tablte daily from the frist day of menstution for 21 days.	
Oralux Capsules 1strip*10capsules	Cefpodoxime Proxetil	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Alpha** **Syria**	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Oralux Dry syrup 1bottel*60ml	Cefpodoxime Proxetil	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Alpha** **Syria**	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Oran-C Tablets Tube contains 10 effervescent tablets	Each efferv. tablet contains : Vitamin C B.P. 1000mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Pharmacare** **Yemen**	1 tablet a day (dissolve the effervescent tablet in half glass of water before taking it)	
ORAS Lozenges 24 lozenges	Different Lozenges Ingredients	**Antiseptic and Desinfectants** Common Cold نزلات البرد	**ORAS** **Unknown**	As directed	
Oraxetil 100 mg tablet 1strip*10tablet	Cefpodoxime Proxetil	**Antibiotics** الأصابات الميكروبية Microbial Infections	**NCPI** **Unknown**	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Oraxetil 200 mg Tablets 1strip*10tablet	Cefpodoxime Proxetil	**Antibiotics** الأصابات الميكروبية Microbial Infections	**NCPI** **Unknown**	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Orazone Syrup 100 ml	Dexamethasone	**Corticosteroid** Inflammations الألتهابات	**ADCO** **Egypt**	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Orchapred Suspension 10 ml	Prednisolone Acetate 1 %	**Ophthalmic drugs** Eye العين	**Orchidia Pharma** **Egypt**	As directed	
Orchazid Solution 5 ml	Ketotifen Fumarate 0.025%	**Ophthalmic drugs** Eye العين	**Orchidia Pharma** **Egypt**	applied topically, as eye drops , twice daily in adults, and in children aged 3 years and older.	
ORDAZOLE Tablets 10 tab	Orinidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**MEYER** **Unknown**	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Oringinal GuavaL eaf Syrup 120 ml	herbal extract cough &common cold	**Respiratory drugs** Common Cold نزلات البرد	**oringinal** **Unknown**	As directed	
Oritaxim 1000 Vial 1Vial	Cefotaxime Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CADILA** **India**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Oritaxim 250 Vial 1vial	Cefotaxime Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CADILA** **India**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	COMBIPACK OF CEFOTAXIME FOR INJECTION USP 250 mg & STERILE WATER FOR INJECTION BP ORITAXIM 250
Oritaxim 500 Vial 1vial	Cefotaxime Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**CADILA** **India**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	 COMBIPACK OF CEFOTAXIME FOR INJECTION USP 500 mg & STERILE WATER FOR INJECTION BP ORITAXIM 500
ORIZOL 500 Tablets 10 tab	Orinidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**RFA** **Yemen**	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	ORIZOL 500 Ornidazole 500mg Antibacterial and Antiamoebic
ORIZOL PLUS Tablets 10 tab	Orinidazole 500mg + Ofloxacin 200mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**RFA** **Yemen**	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	10 Tablets AVIFLOX 200 Ofloxacin 200mg
Orlimac tablet 3*10capsule	orlistat capsules 120mg	**Gastro Intestinal drugs** Obesity	**MACLEODS** **India**	120 mg by mouth three times daily, immediately before, during, or up to 1 hour after meals	Orlistat Capsules 120 mg Orlimac MACLEODS
Orlimac Capsules 3*10 capsule	Orlistat 120 mg / cap	**Gastro Intestinal drugs** Obesity	**Shiba pharma** **Yemen**	120 mg by mouth three times daily, immediately before, during, or up to 1 hour after meals	SMART LOOSE Orlistat For obesity treatment and weight maintenance Shiba Pharma
OROBI 3 Ampoules 10 amp x 3 ml	vit B1 100mg+B6 50mg+B12 1000 mcg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Jinlling pharmaceutical** **China**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	OROBI 3 INJECTION

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Orofar	Bucal / Spray	30 ml	WithLidocaine	**Central Nervous system drugs**	Anaesthetics Local التخدير الموضعي	**NOVARTIS**	**Switzerland**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Orovex	Solution	250 ml	Combination	**Antiseptic and Desinfectants**	Mouth Wash الغسولات الفموية	**MACRO**	**Unknown**	As directed	
Orphamol	Tablets	box of 20 talet of 35mg/tablet	Orphenadrine Citrate 35 mg + paracetamol	**Muscle relaxations**	Parkinson's disease مرض الرعاش	**RAMEDA**	**Egypt**	by mouth in a dose of 100 mg twice daily or by intramuscular or slow intravenous injection in a dose of 60 mg which has been repeated every 12 hours.	
ORS	Sachets	25 sachet of 30 gm	Combination	**Gastro Intestinal drugs**	Diarrhea الأسهال	**SAOG**	**Oman**	As directed	
OSCAL	Tablets	30 tab	Calcium 600 mg +Vitamin D 200 i.u	**Vitamines and Menirals**	Osteoarthritis التهابات العظام	**Y.E.PHARMA**	**Yemen**	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
OSEN	Solution	100 ml	Phenoxymethylpenicillin 250 mg / ml	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**Modern Pharama**	**Yemen**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Ospafel cap	Tablets	100 tab	alphapinine +beta pinine +broneol+cineol	**Gastro Intestinal drugs**	Hepatic Disorders اضطرابات الكبد	**ospa pharma**	**Unknown**	3-5 drop of liquid 4-5 times daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ospaine Tablets 20 tab	Penicillin V Potassium	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Osparen Dragees 100 Dragees	Rhiz.Torment .05 gm + Fruct.Ros.Can 0.05 gm + Herb. Equiseti 0.05 gm +	**Urinary tract drugs** Urinary Tract Infection اصابات الجهاز البولي	**OSPAPHARM** **Germany**	2 dragees three times daily , for 5 weeks , then 1 dragee three times daily	
Osteo -Mix Tablets 20 Eff. Tab	Vitamin D Substances	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Sandoz** **Unknown**	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
OSTEO-ALFA Soft Gelatin Capsules	Alpha calciferol	**Vitamines and Menirals** Ricketsia الكساح	**United** **Jordan**	As directed	
Osteobion Tablets 30 tablets	calcium + Magnesium + zinc + vitamin D3 /tab.	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**BIOPHARM** **Yemen**	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Osteocare ??? Solution 200 ml	Calcium300 mg+Magnesium 150 mg+Zinc6 mg+Vitamin D 3.8 µg/10ml	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Vitabiotics** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Osteocare Tablets Tablets 30 tablets	calcium 800mg,Magnesium 200mg,zinc 8mg,vitamin D3 400IU	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**VITABIOTICS** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Osteocare مكرر Tablets 30 tablets	calcium 800mg,Magnesium 200mg,zinc 8mg,vitamin D3 400IU	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**VITABIOTICS** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Osteoflex Tablets 30 tab	Glucosamin 500mg + Chondroitin 400mg	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Health Aid** **Thailand**	As directed	
Osteo-Health Tablets 30 chewable tablets	Calcium Carbonate 1500 mg /tablet.	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Modern Pharama** **Yemen**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Osteomeal Tablets 24 Soft tablet	calcium 1250mg&magnesium 40mg&zinc 7.50mg&vit D 250 IU/tab.	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Modern Pharama** **Yemen**	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
OSTOVAL Tablets 14 tab	Ca+ Vit D , Meg., Zinc	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**EGYPHAR** **Egypt**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
OSTRON Tablets 60 Tablets	Vit D 5 IU , Vit.B6 2mg ,folic acid 400mcg , calcium 800mg, magnesium 400mcg zinc	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**LIFEPLAN** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Otocalm Drops 10 ml	Combination	**Unknown** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**PHARCO** **Egypt**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Otrivin 0.05% Pediatric Nasal / drops 10 ml	Xylometazolin HCL 0.05%	**Respiratory drugs** Common Cold نزلات البرد	**NOVARTIS** **Switzerland**	As directed	Otrivin 0.05% FOR THE TREATMENT OF COLDS Nasal Drops xylometazoline hydrochloride NOVARTIS
Otrivin 0.1% Adult Nasal / drops 10 ml	Xylometazolin HCL 0.1%	**Respiratory drugs** Common Cold نزلات البرد	**NOVARTIS** **Switzerland**	As directed	Otrivin 0.1% FOR THE TREATMENT OF COLDS Nasal Drops Xylometazoline hydrochloride NOVARTIS
Otrivin 0.1% Nasal Drops 10 ml	Xylometazoline Hydrochloride	**Respiratory drugs** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Unknown** **Unknown**	As directed	
OVA-MIT Tablets 10	CLOMIPHENE	**Gynaecology drugs** Infertility العقم	**REMEDICA** **Unknown**	Minimum/Maximum Adult Daily Dose:50 - 100 mg (milligram) OR 1 - 2 Tablet………….	Ova-mit 10 tablets
Ovumix Suppositoris 6 Vaginal supp	Miconazole nitrate+Metronidazole+Neomycin Sulfate+Polymyxin Sulfate	**Antifungals** Vaginal المهبل	**ELEN** **Argentina**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	Ovumix ELEA
OXETINE-20 Tablets 10 tablets	Fluoxetine tablet 10mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**JPM** **Jordan**	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	OXETINE 20 10 THE JORDANIAN PHARMACEUTICAL MANUFACTURING CO.
OXETOL-300 Tablets 30 tablets	Oxcarbazepine tablet 300mg.	**Central Nervous system drugs** Epilepsy الصرع	**SUN** **India**	600 mg daily by mouth, given in 2 divided doses up to 2400 mg daily .- children 8 to 30 mg/kg by mouth daily	Oxcarbazepine Tablets 300 mg OXETOL 300

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ozip-10 Tablets 30 tablets	Olanzapin tablet 10 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**MEDLEY** **India**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	
P.T.B. Tablets 20 tablets	Pyrazinamide	**Antibiotics** Tuberculosis (T.B) الدرن	**AMOUN** **Egypt**	Adults 35 mg/kg daily (maximum daily dose is 3 g); children may be given 35 mg/kg daily dose, instead, skip the missed dose and resume your usual dosing schedule. Do	P.T.B. 20 Tablets
PACETAMOL Ampoules 10 amp of 2 ml	Each 2 ml contains 300 mg paracetamol + Lidocaine 20 mg	**Non-Steroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**ANB Laboratories CO.LTD** **Thailand**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Painex forte Capsules 20 cap	Mefenamic Acid	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**JOSWE** **Jordan**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Painpyrin Tablets 1 x 10 tab	Combination	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**BMP** **Thailand**	As directed	Painpyrin Analgesic and Antipyretic Muscle Relaxant
Panadol Suspension 100 ml	Paracetamol	**Non-Steroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**gsk glaxosmithkline** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Panadol Baby & Infant
Panadol Tablets 24 tab	pseudoephedrine +paracetamol+chloraphiniramine	**Respiratory drugs** Common Cold نزلات البرد	**gsk glaxosmithkline** **UK**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	COLD+FLU Panadol DAY 24 CAPLETS

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Panadol Baby Suspension 100 ml	Paracetamol suspension 120mg/5ml.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**gsk GlaxoSmithklin** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Panadol Baby & Infant
panadol Cold+flu Capsules box of 24 capsule of 30mg/capsule	paracetamol+chlorpheniramine	**Respiratory drugs** Common Cold نزلات البرد	**glaxosmithkline** **UK**	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	Panadol COLD+FLU 24 CAPLETS
Panadol Sinus Caplets 24 cap	paracetamol + pseudoephedrin	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**glaxosmithkline** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	24 Panadol Sinus
Panadol Advance Tablets 96 tablets	Paracetamol tablet 500mg.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**gskGlaxoSmithklin** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Panadol Advance 96 TABLETS
Panadol Advance Tablets 24 tab	Paracetamol	**Non-Steroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**gsk glaxosmithkline** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Panadol Advance
Panadol Cap Caplets 24 caplets.	Paracetamol 500mg+psedoephedrine 30mg per caplet.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**gskGlaxoSmithklin** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Panadol SINUS 24 CAPLETS
Panadol Caplets Caplets 24 Caplets	Paracetamol	**Non-Steroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Unknown** **Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Panadol NIGHT

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Panadol Caplets Caplets 24 Caplets	pseudoephedrine +paracetamol + chloraphiniramine	**Respiratory drugs** Common Cold نزلات البرد	**gsk glaxosmithkline** **UK**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	Panadol COLD+FLU 24 CAPLETS
Panadol cold+flu Caplets 24 caplets.	Paracetamol 500mg+psedoephedrine 30mg+chlorpheniramine 2mg per caplet.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**gsk GlaxoSmithklin** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Panadol COLD+FLU 24 CAPLETS
Panadol COLD+FLU Tablets 24 tablets.	Paracetamol 250mg+phenylephirne HCL 5mg+Guaifenrsin 100mg per tablet.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**gsk GlaxoSmithklin** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Panadol COLD+FLU ALL IN ONE 24 TABLETS
Panadol Cold+Flu Sachets 10 Sachets	pseudoephedrine +paracetamol + chloraphiniramine	**Respiratory drugs** Common Cold نزلات البرد	**gsk glaxosmithkline** **UK**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	Panadol COLD+FLU Hot Lemon & Honey 10 SACHETS
Panadol COLD+FLU DAY Caplets 24 caplets.	Paracetamol 500mg+psedoephedrine 30mg+loratedin 5mg per caplet.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**gskGlaxoSmithklin** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Panadol COLD+FLU DAY 24 CAPLETS
Panadol Extra Tablets 24 Tablets	Paracetamol	**Non-Steroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Unknown** **Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Panadol Extra
Panadol night Caplets 24 caplets.	Paracetamol 500mg+diphenhydramine 25mg/caplet	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**gsk GlaxoSmithklin** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Panadol NIGHT 24 CAPLETS

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Panadol sinus Tablets 24 tab	pseudoephedrine +paracetamol 1000mg	**Respiratory drugs** Common Cold نزلات البرد	**gsk glaxosmithkline** **UK**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	Panadol SINUS 24 CAPLETS
Panadol Susp Elixir 100 ml	Paracetamol suspension 240mg/5ml.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**gsk GlaxoSmithklin** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Panadol Children's 5-12
Panadol Tablets Tablets 20 tablets.	Paracetamol tablet 500mg.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**gskGlaxoSmith klin** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Panadol ActiFast 20 TABLETS
Panadol-Joint Tablets 18 tablets	Paracetamol 665mg per tablet.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**gskGlaxoSmith klin** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Panadol JOINT EXTENDED RELIEF 18 TABLETS
Panalgic Tablets 16 effervesent tablets.	Paracetamol 500mg +caffeine 50mg/effervesent tablet.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Sothema** **Morocco**	As directed	PANALGIC Effervescent Paracetamol-Caféine Antalgic · Antipyretic
Panamol Suspension 15 ml	Paracetamol drops 100mg /ml.	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Shaphaco** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	60 ml PANAMOL Analgesic and Antipyretic Paracetamol Suspension
Panamox Tablets	Mebendazole	**Anthelmentic** Common Worms الديدان الشائعة	**Unknown** **Unknown**	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Pan-Benzathinpenicilli Vial 1 vial	Penicillin G Benzathine	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Pan pharma** **France**	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	BENZATHINE PENICILLINE
Pan-Benzyl penicillin Vial 1 vial	Penicillin G(Benzylpenicillin)	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Pan pharma** **France**	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	PAN PENI G SODIUM
PANDERM Cream Cream 15 gm	Nystatin + Neomycin Sulfate + Gramicidin + Triamcinolone Acetonide	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Julphar** **UAE**	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
PANDERM Ointment Ointment 15 gm	Nystatin + Neomycin Sulfate + Gramicidin + Triamcinolone Acetonide	**Corticosteroid** Dermatitis الألتهابات الجلدية	**Julphar** **UAE**	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Pan-Gentamicin 80 mg Ampoules 10 amp x 2 ml	Gentamicin 80 mg /2 ml	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطيرة	**PANPHARMA**	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	PANPHARMA Pan-Gentamicine
Pangesic Forte Tablets 50 Tablets	Mefenamic Acid	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**RAM PHARMA** **Jordan**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	Pangesic Forte
Pankreoflat Tablets 20 tab	Pancreatine 170 mg + Dimethylpolysiloxane 80 mg	**Gastro Intestinal drugs** Indigestion سوء الهضم	**SOLVAY** **Germany**	1-2 tablet with meals without chewing	20 Pankreoflat ctd. tablets dragées

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Pan-procaine penicillin Vial 1 vial	Penicillin G Procaine	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Pan pharma** **France**	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Pan-procaine penicillin ?? Vial 1 vial	Penicillin G Procaine	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Pan pharma** **France**	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
PANTAKUM-40 Tablets 10 tablet	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Akums Drugs** **India**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	PANTAKUM-40 Pantoprazole Sodium Delayed Release Tablets USP
Pantaz Tablets 14 tabs	pantoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Medfey** **Unknown**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	PANTAZ Pantoprazole Sodium Tablets
Pantazol Tablets 14 tab	Pantoprazole 40 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**SIGMA** **Unknown**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
PANTAZOL 40 mg Tablets 15 tabs	pantoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Nycomed** **Viena, Austria**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	PANTOZOL® 40 mg
Panthen-E Cream 40 gm	Unknown	**Skin Disorders** Dermatitis الألتهابات الجلدلية	**Unknown** **Unknown**	As directed	PANTHEN-E CREAM

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Panthophil Ointment 30 gm	Combination	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	
Panthophil Cream 30 gm	Unknown	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	
Pantocare- 40 mg Capsules 14 caps	Each capsule contains Pantoprazole 40mg mg as enteric-coated pellets.	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Pharmacare** **Yemen**	40 mg once daily for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Pantocid Tablets	Pantoprazole 40 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**SUN Pharma** **India**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Pantocid 40 mg Ampoules	Pantoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**SUN Pharma** **India**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Pantodar Capsules 14 caps	pantoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Dar Al Dawa** **Jordan**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Pantogar Capsules 90 cap	Unknown	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Pantoloc	Tablets	14 tabs	pantoprazole	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**MUP**	**Egypt**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Pantoloc	tab	14 tabs	pantoprazole	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**NOVARTIS**	**Switzerland**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Pantoloc- 40	Tablets	14 tab	Pantoprazole	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**MUP**	**Egypt**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Pantoloc-40	Tablets	14 tab	Pantoprazole 40 mg	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**MUP**	**Egypt**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Pantomax	tab	30 tabs	pantoprazole	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**Saja pharmaceutical**	**Saudi Arabia**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Pantosec	Tablets	14 ab	Pantoprazole 40 mg	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**CIPLA**	**India**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Pantozol	Tablets	15 tab	Pantoprazole 20 mg	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**Unknown**	**Unknown**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Pantozol 40	Pantoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Unknown** **Unknown**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	PANTOZOL® 40 mg
Pantrol 40 mg Tablets 14 tab	Pantoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Modern Pharama** **Yemen**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Paracetamol Suspension 100 ml	Paracetamol suspension 120 mg/5ml.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Suthema** **Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Paracetamol ??? Vial 100 ml	Paracetamol infusion 10mg/ml.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Unknown** **Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Para-Denk-125 Suppositoris 10 supp,	Paracetamol supp, 125mg.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Denk-pharma** **Germany**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Para-Denk 125 Suppos
Para-Denk-250 Suppositoris 10 supp	Paracetamol supp, 250mg.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Denk-pharma** **Germany**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Para-Denk 250 Suppos
Paradol Drops 15ml	Paracetamol drops 100mg/ml.	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Modern Pharama** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Paradol Tablets 24 tablets.	Paracetamol tablet 500mg/ tablet	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Modern Pharama** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Paradol Suppositoris 10 supp	Paracetamol supp, 125mg / supp.	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Modern Pharama** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Paradol Tablets 20 tab	Paracetamol 500 mg + cafeine 50 mg / tab	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Modern Pharama** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Paradol Tablets 20 tab	pseudoephedrine+ triprolidin +paracetamol	**Respiratory drugs** Common Cold نزلات البرد	**Modern Pharama** **Yemen**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Paradol Cold&Flu-D Suspension 60 ml	chloropheneramin 2mg+Pseudoephedrine 15mg+Paracetamol 120mg/5ml.	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Modern Pharama** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Paradol-250 Suppositoris 10 supp,	Paracetamol supp, 250mg.	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Modern Pharama** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Parafizz Tablets 48 Soluble tab.	Paracetamol effer, tablet 500mg.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**CIPLA** **India**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Parafizz-Plus Tablets 24 effer, tablet.	Paracetamol effer, tablet 500mg+65mg caffine.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**CIPLA** **India**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Parafizz plus Cipla
paramol Syrup 60 ml	Paracetamol syrup 2.6mg/ml.	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**YEDCO** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Paramol Paracetamol Syrup ALCOHOL FREE 60 ml
paramol drops 15 ml	Paracetamol	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**YEDCO** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
paramol Extra Capsules 20 caps	Paracetamol	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**YEDCO** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Paramol Extra
PARAX Suspension 10 ml	Mebendazole	**Anthelmentic** Common Worms الديدان الشائعة	**SHIN POONG** **Korea**	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	PARAX Oral Suspension Single dose Shake well before use
Pariet Tablets 14 caps	Rabeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Janssen** **Switzerland**	*20 mg once daily * 10 mg bid	Pariet 20 mg 14 gastro-resistant tablets janssen
Parkinol-5 Tablets 100 tablets	Benzhexol(Trihexyphenidyl) tablet 2mg	**Central Nervous system drugs** Parkinson's disease مرض الرعاش	**NILE CO.** **Egypt**	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	 10 Strips x 10 Tablets Parkinol 5 mg. Trihexyphenidyl The NILE Co. for Pharmaceuticals and Chemical Industries Made in Egypt

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Parkizol-2 Tablets 100 tablet	Benzhexol(Trihexyphenidyl) tablet 2mg	**Central Nervous system drugs** Parkinson's disease مرض الرعاش	**HIKMA** **Jordan**	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Paroxikern 20 mg Tablets Box	Paroxetine	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**KERN pharma** **Unknown**	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Paroxikern 20 mg Tablets 28 tab	Paroxetine	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**KERN pharma** **Korea**	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Patanol Solution 5 ml	Olopatadine Hydrochloride	**Antihistamines** Eye العين	**Alcon** **Unknown**	As directed	
PCmol Plus Tablets 20 tablets.	Each tablet / Effervescent tablet of PCmol Plus contains : Paracetamol 500mg+ Caffeine	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Pharmacare** **Yemen**	Adults and children I2 years and over :2 tablets up to 3 or 4 times a day.	
PCmol Plus Tablets 24 effervescent tablets	Each tablet / Effervescent tablet of PCmol Plus contains : Paracetamol 500mg+ Caffeine	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Pharmacare** **Yemen**	Adults and children I2 years and over :2 tablets up to 3 or 4 times a day.	
Pectomed Syrup 100 ml	pseudoephedrine+ triprolidin +guaiphenesin	**Respiratory drugs** Common Cold نزلات البرد	**med pharma** **Unknown**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Pedical Syrup 100 ml	each 5 ml contains : calcium glubionate 760 mg+vit. D3 400 IU+ vit. B12 10 mcg	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**EGYPHAR** **Egypt**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
PEDNISOL Syrup 50 ml	Prednisolone Acetate 6.7 mg	**Corticosteroid** Inflammations الألتهابات	**RFA** **Yemen**	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Peladol Ampoules 10 ampuoles	Paracetamol ampuole 300mg/ml.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Shaphar** **Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Pelikan- 500 Tablets 10 tab	Levofloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	Tab 500mg & 250mg Infu 500mg	
Pendol Tablets 20 Tablets	Paracetamol	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Y.E.PHARMA** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Pendol Cold & Flu Tablets 20 tab	pseudoephedrine +paracetamol+chloraphiniramine	**Respiratory drugs** Common Cold نزلات البرد	**Y.E.PHARMA** **Yemen**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Pendol Extra Tablets 20 tablets	paracetamol + Caffeine	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Y.E.PHARMA** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Pendol-D.S Suspension 60 ml	Paracetamol suspension 250mg/5ml.	**NSAID** Antipyretic - Analgesic مهدئة الأوجاع والحمى	**Y.E.PHARMA** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Penicillin G Vial 10 vials	Penicillin G Sodium	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Vitalis** **USA**	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Penpiclox 500 Capsules 20 cap	Ampicillin 250 mg + Cloxacillin250 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shaphaco** **Yemen**	Adults : 1 - 2 Capsule four times daily.	
Penpiclox 500 Suspension 100 ml	Ampicillin 125 mg + Cloxacillin 125 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shaphaco** **Yemen**	Children 2 – 10 years : 5 ml -10 ml four times daily. Children under 2 years : 2.5 ml - 5 ml four times daily.	
Penta Tablets 20 tabs	pantoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**ALPHA** **Syria**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Pentax Capsules 14 caps	pantoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shiba pharma** **Yemen**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Pentrax Capsules 14 cap	Pantoprazole 40 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shiba pharma** **Yemen**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Pentrax	Capsules	10 x 10 cap	Pantoprazole 40 mg	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**Shiba pharma**	**Yemen**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	Pentrax Shiba Pharma
Peptiloc 75 mg	Tablets	10 tabs	Ranitidine	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**SIGMA**	**Egypt**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	Peptiloc 75 Ranitidine 75 mg 10 Tablets SIGMA
Pepzol	Capsules	14 caps	Omeprazol 40 mg	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**ALKAN Pharma**	**Egypt**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	14 Capsules 40 Pepzol For treatment of Gastric and duodenal ulcers
Perdix	Ampoules	10 amp x 2 ml	Pyridoxine	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**Shijiazhuang =China**	**China**	Dietary Deficiency : ADULTS: PO/IM/IV 10 to 20 mg/day for 3 wk. Or oral once a day	Perdix 100 mg Injection
Perfalgan	Vial	Bottle	Paracetamol 10 mg / 1m	**Nonsteroidal Anti-**	Antipyretic - Analgesic مهدئات الأوجاع والحمى	**BMS**	**Denmark**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Perfectil	Tablets	28 Tablets	Omega-3 Triglycerides	**Skin Disorders**	Dermatitis الألتهابات الجدلدية	**VITABIOTICS**	**Unknown**	As directed	Perfectil plus SKIN SKIN HAIR & NAILS
Perhepar cap	Soft Gelatin Capsules	20 cap	cynarin+ dandelion	**Gastro Intestinal drugs**	Hepatic Disorders اضطرابات الكبد	**GLOBAL NAPI**	**Egypt**	200 mg/BID	Dietary Supplement Perhepar

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Permax Tablets 6 tab	Mebendazole 100 mg /tab	**Anthelmentic** Common Worms الديدان الشائعة	**SHIN POONG** **Korea**	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Permax Suspension 30 ml	Mebendazole 600 mg / 30 ml	**Anthelmentic** Common Worms الديدان الشائعة	**SHIN POONG** **Korea**	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Persantin Tablets 20 tab	Dipyridamole	**Cardio Vascular System drugs** Thrombosis الجلطات	**Boehringer Ingelhim** **Germany**	ADULTS: PO 1 capsule (200 mg extended-release dipyridamole/25 mg aspirin) bid, 1 in morning and 1 in evening. Do not crush or chew.	
Persogel Gel 80 ml	Lubricant gel	**Skin Disorders** Health Care الصحة العامة	**Shiba pharma** **Yemen**	As directed	
PESDON Tablets 2 x 10 tab	Unknown	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**KP** **Korea**	As directed	
Petilin-200 Tablets 30 tablets	Na valproate tablet 200mg	**Central Nervous system drugs** Epilepsy الصرع	**Ramedica** **Cyprus**	15 mg/kg/day in 2–3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Petro Tablets 30 tabs	Drotaverine 40 mg +paracetamol 400 mg+ codeine 60 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**BIOPHARM** **Yemen**	120 to 240 mg daily by mouth in divided doses.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
PETRO Tablets box of 2 strips of 10 talets of	Caffeine +Acetaminophen+ Drotaverine HCL	**Central Nervous system drugs** Stimulant المنبهات	**ACAPI** **Unknown**	50 to 100 mg by mouth, although doses of up to 200 mg may be used	
Pharmaton cap Capsules 30 capsuies	Multi vitamin and Menirals.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Ginsana** **Unknown**	As directed	Pharmaton Capsules
Pharobeta Cream Cream 15 gm	Betamethasone	**Corticosteroid** Dermatitis الألتهابات الجلدية	**PHARCO** **Egypt**	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Pharobeta ointment Ointment 15 gm	Betamethasone	**Corticosteroid** Dermatitis الألتهابات الجلدية	**PHARCO** **Egypt**	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
PHAROFRUIT Sachets 6 Sachets	Each 5 gm contains: Sodium Bicarbonate 2.65 gm + Citric Acid 1.102 gm + Tartaric Acid	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Pharo pharma** **Egypt**	Adult :1 sachet are to be added to half glass of water and taken during effervecence , children: half the adult's dose.	PHAROFRUIT
pharovit iron syrup 100ml syrup	ferrous gluconate 1.04(equavent to120mg iron) + vitB6 120mg	**Vitamines and Menirals** Anaemia فقر الدم	**Pharo pharma** **Egypt**	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	
pharwa fruit Eff ,salt 6 sachets	NaHCO 2.80 g + citric acid 1.33g+titraic acid 0.82 g	**Gastro Intestinal drugs** Indigestion سوء الهضم	**PHARCO** **Egypt**	One tablet three times daily during or after meals.	PHAROFRUIT

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Phenotal	Tablets	30 tab	Phenobarbital 60 mg	**Central Nervous system drugs**	Epilepsy الصرع	**Darou Bakhsh**	**IRAN**	by mouth is 60 to 180 mg daily, taken at night, children 2.5 to 4 mg/kg once or twice daily	
PHI-AXON	Vial	1 vial	Ceftriaxone Sodium 500 mg / vial	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**PHIL**	**Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Philaquin	Cream	30 gm	Combination	**Skin Disorders**	Sunscreen واقيات الشمس	**Unknown**	**Unknown**	As directed	
photericin B	Vial	1 vial	Amphotericin B	**Antifungals**	Dermatitis الألتهابات الجلدية	**CIPLA**	**India**	IV, intrathecal, topical.: Adults: Initial: IV 0.25 mg/kg q2–6h. Maintenance: IV 0.25–1 mg/kg/d. Infants, children: Initial: IV 0.25 mg/kg/d. Maintenance: IV 0.25–1	
Photoblock plus	Cream	50 gm	Combination	**Skin Disorders**	Sunscreen واقيات الشمس	**SPF**	**Unknown**	As directed	
Phytovit MM	Ampoules	3 amp x 1 ml	Phytomenadione (Vit k1) 10 mg	**Vitamines and Menirals**	Haemorrhage النزيف	**MUP**	**Egypt**	0.5 to 5 mg by slow intravenous injection or up to 5 mg orally	
PICOLAX	Oral /Drops	15 ml	sodium picosulfate	**Gastro Intestinal drugs**	Constipation الأمساك	**EIPICO**	**Egypt**	adult = one bottle 120 ml delivered dose) once dairy = child 60 ml once dairy	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
Picolax Solution 15 ml	Unknown	**Gastro Intestinal drugs** Constipation الأمساك	**Unknown** **Unknown**	As directed	
Pilex Ointment 30 gm	Herbal extract	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Himalaya Drug Co** **India**	As directed	
Pilic Cream 20 gm	Herbal extract	**Unknown** Haemorrhoids البواسير	**Unknown** **Unknown**	As directed	
Pioglin-30 Tablets 3 strips of 10 tablets	Pioglitazone Hydrochloride 30 mg per tablet	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Nexgen pharma** **UAE**	The usual dose is 15 or 30 mg once daily. This may be increased to a maximum of 45 mg once daily if necessary	
PIPRACILLIN 1000 Vial 1 vial	Piperacillin 1000 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**ELSaad Pharma** **Syria**	intravenously; the usual dose is 3 to 4 g every 4 or 6 hours.	
Pizofen Tablets 30 tablet	Pizotifen 0.5 mg / tab	**Antihistamines** Appetizer Stimulant منشطات الشهية	**Shiba pharma** **Yemen**	1.5 mg daily by mouth either in three divided doses or as a single dose at night	
Pizofen Syrup 100 ml	Pizotifen 0.25 mg / 5 ml	**Antihistamines** Appetizer Stimulant منشطات الشهية	**Shiba pharma** **Yemen**	1.5 mg daily by mouth either in three divided doses or as a single dose at night	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Pk-Merz tab Tablets 100 tab	amantadine sulphate	**Central Nervous system drugs** Parkinson's disease مرض الرعاش	**MERZ** **Unknown**	100 mg twice daily after a week or more. Doses up to a maximum of 400 mg daily	PK-Merz AMANTADINE SULPHATE 100
PLAGIN 75 Tablets 30 tab	Clopidogrel Bisulfate	**Cardio Vascular System drugs** Thrombosis الجلطات	**United** **Jordan**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	PLAGIN 75 mg United
Platil 75 Tablets 30 tablet	clopidogrel (bisulfate) 75mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**Pharma International** **Jordan**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	Platil 75 mg
Plaviat 75 Tablets 30 tab	Clopidogrel Bisulfate75 mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**Modern Pharama** **Yemen**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	Plavilat 75
Plavigrel Tablets 30 tablet	clopidogrel 75mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**Y.E.PHARMA** **Yemen**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	Plavigrel clopidogrel 75 mg 30 Tablets 75 mg
Plavilat Tablets 3*10 tablet	clopidogrel 75mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**Modern Pharama** **Yemen**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	Plavilat 75
Plavitab Tablets 20 tab	Clopidogrel Bisulfate 75 mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**BIOPHARM** **Yemen**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
plavitab Tablets tablet 20film coated tablet	clopidogrel 75mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**BIOPHARM** **Yemen**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
PLAVIX Tablets 28 tab	CLOPIDOGREL 75 mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**Sanofi Aventis** **France**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
plavix Tablets Box	Clopidogrel Bisulfate 75 mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**Sanofi Aventis** **France**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Plavix 75mg Tablets 28film coated tablet	clopidogrel	**Cardio Vascular System drugs** Thrombosis الجلطات	**Sanofi Aventis** **France**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Plazivom amp 10 amps 2ml	metoclopramide	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Shijiazhuang =China** **China**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Plazivom Ampoules 10 amp x 2 ml	Metoclopramide	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Shanghai pharmaceutical** **China**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Plemazol Drops 30 ml	Metoclopramide	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**PHARCO** **Egypt**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Plemazol Ampoules 5 amp x 2 ml	Metoclopramide 10 mg / 2 ml	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**PHARCO** **Egypt**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Plemazol Tablets 20 tab	Metoclopramide 10 mg / tab	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**PHARCO** **Egypt**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
plemazol Amp Ampoules 5 amps	metoclopramide	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**CID** **Egypt**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Plemazol Drops Drops 20 ml	metoclopramide	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**CID** **Egypt**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Plemazol Tablets Tablets 20 tabs	metoclopramide 10 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**CID** **Egypt**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Plendil Tablets 30 tab	Felodipine	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Unknown**	5 mg daily by mouth, adjusted as required; the usual maintenance dose is 2.5 to 10 mg daily	
Plofexine 75 mg Tablets 20 tab	Clopidogrel Bisulfate	**Cardio Vascular System drugs** Thrombosis الجلطات	**ASIA** **Syria**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
PODOXIM Powder for Suspension 60 ml	Cefpodoxime Proxetil 50mg/5ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Polycort Ointment 5 gm	Oxymetazoline Hydrochloride + Hydrocortisone	**Respiratory drugs** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Unknown** **Unknown**	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	
Polyfresh Solution 10 ml	Sodium Hyaluronate 0.2%	**Ophthalmic drugs** Eye العين	**Orchidia Pharma** **Egypt**	As directed	
Poly-X Tablets 30 tab	Ramipres 2.5 mg / tab	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**adipharm**	1.25 - 5 mg once daily is given by mouth	
Ponstan Forte Tablets 20 film coated tablets.	Mefenamic Acid film coated tablet 500mg	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Parke Davis** **Unknown**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
PONSTEL Tablets 20 film coated tablets.	Mefenamic Acid film coated tablet 500mg	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**SHIN POONG** **Korea**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Ponsten Forte Tablets 20 film coated tablets.	Mefenamic Acid film coated tablet 500mg	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Parke Ravis** **Unknown**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Pontam-Forte Tablets 20 f.caoted tablets.	Mefenamic Acid tablet 500mg	**NSAID** Analgesic مهدئات الأوجاع	**Modern Pharama** **Yemen**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Postan susp Suspension 60 ml	Mefenamic Acid suspension 50mg/5ml	**NSAID** Analgesic مهدئات الأوجاع	**Y.E.PHARMA** **Yemen**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Postan Tablets Tablets 20 f.caoted tablets.	Mefenamic Acid tablet 500mg	**NSAID** Analgesic مهدئات الأوجاع	**Y.E.PHARMA** **Yemen**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
postinor Tablets 2	levonorgestrel	**Gynaecology drugs** Contraceptives موانع الحمل	**GEDEON RICHTER** **HUNGARY**	one tablte daily from the frist day of menstution for 21 day	
Povex Plus Solution 120 ml	Povidone Iodine 1%	**Antiseptic and Desinfectants** Vaginal المهبل	**Shiba pharma** **Yemen**	Dilute 1:3 with clean water and use as a general disinfecting wherever required	
Povicare Extra Solution 100 ml	Povidone Iodine U.S.P. 10% (1% available Iodine)	**Antiseptic and Desinfectants** Wounds Healing التئام الجروح	**Pharmacare** **Yemen**	Dilute 1:3 with clean water and use as a general disinfecting wherever required	
Poviset Solution 60 ml	Povidone Iodine 1%	**Antiseptic and Desinfectants** Wounds Healing التئام الجروح	**Shiba pharma** **Yemen**	Dilute 1:3 with clean water and use as a general disinfecting wherever required	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Poviset Solution 100 ml	Povidone Iodine 1%	**Antiseptic and Desinfectants** Wounds Healing التئام الجروح	**Shiba pharma** **Yemen**	Dilute 1:3 with clean water and use as a general disinfecting wherever required	
Power B12 Tablets 30 Coated Tablets	Vitamine B12 500 mcg / tab	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Power Health**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Pranzole Cream 15 gm	Ketoconazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Pharma International** **Jordan**	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Praxilene	Naftidrofuryl Oxalate	**Cardio Vascular System drugs** Peripheral and cerebral	**MERCK** **France**	doses of 100 to 200 mg three times daily	
Prazin Tablets 30 tablets	Alprazolam tablet 1mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**HIKMA** **Jordan**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Prazol 0.25 Tablets 20 tablets	Alprazolam tablet 0.25mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Shiba pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Prazol 0.5 Tablets 20 tablets	Alprazolam tablet 0.5mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Shiba pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Prazol1 Tablets 20 tablets	Alprazolam tablet 1mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Shiba pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	Prazol 1 Alprazolam 20 Tablets Shiba Pharma
prazolam 0.25 Tablets 20 tablets	Alprazolam tablet 0.25mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**EVA PHARMA** **Egypt**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
prazolam 0.5 Tablets 20 tablets	Alprazolam tablet 0.5mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**EVA PHARMA** **Egypt**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
PRED FORTE Suspension / Drops 5 ml	Prednisolone Acetate 1%	**Corticosteroid** Eye العين	**ALLERGAN** **Denmark**	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	PRED FORTE 1.0%
Predkern 5 mg tablets Tablets 60 tab	Prednisone	**Corticosteroid** Inflammations الألتهابات	**KERN pharma** **Korea**	As directed	PredKern 5 mg tablets KERN
PREDNISLONE Tablets 100 tab	Prednisolone Acetate 5 mg	**Corticosteroid** Inflammations الألتهابات	**Unknown** **Unknown**	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	100 Tablets PREDNISOLONE TABLETS
Prednisolone Tablets 28 tablet	Prednisolone Acetate	**Corticosteroid** Inflammations الألتهابات	**WOCKHADT** **UK**	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Predsol Syrup 50 ml	Prednisolone Acetate	**Corticosteroid** Inflammations الألتهابات	**BORG** **Egypt**	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Predsol Syrup 60 ml	Prednisolone Acetate	**Corticosteroid** Inflammations الألتهابات	**BORG** **Egypt**	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Pregnacare plus Tablets Dubal pack 56 tab	Multivitamins-minerals and rich in folic acid , iron,zinc,vit D,omega-3 for pregnancy	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**VITABIOTICS** **Unknown**	As directed	
Pregnacare ???	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**VITABIOTICS** **Unknown**	As directed	
Pregnacare Cap Capsules 30 cap	Multivitamins-minerals and rich in folic acid ,iron,zinc for pregnancy	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**VITABIOTICS** **Unknown**	As directed	
Pregnacare plus ??	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**VITABIOTICS** **Unknown**	As directed	
pregnacare with folic acid capsule 30capsule	pregnacare with folic acid-	**Vitamines and Menirals** Anaemia فقر الدم	**VITABIOTICS** **Unknown**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
pregnahealth Capsules 30 caps	Vit C 50 mg,Vit. B1.3mg,Vit. B2 5.mg,Nicotinamide .20 mg,Calcium .5 mg,vit.,B6	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**BIOPHARM** **Yemen**	One capsule or more daily or as prescribed by the physician	Pregnahealth
pregnahealth with folic acid Capsules 30capsule	vitamine and mineral including folic acid 400 mg . vit.B12.iron.vitB6 .ca.vit D	**Vitamines and Menirals** Anaemia فقر الدم	**BIOPHARM** **Yemen**	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	Pregnahealth
Pregnalife ??? Capsules 30 cap	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Unknown** **Unknown**	As directed	30 Pregnalife
Pregnaton Capsules 24 caps	Multivitamins-minerals and rich in folic acid ,iron,zinc for pregnancy	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Global Pharma** **Yemen**	One capsule or more daily or as prescribed by the physician	
Pregnavit Tablets 30 S.G tab	Multivitamins-minerals for	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Shaphaco** **Yemen**	One capsule or more daily or as prescribed by the physician	Pregnavit Pregnancy
Pregnavit Tablets 30 F.C tab	Multivitamins and minerals	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات		One tab or more daily or as prescribed by the physician	Coated Tablet Oligovit 20 30 Coated Tablets 10 vitamins + 10 minerals Oral use
Pregnazon Tablets 30 tab	Multivitamins-minerals and rich in folic acid ,iron,zinc for pregnancy	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Health Aid** **Thailand**	As directed	Pregnazon Pregnancy HealthAid

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
PREGVIT ZINC Capsules 24 S.G capsules.	Zink Sulfate	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**PHARCO** **Egypt**	As directed	
Prehepar Capsules 20 cap	Hepatoprotective Agents	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Unknown** **Unknown**	1-3 capsule daily.	
Premosan Tablets 20 tabs	metoclopramide	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Juphar** **UAE**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Prenatal Tablets 10 tab	Multi Vitamines and minerals with folic acid	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Sentinel**	As directed	
PrianilCR Tablets 50 tablets	Lithium Carbonate tablet 400mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**NILE CO.** **Egypt**	Minimum/Maximum Adult Daily Dose:600 - 2400 mg (milligram) OR 2 - 8 tablets.	
Primolut N Tablets 30 tab	Norethisterone 5 mg	**Gynaecology drugs** Contraceptives موانع الحمل	**BAYER** **Germany**	one tablte daily from the frist day of menstution for 21 day	
PRIMOMRIT - N TABLET 20	norethisterone acetate	**Gynaecology drugs** Contraceptives موانع الحمل	**AMRIYA PHARMA** **Egypt**	one tablte daily from the frist day of menstution for 21 day	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Prisolin Eye & Nasal / drops 15 ml	Naphazolin +chlorpheniramin	**Respiratory drugs** Common Cold نزلات البرد	**KAHIRA PHARM** **Egypt**	As directed	
Probric Oral / Solution 125 ml	bambuterol (>>>>>>>>>)	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**cherry flavour** **Unknown**	5 ml once daily	
Procaine penicilin Vial 1 vial	Penicillin G Procaine	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Vitalis** **USA**	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Procaine Penicillin Vial 10 vials	Procaine Penicillin 400,000 I.U	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Vitalis** **USA**	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Procto Max Cream 30 gm	Combination	**Antihaemorrhages** Haemorrhoids البواسير	**Unknown** **Unknown**	As directed	
Procto- Synalar Suppositoris 10 supp	Combination	**Antihaemorrhages** Haemorrhoids البواسير	**GRUNETHAL** **Unknown**	As directed	
PROCTO-CINOLONE Suppositoris 10 supp	Combination	**Antihaemorrhages** Haemorrhoids البواسير	**MEDICO LABS** **Syria**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
PROCTO-CINOLONE Suppositoris 10 supp	Combination	**Antihaemorrhages** Haemorrhoids البواسير		As directed	Healar® 10 suppositories Herbal antihaemorrhoidal
PROCTO-GLYVENOL Suppositoris 10 supp	Combination	**Antihaemorrhages** Haemorrhoids البواسير	**Unknown** **Unknown**	As directed	PROCTO-GLYVENOL
Profast Tablets 30 tabs	Ketoprofen 100 mg	**NSAID** Analgesic مهدئات الأوجاع	**Global Pharma** **Yemen**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	Profast 100
Profast gel Gel 40g	Ketoprofen 2.5%	**NSAID** Analgesic مهدئات الأوجاع	**Global Pharma** **Yemen**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	Profast Gel 40g
Profenal Suspension 110 ml	Ibuprofen suspention 20mg/ml or 100 mg / 5 ml	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Julphar** **UAE**	Oral doses of400 mg to 1.2 g daily .	
Profenid Ampoules 6 ampoules	Ketoprofen ampoule100mg .	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Sanofi Aventis** **France**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Profenid 100 mg Tablets 30 Tablet	Ketoprofen	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**SANOFI** **France**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	Profenid 100 mg SANOFI

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Profenid 100 mg Tablets 30 tablets.	Ketoprofen tablet 100mg .	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Sanofi Aventis** **France**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Profenid-Gel Gel 60 gm	Ketoprofen gel 2.5%.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Sanofi Aventis** **France**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
PROFILAR Tablets 30 tab	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**United** **Jordan**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
PROFILAR Syrup 120 ml	Ketotifen Fumarate 1 mg / 5 ml	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**United** **Jordan**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Profinal-200 Tablets 20 tablets	Ibuprofen tablet 200mg.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Julphar** **UAE**	Oral doses of400 mg to 1.2 g daily .	
Profinal-400 Tablets 24 tablets	Ibuprofen tablet 400mg.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Julphar** **UAE**	Oral doses of400 mg to 1.2 g daily .	
Progena Cream 15 gm	Unknown	**Unknown** Unknown	**Razi Pharma** **Syria**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
PROGYLUTON TABLET 21	estradiol valeratev 2 mg	**Gynaecology drugs** Contraceptives موانع الحمل	**BYERE** **Unknown**	one tablte daily from the frist day of menstution for 21 day	PROGYLUTON
Prolomet XL 100 Tablets 	Metoprolol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**SUN Pharma** **India**	100- 200 mg daily by mouth	Prolomet XL 100
proluton depot Ampoules 1 amp	hydroxyprogesterone hexonate	**Gynaecology drugs** Amenorrhea انقطاع الطمث	**BAYER** **Germany**	doses of 250 to 500 mg weekly by intramuscular injection have been given during the first half of pregnancy.	Proluton Depot
Promethazine Oubari Tablets 20 tablets	Promethazine tablet 50mg	**Antihistamines** Allergy الحساسية	**OUBARY PHARMA** **Syria**	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	Promethazin Oubari 20 Promethazine (as HCl) OUBARI PHARMA
Pronatal Tablets 30 film-coated tablets	Multivitamines(11 vit)+(9)minerals.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Ginsana** **Unknown**	As directed	
Pronerv Ampoules 5 ampoules of 2ml	-vit.(B1) 100mg -vit.(B6) 100mg - vit.(B12) 1mg -	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**GEROT LANNACH** **Viena, Austria**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Pronid 100 Tablets 20 tab	Ketoprofen 100 mg	**NSAID** Analgesic مهدئ الأوجاع	**Modern Pharama** **Yemen**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Pronid S.R. 200 Capsules 10 cap	Ketoprofen	**NSAID** Analgesic مهدئ الأوجاع	**Modern Pharama** **Yemen**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Proof-100 Tablets 30 f.c.tablets	Ketoprofen f.c.tablet 100mg.	**NSAID** Analgesic مهدئ الأوجاع	**Shaphaco** **Yemen**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Prophallerge Syrup 120 ml	Ketotifen Fumarate 1 mg / 5 ml	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**RAMEDA** **Egypt**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Propranolol 1 mg in 1 ml	Propranolol Hydrochloride	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Adult: 40 - 120 mg orally twice daily ,children 1- 4 mg/kg daily in divided doses by mouth	
Prospan Syrup 100 ml	herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**Engelhard** **Unknown**	As directed	
Prospan Suppositoris 5 sup	IVY LEAF EXTRACT	**Respiratory drugs** Common Cold نزلات البرد	**Unknown** **Unknown**	As directed	
Prospan acute Tablets 20 eff tablets	herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**Engelhard** **Unknown**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Protec Tablets 28	levonorgestrel and ethinylestradiol	**Gynaecology drugs** Contraceptives موانع الحمل	**famy care** **Unknown**	one tablte daily from the frist day of menstution for 21 day	
protec ??? Ampoules 1	medroxyprogestrone	**Gynaecology drugs** Contraceptives موانع الحمل	**famy care** **Unknown**	one tablte daily from the frist day of menstution for 21 day	
PROTEC-NOR Tablets 21	levonorgestrel and ethinnylestradiol	**Gynaecology drugs** Contraceptives موانع الحمل	**KFW** **Unknown**	one tablte daily from the frist day of menstution for 21 day	PROTEC-NOR® FAMILY PLANNING PILLS PROTEC
Protexin balance ??? caps 10 caps	probiotics +fructooligosaccharide + anti caking agent + magnesium stearate	**Gastro Intestinal drugs** Indigestion سوء الهضم	**probiotics international** **Unknown**	One tablet three times daily during or after meals.	BALANCE بروتكسين بالانس 10 Protexin
Protexin balance Cap caps 30 caps	probiotics +fructooligosaccharide + anti caking agent + magnesium stearate	**Gastro Intestinal drugs** Indigestion سوء الهضم	**probiotics international** **Unknown**	One tablet three times daily during or after meals.	PROTEXIN BALANCE بروتكسين بالانس 30 Protexin
PROTOCID Suspension 120ml	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Y.E.PHARMA** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Protocid Suspension 120 ml	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Unknown** **Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
PROTOCID 250 Tablets 20 tab	Diloxanide Furoate 250 mg + Metronidazole 250 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Y.E.PHARMA** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Protocid Forte Tablets 20 tab	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Y.E.PHARMA** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
PROTOCID Plus Suspension 120 ml	Metronidazole200 mg.+diloxnide100 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Y.E.PHARMA** **Yemen**	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Protocid Plus Tablets 30 tab	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Y.E.PHARMA** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Protogen Tablets 4 tab	Tinidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Hayat pharma** **Unknown**	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm by mouth: Anaerobic	
Proton Tablets 14 tabs	pantoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**SIGMACO** **Saudi Arabia**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Protozole Tablets 4 film tab	Tinidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**MUP** **Egypt**	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm by mouth: Anaerobic	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Protozole Tablets 4 tab	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Unknown** **Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Prouziac Capsules 20 capsules	Fluoxetine capsule 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**MBC** **Syria**	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	PROUZIAC ANTIDEPRESSANT MBC
PROUZIAC Capsules 20 cap	Unknown	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**BAHRI** **Unknown**	As directed	PROUZIAC ANTIDEPRESSANT BAHRI
Proviron tablet 20	mesterolone 25	**Hormones** Sex Hormones هرمونات جنسية	**BAYER** **Germany**	by dectore	BAYER Proviron Bayer Schering Pharma
Proxagel Capsules 40 cap	Naproxen	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	500 mg to 1 g of naproxen daily , children 10 to 15 mg/kg twice daily	40 Capsules Proxagel 200 Naproxen Each capsule contains
Proxagel Capsules 40 cap	Naproxen 200 mg	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Daana Pharma** **Unknown**	500 mg to 1 g of naproxen daily , children 10 to 15 mg/kg twice daily	40 Capsules Proxagel 200 Naproxen Each capsule contains
Proxen 250 mg Tablets 20 tab	Naproxen	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**GRUNENTHAL** **Unknown**	500 mg to 1 g of naproxen daily , children 10 to 15 mg/kg twice daily	Proxen 250 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Proximol Granules 60 gm	Unknown	**Miscellaneous drugs** Analgesic مهدئ الأوجاع	**KAHIRA PHARM** **Egypt**	As directed	PROXIMOL Effervescent Granules COMPOUND 60 gm
Ptinolin Ampoules 5 amps	Ranitidine 50mg/2 ml	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**help** **Greece**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	Injection solution - 5 ampoules Ptinolin 50mg/2ml amp help
Ptinolin 150 Tablets 20 tabs	Ranitidine 150 / tab	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**help** **Greece**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	20 film coated tablets Ptinolin 150mg help
Pulmocare Syrup 125 ml	terbutaline+guaifenesine	**Respiratory drugs** Common Cold نزلات البرد	**EVA PHARMA** **Egypt**	10 - 15 ml orally tid	
Puradin Solution 200 ml	Unknown	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	
Pure cod liver oil Syrup 170 ml	Pure cod liver oil 9.2g+Vit. A 1200 mcg+ Vit. D 10mcg+ Vit. E 7.6mg+EPA 828 mg+DhA 736	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**seven seas** **Unknown**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	SEVEN SEAS PURE COD LIVER OIL
Pursennid Tablets 20 tablets	Sennae glycoside	**Gastro Intestinal drugs** Constipation الأمساك	**NOVARTIS** **Switzerland**	15 to 30 mg once or twice daily	NOVARTIS Pursennid 12 mg 20 tablets

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Pyral	Drops	15 ml	Paracetamol drops 100mg/ml.	**Nonsteroidal Anti-**	Antipyretic - Analgesic مهدئ الأوجاع والحمى	**KAHIRA PHARM**	**Egypt**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	15 ml PYRAL Paracetamol Drops
Pyrantel	Tablets	6 tab	Mebendazole	**Anthelmentic**	Common Worms الديدان الشائعة	**Unknown**	**Unknown**	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	PYRANTEL 6 TABLETS ANTHELMENTIC
Pyrantel	Tablets	6 tab	Mebendazole	**Anthelmentic**	Common Worms الديدان الشائعة	**AMRIYA PHARMA**	**Egypt**	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	PYRANTEL 6 TABLETS ANTHELMENTIC
Pyridoxin	Tablets	20 tab	Vitamin B Substances	**Vitamines and Menirals**	Neuritis; vitamin B deficiency	**Unknown**	**Unknown**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	20 tablets PYRIDOXIN 40 Vitamin B6
Pyridoxin 40	Tablets	20 tab	Prridoxine 40 mg	**Vitamines and Menirals**	Neuritis; vitamin B deficiency	**Unknown**	**Unknown**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	 20 tablets PYRIDOXIN 40 Vitamin B6
Pyridoxine	Tablets	20 tabs	pyridoxine	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**Juphar**	**UAE**	Dietary Deficiency : ADULTS: PO/IM/IV 10 to 20 mg/day for 3 wk. Or oral once a day	 20 tablets PYRIDOXIN 40 Vitamin B6
Qinarsol	Ampoules	10 amp x 2 ml	Quinine	**Antimalarial medicines**	Malaria الملاريا	**CIPLA**	**India**	600 mg of quinine every 8 hours for 7 days. For children, 10 mg / kg every 8 hours for 7 days is recommended.	10 x 2 ml Qinarsol 2 ml Injection For I.V. infusion only Cipla

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Quebril	Capsules	20 cap	Theophyllin +guafenesin	**Respiratory drugs**	Bronchial Asthma الربو الشعبي	**k&c pharma**	**Syria**	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	20 Caps Quebril Theophylline - Guaifenesin
Quibron-T/SR	Tablets	100 tab	Theophylline 300 mg	**Respiratory drugs**	Bronchial Asthma الربو الشعبي	**Unknown**	**Unknown**	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	Quebril 300
Qutipin-200	Tablets	30 tablets	Quetiapine tablets 200mg	**Central Nervous system drugs**	Mental Disorders الأمراض العقلية	**SUN**	**India**	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	Quetiapine Fumarate Tablets 200 mg Qutipin 200 SUN
R.B.TONE	Capsules	10*15capsule	ferrous gluconate200mg+folic acid0.5mg+vitB12 4mcg	**Vitamines and Menirals**	Anaemia فقر الدم	**MEDLEY**	**India**	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	R. B. TONE HAEMATINIC CAPSULES / CAPSULES HEMATINIQUES
R.B.Tone	Syrup	200 ml	Ferrous Sulfate+ Folic Acid	**Vitamines and Menirals**	Anaemia فقر الدم	**MEDLEY**	**India**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	R. B. TONE SYRUP a Tonic for Red Blood Corpuscles
R.B.Tone ???	Capsules	2 * 15 cap	Ferrous Sulfate+ Folic Acid	**Vitamines and Menirals**	Anaemia فقر الدم	**MEDLEY**	**India**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	R. B. TONE HAEMATINIC CAPSULES
Rabeloc ???	tab	10 tabs	Rabeprazole	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**CADILA**	**India**	*20 mg once daily * 10 mg bid	10 TABLETS / COMPRIMÉS RABEPRAZOLE SODIUM TABLETS COMPRIMÉS DU SODIUM DE RABEPRAZOLE RABELOC 20

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Rabeloc Tab tab 10 tabs	Rabeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**CADILA** **India**	*20 mg once daily * 10 mg bid	
Radian Cream	Combination	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	 **UK**	As directed	
Rafamox Capsules capsules 10strip*10capsules	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	250 - 1000 mg three times daily	
Rafamox Syrup Dry syrup 1bottel*80ml	Amoxicillin*	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	125 to 250 mg every 8 hours	
Ramecef Parentral inj 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RAMEDA** **Egypt**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Ramecef Vial 1 vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Ramipres - 5 Tablets 10 tab	Ramipres 5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**CIPLA** **India**	1.25 - 5 mg once daily is given by mouth	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ramipres-10 Tablets 10tab	Ramipril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**CIPLA** **India**	1.25 - 5 mg once daily is given by mouth	
Ramipres-2.5 Tablets 10tab	Ramipril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**CIPLA** **India**	1.25 - 5 mg once daily is given by mouth	
Ramipres-H Tablets 10tab	Ramipril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**CIPLA** **India**	1.25 - 5 mg once daily is given by mouth	
Ramol Suspension 60 ml	Paracetamol syrup 120mg /5ml.	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Shiba pharma** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ramol Suspension 100 ml	Paracetamol syrup 120mg /5ml.	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Shiba pharma** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ramol Syrup 60 ml	Paracetamol syrup 120mg /5ml.	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Shiba pharma** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ramol Syrup 60 ml	Paracetamol syrup 250mg /5ml.	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Shiba pharma** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Ramol	Tablets	10 x 10 tab	Paracetamol 400 mg /tab	**NSAID**	Antipyretic - Analgesic مهدئة الأوجاع والحمى	**Shiba pharma**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Ramol 500 Antipyretic Analgesic Shiba Pharma
Ramol	Caplets	20 caplet	Paracetamol 500 mg /caplet	**NSAID**	Antipyretic - Analgesic مهدئة الأوجاع والحمى	**Shiba pharma**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Ramol 500 Antipyretic Analgesic 20 caplets Shiba Pharma
Ramol	Oral Drops	20 ml	Paracetamol 100 mg /1 ml	**NSAID**	Antipyretic - Analgesic مهدئة الأوجاع والحمى	**Shiba pharma**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	20 ml Ramol Paracetamol Oral Drops For Infants & Children Antipyretic & Analgesic Shiba Pharma
Ramol Cold & Flu	Caplets	20 caplet	Paracetamol 500 mg + Psedoephedrine 30 mg + Chlorpheniramine 2 mg /caplet	**Respiratory drugs**	Common Cold نزلات البرد	**Shiba pharma**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	RAMOL Cold & Flu Powerful relief from Cold & Flu Symptoms Shiba Pharma
Ramol Extra	Caplets	20 caplet	Paracetamol 500 mg + cafeine 65 mg /tab	**Respiratory drugs**	Common Cold نزلات البرد	**Shiba pharma**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	RAMOL Extra Shiba Pharma
Ramol Sinus	Tablets	20 tab	Paracetamol 500 mg + Psedoephedrine 30 mg /tab	**NSAID**	Antipyretic - Analgesic مهدئة الأوجاع والحمى	**Shiba pharma**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	RAMOL Sinus Shiba Pharma
Rana = strawberry	solution	60 ml for bottle	Caster Oil	**Gastro Intestinal drugs**	Constipation الأمساك	**Shrivenue**	**India**	4 tablespoons (15ml to 60ml) in a single daily dose.	STRAWBERRY Castor Oil 60ml

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Rana = mix fruit solution 60 ml for bottle	Caster Oil	**Gastro Intestinal drugs** Constipation الأمساك	**Shrivenue** **India**	4 tablespoons (15ml to 60ml) in a single daily dose.	
Ranatidine 50 mh/2 ml Ampoules 5 amps	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**OUBARY PHARMA** **Syria**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
RANDIN 150 Tablets 10 x 10 tab	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Modern Pharama** **Yemen**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Rani 150 Eff.Granules 6 sachets	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**PHARCO** **Egypt**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Rani 150 Sachets 6 Sachets	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**PHARCO** **Egypt**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Rani-Denk 150 mg Tablets 20 tablets	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Denk pharma** **Germany**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ranimax Tablets 20 tablets	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**JPI** **Saudi Arabia**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ranimax 150 Tablets 20 tabs	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**JPI** **Saudi Arabia**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	Ranimax 150
Ranisan 150 Tablets 10 x 10 tab	Ranitidine 150 mg / tab	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shiba pharma** **Yemen**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	Ranisan 150 Ranitidine For gastric hyperacidity, peptic & duodenal ulcers Shiba Pharma
Ranitak 150 mg Tablets 20 tablets	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**SEDICO** **Egypt**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	20 TABLETS RANITAK RANITIDINE 150 mg SEDICO
Ranitalis 50 mg/ 2 ml Ampoules 10 amp	Ranitidine 50 mg/ 2 ml	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Vitalis** **USA**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	Ranitalis Ranitidine 50 mg/2 ml 10 Ampoules Vitalis
Raniticid 50 mg Ampoules 10 amps	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**shijiazhuang = china** **China**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	RANITICID 10 Amps x 2 ml 50 mg Ranitidine HCL Injection I.M. & I.V.
Ranitidine Injection Ampoules 5 amps x 2 ml	Ranitidine25 mg / ml	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**GLAND** **India**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	Ranitidine Injection USP SISCO
Ranitol 150 mg Tablets 20 tablets	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**MUP** **Egypt**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ranitol 300 mg Tablets 10 tabs	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**MUP** **Egypt**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	Ranitol MUP 300 mg
Rantac 150 mg Tablets 100 tab	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Shaphaco** **Yemen**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Rantag 150 Tablets 20 tablets	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Juphar** **UAE**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	Rantag 150 mg Ranitidine 20 tablets
Rantiol 50 mg Ampoules 5 amps	Ranitidine 50 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**MUP** **Egypt**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	Ranitol MUP 50 mg
RAPACE Tablets Box	Losartan Potassium	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Rapidus-50 Tablets 20 coated tablets	Diclofenac Potassium coated tablet 50 mg.	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Tabuk pharma** **Saudi Arabia**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	Rapidus 50 20 Coated Tablets
RASHA Ointment 20 gm	Unknown	**Skin Disorders** Dermatitis الألتهابات الجلدلية	**SEDICO** **Egypt**	As directed	20 gm RASHA ointment

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Rawel SR Tablets 20 tab	Indapamide 1.5 mg / tab	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**KRKA** **India**	usual dose by mouth is 1.25 to 2.5 mg once daily,	
Raxidon-2 Tablets 20 tablets	Risperidone tablet 2mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**JPM** **Jordan**	2-4 mg daily	
Raxidon-4 Tablets 20 tablets	Risperidone tablet 2mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**JPM** **Jordan**	2-4 mg daily	
Razon 40 Tablets 14 tabs	pantoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**JPM** **Jordan**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Razon 40 Tablets 14 tab	Pantoprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**JPM** **Jordan**	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Redoxon Tablets 10 Effervescent tab	Vitamin c 1000mg / Effervescent tab.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**BAYER** **Switzerland**	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
REEMOX Capsules 10 strip*10 Capsules	Amoxicillin 500 mg / Cap	**Antibiotics** الأصابات الميكروبية Microbial Infections	**REYOUNG**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Reenia chewable tab 96 chewable tabs	CaCo3+MgCO3+ NaHCo3	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Bayer health care** **Unknown**	one or two tab T I D	PEPPERMINT Rennie
REGULON Tablets 21	ethinylestradiol - desogestrel 3	**Gynaecology drugs** Contraceptives موانع الحمل	**GEDEON RICHTER** **HUNGARY**	one tablte daily from the frist day of menstution for 21 day	
Relax Capsules 20 capsules.	chlorzoxazone 250mg+Paracetamol 300mg per capsule.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Alphamoun** **Egypt**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Relax AlphAmoun
Relax Capsules 20 capsules	chlorzoxazone 250mg+Paracetamol 300mg per capsule.	**Skeletal Muscle** Muscle relaxation مرخيات العضلات	**Alphamoun** **Egypt**	250 mg three or four times daily, up to 750 mg three or four times daily may be given if necessary.	
Relaxon Capsules 30 capsules	Chlorzoxazone 250 mg + Paracetamol 300mg /capsule	**Skeletal Muscle** Muscle relaxation مرخيات العضلات	**jamjoom pharma** **Saudi Arabia**	250 mg three or four times daily, up to 750 mg three or four times daily may be given if necessary.	Muscle relaxant and analgesic RELAXON For muscular aches, strains and backache 30 Capsules
Relcer Gel 180 ml for bottle	Al(OH)+Mg(OH) +Simethicone	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Glenmark** **India**	*tab = 40 -120 mg QID orall a.m * susp = 10 ml QID * sachets = one sachet QID	
Reman`s Delay Spray Solution bottle of 10 ml	lidocaine	**Central Nervous system drugs** Anaesthetics Local التخدر الموضعي	**reman** **Unknown**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
Remora Tablets 10 tab	Roxithromycin 150 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	150 mg twice daily,or sometimes 300 mg once daily, In children of 5 - 8 mg/kg daily , before meals	
Remotidine 50 mg Ampoules 10 amp x 2 ml	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**REYOUNG** **Unknown**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
RENAL-S Sachets 12 Sachets	Combination	**Urinary tract drugs** Urinary Tract Infection اصابات الجهاز البولي	**pharo ph.** **Egypt**	As directed	
Renfort Ampoules 10 x 2 ml	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Unknown** **Unknown**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Rennia Chewable tab 96 chewable tabs	CaCo3 680 mg +MgCO3 80 mg	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Bayer health care** **Unknown**	one or two tab three times daily	
Rennia Tab Chewable Tablets 96 chewable_tab	CaCo3 680 mg+MgCO3 80 mg	**Gastro Intestinal drugs** Indigestion سوء الهضم	**BAYER** **Germany**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Rennie Tablets 96 tab	Combination	**Gastro Intestinal drugs** Indigestion سوء الهضم	**BAYER** **Germany**	As directed	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Repace	Tablets	30tab	losartan potassium	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**SUN**	**India**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
REPACE H	Tablets	Box	Losartan Potassium	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**Unknown**	**Unknown**	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Reparil	Tablets	40 TAB	Aescin.................. .... Diethylamine salicylate……… ……	**Cardio Vascular System drugs**	Cardio Vascular الأوعية الدموية و القلب	**CID**	**Egypt**	The maximum intravenous dose in adults stated to be 20 mg daily	
Reparil®	Semisolid	40 mg	Aesci n....... ....1 g Diethylamine	**Cardio Vascular System drugs**	Cardio Vascular الأوعية الدموية و القلب	**CID**	**Egypt**	The maximum intravenous dose in adults stated to be 20 mg daily	Reparil Gel N MADAUS
Resclar	tablet	2strip*7tablet	Clarithromycin	**Antibiotics**	Respiratory Disorders اضطرابات الجهاز التنفسي	**Neopharma**	**UAE**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	 Resclar 500mg Clarithromycin neopharma 14 Tablets
Resdon-2	Tablets	30 tablets	Risperidone tablet 2mg	**Central Nervous system drugs**	Mental Disorders الأمراض العقلية	**RFA**	**Yemen**	2-4 mg daily	30 Tablets RESDON-2 Risperidone 2mg
Resdon-3	Tablets	30 tablets	Risperidone tablet 3mg	**Central Nervous system drugs**	Mental Disorders الأمراض العقلية	**RFA**	**Yemen**	2-4 mg daily	30 Tablets RESDON-3 Risperidone 3mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Resdon-4 Tablets 30 tablets	Risperidone tablet 4mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**RFA** **Yemen**	2-4 mg daily	
Resprain Syrup 20ml	Heptaminol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**PHARCO** **Egypt**	As directed	
Res-Q 10 Capsules 30 cap	Nutrients	**Gastro Intestinal drugs** Nutrition supplementation تغذية تكميلية	**Unknown** **Unknown**	As directed	
Restelea Tablets 20 tablet	Risperidone tablet 2mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**ELEA** **Argentina**	2-4 mg daily	Restelea Risperidone 2mg ELEA
Restine Tablets 20 tabs	Meclozine + Pyrodixine	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Alphamoun** **Egypt**	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Restrla-2 Tablets 20 tablets	Risperidone tablet 2mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**ELEA** **Argentina**	2-4 mg daily	Restelea Risperidone 2mg ELEA
Restrla-3 Tablets 20 tablets	Risperidone tablet 3mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**ELEA** **Argentina**	2-4 mg daily	Restelea Risperidone 3mg 20 Tablets ELEA

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Restyl1mg Tablets 30 tablets	Alprazolam tablet 1mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق و القلق	**CIPLA** **India**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	3 x 10 Tablets Alprazolam Tablets USP Restyl 1 mg Tablet Cipla
Resulen Suppositoris 10 sup	Policresulen	**Antihaemorrhages** Vaginal المهبل	**Unknown** **Unknown**	As directed	
Resyl Syrup 100 ml	Guaifenesin+bromohexine	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**natco ph.** **Unknown**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	Resyl Guaifenesin Expectorant
Retalin-50 Tablets 30 tab	Sertraline tablet 50mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**pil** **Unknown**	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	Sertraline Tablets U.S.P. 50mg RETALIN 50 pil
Retane Soft Gelatin Capsules 30 cap	Isotretinoin 10 mg	**Vitamines and Menirals** Acne حب الشباب	**ASIA** **Syria**	oral : 500 micrograms/kg daily - Topical treatment of acne a gel 0.05% of isotretinoin is applied once or twice daily	
Retin- A gel Gel 20 gm	Tretinoin	**Skin Disorders** Acne حب الشباب	**Janssen-Cilag** **Switzerland**	As directed	Retin-A Gel JANSSEN-CILAG
Revanin Suppositoris 5 sup	Paracetamol	**Non-Steroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**APM** **Jordan**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Rexapin 5mg Tablets 28 Tablets	Olanzapin tablet 5mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**ABDIIbrahim** **Unknown**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	
Rexapin10mg Tablets 28 Tablets	Olanzapin tablet 10mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**ABDIIbrahim** **Unknown**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	
Rexetin Tablets 30 tab	Paroxetine	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**GEDEON RICHTER** **HUNGARY**	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Rexetin 20 Tablets 30 tab	Paroxetine 20 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
RFADAXIT Tablets 100 tablets	Flupentixol Hydrochloride 0.5 mg + Melitracen Hydrochloride 10 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**RFA** **Yemen**	3 to 9 mg of flupentixol twice daily or Adult 2 tab dialy maximum 4 tab per day. And childran not use .	
RFAFER Syrup 100 ml	Ferrous Sulfate	**Vitamines and Menirals** Anaemia فقر الدم	**RFA** **Yemen**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
RFAFLU Tablets 20 tab	pseudoephedrine +paracetamol + diphenhydramine	**Respiratory drugs** Common Cold نزلات البرد	**RFA** **Yemen**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
RFAFLU Tablets Tablets 20 tablets	Paracetamol 500mg + Pseudoephedrine 30mg + Diphenhydramin 25mg per tablet.	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**RFA** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
RFAFLU-C Syrup 60 ml	chloropheneramin 2mg+Pseudoephedrine 15mg+Paracetamol 120mg/5ml.	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**RFA** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Rfaflu-C Syrup 60 ml	pseudoephedrine +paracetamol + diphenhydramine	**Respiratory drugs** Common Cold نزلات البرد	**RFA** **Yemen**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Rfagra 25 Tablets 20 tab	Sildenafil Citrate 25 mg/ tablet	**Sex Stimulants** Sex Stimulants منشطات جنسية	**RFA** **Yemen**	25 - 100 mg depending on response, about one hour before sexual intercourse	
Rfagra 50 Tablets 4 tab	Sildenafil Citrate 50 mg/ tablet	**Sex Stimulants** Sex Stimulants منشطات جنسية	**RFA** **Yemen**	25 - 100 mg depending on response, about one hour before sexual intercourse	
RFALIN-50 Tablets 30 tab	Sertraline tablet 50mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**RFA** **Yemen**	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
RFAMOL Suspension 60 ml	Paracetamol suspension 250mg/5ml.	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**RFA** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
RFAMOL Tablets 100 tablets	Paracetamol tablet 500mg.	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**RFA** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
RFAMOL Tablets 20 Tablets	Paracetamol 500 mg	**Non-Steroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Unknown** **Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
RFAMOL ??? Tablets 48 soluble tablets.	Paracetamol 500mg soluble tablet.	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**RFA** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
RFAMOL ???? Syrup 60 ml	Paracetamol syrup 120 mg/5ml.	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**RFA** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
RFAMOL cold Tablets 4 tablets.	Paracetamol 500mg + Phenylepherine 10mg + Certirizine 5mg per tablet.	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**RFA** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
RFAMOL cold Suspension 60 ml	Paracetamol 125mg + Phenylepherine HCl 10mg + Cetirizine 2mg/5ml	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**RFA** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Rfamol cold Tablets 4 tab	pseudoephedrine +paracetamol+chloraphiniramine	**Respiratory drugs** Common Cold نزلات البرد	**RFA** **Yemen**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Rfamol Cold	Tablets	4 tab	pseudoephedrine +paracetamol+chloraphiniramine	**Respiratory drugs**	Common Cold نزلات البرد	**RFA**	**Yemen**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	RFAMOL Cold 4 Tablets Antiallergic Antipyretic Antihistamine
RFAMOL EXTRA	Tablets	20 Tablets	Paracetamol 500 mg	**Non-Steroidal Anti-**	Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Unknown**	**Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	RFAMOL EXTRA
RFAMOLesxtra	Tablets	100 tablets.	Paracetamol 500mg+ Caffine 65mg per tab.	**NSAID**	Antipyretic - Analgesic مهدئ الأوجاع والحمى	**RFA**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	RFAMOL EXTRA
RFAMOLnight	Syrup	60 ml	Paracetamol 125mg+ Diphenhydramine HCl 7mg+Sodium citrat	**NSAID**	Antipyretic - Analgesic مهدئ الأوجاع والحمى	**RFA**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	60ml RFAMOL NIGHT Antipyretic Antihistamine
RFAMOLplus	Tablets	48 effer, tablets.	Paracetamol 500mg + Codeine 8mg + Caffeine 30mg per effer, tablet.	**NSAID**	Antipyretic - Analgesic مهدئ الأوجاع والحمى	**RFA**	**Yemen**	As directed	RFAMOL Plus
RFAMOLs.f	Syrup	60 ml	Paracetamol syrup 160mg/5ml.	**NSAID**	Antipyretic - Analgesic مهدئ الأوجاع والحمى	**RFA**	**Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	60ml RFAMOL S.F Pediatric Syrup Sugar Free Analgesic and Anti-pyretic Fruity taste
RFAMOX	Powder for Suspension	80 ML	Amoxicillin 250 MG/5 ML	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**RFA**	**Yemen**	125 to 250 mg every 8 hours	80 ml RFAMOX Amoxycillin

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
RFAMOX Powder for Suspension 80 ML	Amoxicillin125 MG/5 ML	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	125 to 250 mg every 8 hours	80 ml RFAMOX 125 mg/5ml Amoxycillin Broad Spectrum Antibiotic powder for oral suspension
RFAMOX 250 Capsules 10 strip*10 Capsules	Amoxicillin 250 mg / Cap	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	250 - 1000 mg three times daily	 RFAMOX Amoxycillin 250 mg Broad Spectrum Antibiotic
RFAMOX 500 Capsules 10 strip*10 Capsules	Amoxicillin 500 mg / Cap	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	250 - 1000 mg three times daily	 10x10 Capsule RFAMOX Amoxycillin 500 mg Broad Spectrum Antibiotic
Rfapam 5 Tablets 30 Tablets	Olanzapin tablet 5mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**RFA** **Yemen**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	30 Tablets RFAPAM 5 Olanzapine 5mg
Rfapam10 Tablets 30 tablets	Olanzapin tablet 10mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**RFA** **Yemen**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	30 Tablets RFAPAM 10 Olanzapine 10mg
RFAPRIL 10 Tablets 30 tab	Lisinopril 10mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**RFA** **Yemen**	usual oral dose is 5 -20 mg daily,	RFAPRIL 10 30 Tablets
RFAPRIL 5 Tablets 30 tab	Lisinopril 5mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**RFA** **Yemen**	usual oral dose is 5 -20 mg daily,	RFAPRIL 5 Lisinopril Tablets 5mg 30 Tablets

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
RFAPRIL-H Tablets 30 tab	Lisinopril5mg+ Hydrochlorothiazide12.5 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**RFA** **Yemen**	usual oral dose is 5 -20 mg daily,	RFAPRIL-H Tablets Lisinopril 5mg & Hydrochlorothiazide 12.5mg 30 Tablets
RFAROX 300 Tablets 5 tabs	Roxithromycin 300 mg/tab	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	150 mg twice daily,or sometimes 300 mg once daily, In children of 5 - 8 mg/kg daily , before meals	RFAROX 300 Roxithromycin 300 mg RFAROX 300
RFASAN Suspension 100 ml	Mefenamic Acid suspension 50mg/5ml.	**NSAID** Analgesic مهدئات الأوجاع	**RFA** **Yemen**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	100 ml RFASAN
RFAsan Tablets 20 tablets.	Mefenamic Acid tablet 500mg	**NSAID** Analgesic مهدئات الأوجاع	**RFA** **Yemen**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	20 Tablets RFASAN Mefenamic Acid 500mg
RFASAN Tablets 20 tab	Mefenamic Acid	**NSAID** Analgesic مهدئات الأوجاع	**RFA** **Yemen**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Rfasool Syrup 100 ml	glyceryl guaiacola +chlorphenoramine maleate	**Respiratory drugs** Common Cold نزلات البرد	**RFA** **Yemen**	As directed	RFASOOL Paediatric Cough Syrup
Rfaspa Tablets 20 tabs	Drotaverine	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**RFA** **Yemen**	120 to 240 mg daily by mouth in divided doses.	20 Tablets RFASPA-40 Drotaverine HCl 40mg Antispasmodic

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Rfaspa forte Tablets 20 tabs	Drotaverine 80 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**RFA** **Yemen**	120 to 240 mg daily by mouth in divided doses.	
RFAZET Tablets 20 tablets.	Paracetamol 500mg + Phenylepherine 10mg + Chlorpheniramine Maleate 2mg per	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**RFA** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Rfazet Tablets 20 tab	Paracetamol 500 mg + chloraphiniramine 2 mg & Phenylepherine 10 mg	**Respiratory drugs** Common Cold نزلات البرد	**RFA** **Yemen**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
RFAZET ??? Syrup 60 ml	Paracetamol 125mg + Phenylepherine HCl 5mg+ Chlorpheniramine Maleate 2mg +	**NSAID** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**RFA** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Rheumarene-25 Tablets 20 tablets	Diclofenac Sodium tablet 25mg	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**SEDICO** **Egypt**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Rheumarene-50 Tablets 20 tablets	Diclofenac Sodium tablet 50mg	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**SEDICO** **Egypt**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Rheumarene-75 Ampoules 3 ampoules	Diclofenac Sodium ampoule 75mg/3ml.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**SEDICO** **Egypt**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Rheumarene-Gel Gel 20 gm	Diclofenac Sodium 1 % gel	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**SEDICO** **Egypt**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Rhinathiol Syrup 125 ml	Carbocisteine	**Respiratory drugs** Common Cold نزلات البرد	**SANOFI** **France**	Children from 2 up to 5 years may be given 62.5 to 125 mg four times daily and those aged 5 to 12 years 250 mg three times daily	
Rhinex Drops	Carbocisteine	**Respiratory drugs** Common Cold نزلات البرد	**Unknown** **Unknown**	Children from 2 up to 5 years may be given 62.5 to 125 mg four times daily and those aged 5 to 12 years 250 mg three times daily	
Rhinex Nasal Drops 10 ml	Xylometazoline Hydrochloride	**Respiratory drugs** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Unknown** **Unknown**	As directed	
Rhinex Adult Adult Nasal / drops 10 ml	Xylometazolin HCL 0.1%	**Respiratory drugs** Common Cold نزلات البرد	**CID** **Egypt**	As directed	
Rhinex Infant Infant Nasal /drops 10 ml	Xylometazolin HCL 0.05%	**Respiratory drugs** Common Cold نزلات البرد	**CID** **Egypt**	As directed	
RHINO Powder	Pseudoephedrine	**Respiratory drugs** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Unknown** **Unknown**	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Rhinofed Syrup 100 ml	pseudoephedrine+ triprolidine	**Respiratory drugs** Common Cold نزلات البرد	**JPI** **Saudi Arabia**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Rhinopro Syrup 90 ml	Pseudoephedrine	**Respiratory drugs** Common Cold نزلات البرد	**OCTOBER PHARMA** **Egypt**	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Rhinopro Capsules 10 cap	Pseudoephedrine	**Respiratory drugs** Common Cold نزلات البرد	**OCTOBER PHARMA** **Egypt**	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Ribazole Capsules 10 cap	ribavirin 400 mg or500 mg	**Antivirals** Viral Infections الأصابات الفيروسية	**Getz pharma** **USA**	>75 kg - 400 mg t.i.d or <75 500 mg t.i.d	400mg Ribazole (Ribavirin) Getz
RIDAZOL_400 Tablets 20 tab	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Unknown** **Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	2 x 10 Tablets Metronidazole Tablets BP 400 mg RIDAZOL - 400
Rifactine Capsules 8 capsules	Rifampicin 300mg	**Antibiotics** Tuberculosis (T.B) الدرن	**MUP** **Egypt**	The usual dose of rifampicin is 600 mg daily by mouth	
Rifadin inf Vial	Rifampicin 600mg infusion	**Antibiotics** Tuberculosis (T.B) الدرن	**Sanofi Aventis** **France**	The usual dose of rifampicin is 600 mg daily by mouth	Rifadin 600mg infusion rifampicin sanofi aventis

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Rifazid Capsules 10 cap	Rifampicin 300 mg + isoniazid 150 mg / capsule	**Antibiotics** Tuberculosis (T.B) الدرن	**Shiba pharma** **Yemen**	The usual dose of rifampicin is 600 mg daily by mouth	
RIGEVIDON Tablets 28	ethinylestradiol +levonotgestrel	**Gynaecology drugs** Contraceptives موانع الحمل	**GEDEON RICHTER** **HUNGARY**	one tablte daily from the frist day of menstution for 21 day	RIGEVIDON 21+7
Rinof Pediatric Syrup 120 ml	Dextromethorphan	**Respiratory drugs** Common Cold نزلات البرد	**Y.E.PHARMA** **Yemen**	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Rinof plus Syrup 120 ml	guaiphenesin+dextromethorphan+chlorophenirami n+ephedrin	**Respiratory drugs** Common Cold نزلات البرد	**Y.E.PHARMA** **Yemen**	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Rinofed Syrup bottle of 100ml of 30 mg	triprolidine HCL	**Respiratory drugs** Common Cold نزلات البرد	**jazera pharmaceutical** **Unknown**	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Rinofed plus Syrup 120 ml	pseudoephedrine +paracetamol+tirprolidine	**Respiratory drugs** Common Cold نزلات البرد	**jpi** **Saudi Arabia**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	Rinofed Plus
Rinofed plus Tablets 30 tablet	pseudoephedrine+ triprolidin +paracetamol	**Respiratory drugs** Common Cold نزلات البرد	**JPI** **Saudi Arabia**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	Rinofed Plus

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Rinosin N/ Drops Nasal / drops 10 ml	Naphazolin	**Respiratory drugs** Common Cold نزلات البرد	**PHARCO** **Egypt**	As directed	
Rinosin N/ Gel Nasal / gel 5 g / Tube	Naphazolin+chlorpheniramine	**Respiratory drugs** Common Cold نزلات البرد	**PHARCO** **Egypt**	As directed	
Rinosin N/D Nasal / drops 10 ml	Naphazolin 0.05% + chlorpheniramine 0.05%	**Respiratory drugs** Common Cold نزلات البرد	**PHARCO** **Egypt**	As directed	
RISDAL 2 mg Tablets 20 Tablets	Risperidone tablet 2 mg / tab	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**EIPICO** **Egypt**	2-4 mg daily	
RISDAL 4 mg Tablets 20 Tablets	Risperidone tablet 4 mg / tab	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**EIPICO** **Egypt**	2-4 mg daily	
Risek 40 mg Capsules 14 cap	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Julphar** **UAE**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Risek Vial vial 1 vial	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Julphar** **UAE**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Risnia-2 Tablets 20 tablets	Risperidone tablet 2mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	2-4 mg daily	2 x 10 Tablets Risnia-2 Risperidone Tablets USP 2 mg Cipla
Risnia-3 Tablets 20 tablets	Risperidone tablets 3mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	2-4 mg daily	2 x 10 Tablets Risnia-3 Risperidone Tablets USP 3 mg Cipla
Risperdal Tablets 20 tablets	Risperidone tablet 2mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Janssen-Cilag** **Switzerland**	2-4 mg daily	Risperdal 2 mg 20 comprimés oraux·oral tablets JANSSEN-CILAG
Risperdal 3 mg Tablets 20 Tablets	Risperidone tablet 2mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Janssen-Cilag** **Switzerland**	2-4 mg daily	Risperdal 3 mg 20 tabletas orales JANSSEN-CILAG
Risperidone 3 Tablets 20 tablets	Risperidone tablet 3mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Biopharm** **Yemen**	2-4 mg daily	Risperidone Risperidone 3 mg 3
Risperidone Tablets Tablets 20 tablets	Risperidone tablet 2mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**BIOPHARM** **Yemen**	2-4 mg daily	Risperidone Risperidone 2 mg 2
Rispharm Tablets 30 tablets	Risperidone tablet 3mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Pharma International** **Unknown**	2-4 mg daily	Rispharm Risperidone 3 mg

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Rithro	Tablets	14 F.C. Tablets	Clarithromycin	**Antibiotics**	Respiratory Disorders اضطرابات الجهاز التنفسي	**Unknown**	**Unknown**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Rithro	Tablets	14 F.C. Tablets	Clarithromycin 250 mg	**Antibiotics**	Respiratory Disorders اضطرابات الجهاز التنفسي	**Avenzor**	**Unknown**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Rivotril	Tablets	30 tablets	Clonazepam tablet 2 mg.	**Central Nervous system drugs**	Epilepsy الصرع	**ROCHE**	**Germany**	Oral adult dose 4 to 8 mg daily- in the emergency management of status epilepticus The usual dose is 1 mg intravenous over at least 2 minutes or by intravenous	Rivotril Clonazépam 2 mg 30 comprimés Roche
Rivotril	Drops	10 ml	Clonazepam oral drops 2.5mg/ml	**Central Nervous system drugs**	Epilepsy الصرع	**ROCHE**	**Germany**	Oral adult dose 4 to 8 mg daily- in the emergency management of status epilepticus The usual dose is 1 mg intravenous over at least 2 minutes or by intravenous	Rivotril Clonazepam 2.5 mg/ml Drops 10 ml Roche
Rocef TTT	Parentral inj	1vial	Ceftriaxone Sodium	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Shifa**	**Syria**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	I.M./I.V. ROCEF 1000
Rocef Vial	Parentral inj	1vial	Ceftriaxone Sodium	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Shifa**	**Syria**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	I.M./I.V. ROCEF 500 Broad Spectrum Antibiotic
Rocephin	Vial	1vial	Ceftriaxone Sodium	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**ROCHE**	**Germany**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	Rocephin® Ceftriaxone 1 g i.v. 1 vial with 1 g active ingredient + 1 ampoule with 10 ml solvent Roche

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Rociflex Parentral inj 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Alpha** **Syria**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Rociflex Vial 1 vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Rofenac Gel 50 g	Diclofenac Sodium gel 10mg/g	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**SPIMACO** **Saudi Arabia**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
ROFENAC S.R Tablets 10 tab	Diclofenac Sodium 100 mg	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**SPIMACO** **Saudi Arabia**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
ROFENAC-D Tablets 20 tablets	Diclofenac Sodium tablet 50mg	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**SPIMACO** **Saudi Arabia**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Rofix Dry syrup 1bottel*30ml	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	Children 8 mg/kg daily as an oral suspension, again as a single dose or in two divided doses	
Rofix Dry syrup 60 ml	Cefixime 100mg/5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	Children 8 mg/kg daily as an oral suspension as a single dose or in two divided doses	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
ROFIX Powder for Suspension 60 ml	cefixim 100 mg/5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**RFA** **Yemen**	Children 8 mg/kg daily as an oral suspension as a single dose or in two divided doses	
ROFIX 200 Capsules 10 CAPS	Cefixime 200 MG	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	
ROFIX 400 Capsules 5 CAPS	Cefixime 400 MG	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	
ROLEXINE Capsules 20 caps	Cephalexin 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	The usual dose for adults is 1 to 2 g daily given in divided doses, Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
ROSIDEN Capsules 100 cap	Piroxicam 20 mg / cap	**Non-Steroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**SHIN POONG** **Korea**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
ROSIDEN Capsules 100 cap	Piroxicam 10 mg/ cap	**Non-Steroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**SHIN POONG** **Korea**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Rosuvatin-10mg Tablets 10 tablet	Rosuvastatin10mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**CIPLA** **India**	10 - 20 mg once daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Rosuvatin-20 Tablets 10 tab	Rosuvastatin Calcium	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**CIPLA** **India**	10 - 20 mg once daily	
Rosuvatin-20mg Tablets 10 tablet	rosuvastatin20mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**CIPLA** **India**	10 - 20 mg once daily	
Rovac tablet 1strip*10tablet	Spiramycin*	**Antibacterial** Toxoplasmosis الجرثومة الطفيلية	**Delta-pharma** **Egypt**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Rovamycin Tablet 2strip*5tablet	Spiramycin 3000000 I.U.	**Antibacterial** Toxoplasmosis الجرثومة الطفيلية	**Aventis** **France**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Rovamycine Tablets 10 tab	Spiramycin	**Antibacterial** Toxoplasmosis الجرثومة الطفيلية	**Unknown** **Unknown**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
ROVAZOLE Tablets 20 tab	Metronidazole 125mg + spiramycin 750000 I.U	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**OUBARY PHARMA** **Syria**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Rowachol cap Capsules 30 cap	alphapinine +beta pinine +broneol+cineol	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**PHARCO** **Egypt**	3-5 drop of liquid 4-5 times daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Rowachol cap2 Capsules 30 cap	alphapinine +beta pinine +broneol+cineol	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**PHARCO** **Egypt**	3-5 drop of liquid 4-5 times daily	
Roxef Parentral inj 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**APM** **Jordan**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Roxicam 20 Capsules 10 capsules.	Piroxicam capsule 20 mg.	**NSAID** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Shiba pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Roxil Capsules Capsul 2strip*10capsul	Cefadroxil 500 mg / cap	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Tabuk pharma** **Saudi Arabia**	1 to 2 g daily as a single dose or in two divided doses.	
Roxil Syrup Dry syrup 1bottel*100ml	Cefadroxil 250 mg / 5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Tabuk pharma** **Saudi Arabia**	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	
ROXONIN 60 mg Tablets 20 tablets	Loxoprofen Sodium tablet 60mg.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Saja pharmaceutical** **Saudi Arabia**	Adult: PO 60 mg 3 times/day or 120 mg once daily.	
Roxy-300 Tablet 1strip*5tablet	Roxithromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**CIPLA** **India**	150 mg twice daily,or sometimes 300 mg once daily, In children of 5 - 8 mg/kg daily , before meals	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Roxy-300 Tablets 5 tab	Roxithromycin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	150 mg twice daily,or sometimes 300 mg once daily, In children of 5 - 8 mg/kg daily , before meals	
Royamol Infusion 100 ml	10 mg / ml	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**Unknown** **Unknown**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Rozif Parentral inj 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**NCPI** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Rozifax 250 Vial 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**ASIA** **Syria**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Rozifax 500 Vial 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Asia** **Syria**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Rubifen 100 mg Tablets 30 tab	Ketoprofen	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Antibiotice** **Unknown**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Rumalaya forte Tablets 2 x 30 s	Herbal extract	**Natural products** Analgesic مهدئ الأوجاع	**Himalaya Drug Co** **India**	1 tablet twice daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Rytmonorm 150 mg Tablets 50 tab	Rytmonorm HCL	**Cardio Vascular System drugs** Arrhythmia عدم انتظام ضربات القلب	**ABBOTT** **USA**	Orally: 150 mg three times daily up to a maximum of 300 mg three times daily	
Rytmonorm 300 mg Tablets 20 film tab	Rytmonorm HCL	**Cardio Vascular System drugs** Arrhythmia عدم انتظام ضربات القلب	**ABBOTT** **USA**	Orally: 150 mg three times daily up to a maximum of 300 mg three times daily	
Rytmonorm Amp Ampoules 5 *20 ml	Propafenone HCl	**Cardio Vascular System drugs** Arrhythmia عدم انتظام ضربات القلب	**ABBOTT** **USA**	Orally: 150 mg three times daily up to a maximum of 300 mg three times daily	
Rytmonorm SR 325 mg Capsules 60 CAPSUL	Propafenone HCl	**Cardio Vascular System drugs** Arrhythmia عدم انتظام ضربات القلب	**ABBOTT** **USA**	Orally: 150 mg three times daily up to a maximum of 300 mg three times daily	
Saheal Tablets 4 tab	Tadalafil 20 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Shaphaco** **Yemen**	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
SALA Tablets 4 tab	Vardenafil 10 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Shiba pharma** **Yemen**	10 mg taken about 25 minutes to one hour before sexual intercourse.	
Salbam Vial 1 vial	Ampicillin + Sulbactam	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Vitalis** **USA**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose** الجرعة	**Product Picture** **صورة الدواء**
Salbutamol 2 Tablets 20 tab	salbutamol 2 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**Amriya Pharma** **Egypt**	2 -4 mg / or 2 buffs *qid	SALBUTAMOL 2 20 TABLETS BRONCHODILATATOR AMRIT MEDICAL CO. ALEPPO - SYRIA
Salidex Solution 30 ml	Anhydrous glucose + sodium chloride	**Skin Disorders** Dermatitis الألتهابات الجلدية	**phildelaphia** **Unknown**	As directed	
Salil Tablets 4 tab	Vardenafil 20 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**BIOPHARM** **Yemen**	10 mg taken about 25 minutes to one hour before sexual intercourse.	
Salinose Nasal / Spray baby formula 20 ml	sodium chloride +sodium bicarbonate	**Respiratory drugs** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Avalon ph.** **Unknown**	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	
Salinose Nasal /drops baby formula 20 ml	sodium chloride +bezyl alcohol	**Respiratory drugs** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Avalon Pharma** **Unknown**	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	
SALIX 200-C Tablets 20 coated tablets	vitamin C240 mg +salix 200mg + zinc gluconate 6.4/c. tablet.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**SIGMA** **Egypt**	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	Vit.C Zinc SALIX 200 - C
sanostol syrup ml	ironIIgluconate86 4mg corresponds to 100mg iron	**Vitamines and Menirals** Anaemia فقر الدم	**TAKEDA** **Unknown**	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	multi-sanostol

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Sapofen Tablets 20 tablets	Ibuprofen tablet 400mg.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**SPIMACO** **Saudi Arabia**	Oral doses of400 mg to 1.2 g daily .	
Sapofen plus Tablets 20 tab	pseudoephedrine +ibuprofen	**Respiratory drugs** Common Cold نزلات البرد	**SPIMACO** **Saudi Arabia**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Saridon Tablets 10 tab	Paracetamol 250 mg + Propyphenazone 150 mg + Caffeine 5 0 mg	**Miscellaneous drugs** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**ROCHE Nicholas** **France**	0.5 to 1 g up to four times daily.	
Scazol Forte Tablets 2 tab	Secnidazole 1000 mg / tab	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبا	**Shiba pharma** **Yemen**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Scazol Forte Tablets 2 tab	Secnidazole 1000 mg / tab	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبا	**Shaphaco** **Yemen**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
S-citadep-10 Tablets 10 tablets	Escitalopram tablet 10mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
S-Citadep-10 Tablets 10 tab	Escitalopram tablet 10mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
S-citadep-20 Tablets 10 tablets	Escitalopram tablet 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Scolinc Vial 2ml / vial	Lincomycin 600 mg / 2 ml	**Antibiotics** Anaerobic Infections الميكروبات اللاهوائية	**Scott Edil Pharma** **India**	Cap 500mg Vial 600mg & 300mg	
Scopinal Syrup 100 ml for bottle	Hyoscine- N-Butylbromide	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Julphar** **UAE**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Scopinal Tablets 20 tab	Hyoscine-N-Butylbromide 10 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Julphar** **UAE**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Scotamol Ampoules 5 amp	Paracetamol 300 mg / 2ml	**Non-Steroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Scott Edil** **India**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
SEACOD Capsules 100 cap	Cod Liver Oil	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Unknown** **Unknown**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
SECNEZOLE 500 Tablets 4tab	Secnidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبا	**JPM** **Jordan**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
Secnitab Tablets 2 tab	Secnidazole 1000 mg / tab	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Shaphaco** **Yemen**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Sedalac Syrup 120 ml for bottle	lactulose	**Gastro Intestinal drugs** Constipation الأمساك	**SEDICO** **Egypt**	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Sedalac Syrup 100 ml	Lactulose	**Gastro Intestinal drugs** constipation الأمساك	**Unknown** **Unknown**	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Sedalac Syrup 120 ml	Lactulose	**Gastro Intestinal drugs** Constipation الأمساك	**SEDICO** **Egypt**	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
sedanox Tablets 100 scared tablets	lorazepam 2mg/tablet	**Central Nervous system drugs** Anaesthetics General التخدير العام	**zahravi** **Unknown**	Minimum/Maximum Adult Daily Dose:0.5 - 10 mg (milligram) OR 1 - 20 Tablet	
SEDASTERIL Lotion	Combination	**Antiseptic and Desinfectants** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	
SEDIPROCT Suppositoris 6 supp	Unknown	**Antihaemorrhages** Haemorrhoids البواسير	**MUP** **Egypt**		

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
SEDIPROCT Cream 20 gm	Unknown	**Antihaemorrhages** Haemorrhoids البواسير	**MUP** **Egypt**		SEDIPROCT 20g Cream
Sefagen 0.5 gm Vial 1vial	Cefotaxime Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Bilim** **Turkey**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	INJECTABLE VIAL I.M./I.V. Sefagen® Sterile, Non-pyrogen Cefotaxime 0.5g Bilim
Sefagen 1 gm Vial 1vial	Cefotaxime Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Bilim** **Turkey**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	1 Vial INJECTABLE VIAL I.M./I.V. Sefagen® Sterile, Non-pyrogen Cefotaxime 1g Bilim
Semicon Oral Drops /Suspension 30 ml	Simethicone 40 mg	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Shiba pharma** **Yemen**	10-15 drops (0.5 - 0.75 ml) in the nursing bottle	Semicon Oral drops To relieve flatulence & Infant colic Shiba Pharma
SENAZOL Tablets 2tab	Secnidazole 100 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Modern Pharama** **Yemen**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Sen-cold Oral / Solution 20 ml	Butamirate citrate 5 mg/ml with Vanilla Flavour	**Respiratory drugs** Common Cold نزلات البرد	**global pharma** **Unknown**	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	SEN-COLD Antitussive 100 ml
Sen-cold TTT Oral /Solution 100 ml	Butamirate citrate	**Respiratory drugs** Common Cold نزلات البرد	**global pharma** **Unknown**	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	SEN-COLD Antitussive 20 ml

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
SENIDAL Tablets 4 tab	Secnidazole 500 / tab	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**GLOBAL NAPI** **Egypt**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	Senidal GLOBAL NAPI
Senna Lax Tablets 20 tab	Senna	**Gastro Intestinal drugs** Constipation الأمساك	**NILE CO.** **Egypt**	15 to 30 mg once or twice daily	Senna Lax Laxative
SENORM1.5 Tablets 100 tablets	Haloperidol tablets 1.5mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**SUN** **India**	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	Haloperidol Tablets BP 1.5 mg SENORM 1.5
SENSODYNE	Combination	**Health Care** Dental الأسنان	**Unknown** **Unknown**	As directed	
Septazole syrup 1bottel*100ml	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Alexendria** **Egypt**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Septilin Syrup 200 ml	Lithium carbonate + lithium benzoate + anhydrous sodium hydrogen phosphate +	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Himalaya Drug Co** **India**	As directed	Himalaya Septilin
Septram syrup 1bottel*50ml	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**antibacterial** Bacterial Infections الأصابات البكتيرية	**Y.E.PHARMA** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	60 ml SEPTRAM

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Septram Suspension 50 ml	Trimethoprim + Sulphamethoxazole	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	SEPTRAM suspension
Septram fort tablet 1strip*10tablet	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**antibacterial** Bacterial Infections الأصابات البكتيرية	**Y.E.PHARMA** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	SEPTRAM forte Anti-bacterial PHARMA
Septrin Suspension 120 ml	Trimethoprim + Sulphamethoxazole	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**GlaxoWellcome** **Unknown**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Septrin Paediatric Suspension 120ml
Septrin Tablets 100 tab	Trimethoprim 80 mg + Sulphamethoxazole 400 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**aspen** **Ireland**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Septrin 100 tablets aspen
Septrin Syrup Suspension 1bottel*120ml	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**antibacterial** Bacterial Infections الأصابات البكتيرية	**aspen** **Ireland**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Septrin Paediatric Suspension 120 ml aspen
Septrin Tablets Tablet 10strip*10tablet	Trimethoprim 80 mg / Sulfamethoxazole 400 mg (Co-trimoxazole; TMP-SMZ)	**antibacterial** Bacterial Infections الأصابات البكتيرية	**gsk glaxosmithkline** **UK**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Septrin tablets 100 tablets
Seretide Diskus 100 Powder for inhalation 60 inh	Salmetrol 50 mcg + 100 mcg fluticasone propionate	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**gsk glaxosmithkline** **UK**	2 buffs *qid	 Seretide Diskus 100 Powder for inhalation 1 Diskus 60 inhalations

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Seretide Diskus 500 Powder for inhalation 60 inhalation	Salmetrol 50 mcg + Fluticasone 500 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**gsk glaxosmithkline** **UK**	2 buffs *qid	Seretide Diskus 500
SERFEAN 400 mg Tablets 100 tab	Unknown	**Unknown** Unknown	**unknown** **Unknown**	As directed	SERFEAN 400MG
Serocip-100 Tablets 10 tablets	Quetiapine tablets 100mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	10 Tablets Serocip-100 Quetiapine Fumarate Tablets 100 mg Cipla
Serocip-200 Tablets 10 tablet	Quetiapine tablets 200mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	10 Tablets Serocip-200 Quetiapine Fumarate Tablets 200 mg Cipla
Serocip-25 Tablets 10 tablets	Quetiapine tablets 25mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	 10 Tablets Serocip-25 Quetiapine Fumarate Tablets 25 mg Cipla
Serocip-25 Tablets 10 tab	Quetiapine Fumarate 25 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	100 mg on day two, 200 mg on day three, and 300 mg on day four; in 2 divided doses. The dosage is then adjusted according to response	 Serocip-25 Cipla
Serocip-300 Tablets 10 tablets	Quetiapine tablets 300mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	10 Tablets Serocip-300 Quetiapine Fumarate Tablets IP Cipla

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Serocip-50 Tablets 10 tab	Quetiapine Fumarate 50 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**CIPLA** **India**	100 mg on day two, 200 mg on day three, and 300 mg on day four; in 2 divided doses. The dosage is then adjusted according to response	
Seroflo Powder for Inhaler 30 doses	Salmetrol +fluticasone	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	2 buffs *qid	
Seroxat Tablets 30 tablets	Paroxetine tablet 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**gsk glaxosmithkline** **UK**	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
SERTAL-100 Tablets 10 tablets	Sertraline tablet 100mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**JBM** **Unknown**	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
SERTAL-50 Tablets 10 tablet	Sertraline tablet 50mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**JBM** **Unknown**	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
SERTEX Tablets 30 tab	Sertraline tablet 50 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Shiba pharma** **Yemen**	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Setral 100 Tablets 10 tab	Sertraline Hydrochloride	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**JPM** **Jordan**	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
SETRAL 100 mg Tablets 10 C.T	Sertraline Hydrochloride	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**JPM** **Jordan**	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
SETRAL 50mg Tablets 10 C.T	Sertraline Hydrochloride	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
SEZOL Tablets 2 tab	Secnidazole 1000 mg	**Antiprtozoal** Amoebiasis , Gardiasis جاردیا واميبيا	**Global Pharma** **Yemen**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Shabynil Syrup 100 ml	Diphenhydramin +ammonium chloride	**Respiratory drugs** Common Cold نزلات البرد	**shaphaco** **Yemen**	25 to 50 mg three or four times daily. for children 6.25 to 25 mg three or four times daily	Shabynil Expectorant
Shamoxil Oral /Drops 10 ml	Amoxicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shaphaco** **Yemen**	125 to 250 mg every 8 hours	Shamoxil neonatal oral drops Broad Spectrum Antibiotic
Shamoxil Capsules 20 cap	Amoxicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shaphaco** **Yemen**	250 - 1000 mg three times daily	
Shamoxil Suspension 100 ml	Amoxicillin 125 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shaphaco** **Yemen**	125 to 250 mg every 8 hours	Shamoxil Suspension 100 ml

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Shamoxil Suspension 100 ml	Amoxicillin 250 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shaphaco** **Yemen**	125 to 250 mg every 8 hours	
Shamoxil 250 DT Tablets 20 tabs	Amoxicillin 250 mg Dispersable tablets	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shaphaco** **Yemen**	250 - 1000 mg three times daily	Shamoxil® 250 DT
Sharizol Tablets 1000 tab	Metronidazole 200 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Shaphaco** **Yemen**	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	Sharizol® Antiprotozoal agent 1000 Tablets
Shark Liver Oil Capsules 30 cap	Cod Liver Oil	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Vitex pharma** **Unknown**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	30 Sharkliveroil
Shatrim Tablets 20 tab	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shaphaco** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Shatrim® Co-Trimoxazole
Shatrim Tablets 500 tab	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shaphaco** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Shatrim® Co-Trimoxazole
Shatrim Suspension Suspension 50 ml	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shaphaco** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	Shatrim 50ml

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Shatrim Suspension Suspension 100 ml	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Shaphaco** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
SHINCEF Vial 10 vial	Cefuroxime 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**SHIN POONG** **Korea**	Oral doses for adults are 250 to 500 mg twice daily	SHINCEF Injection 10Vials For I.M., I.V. SHIN POONG PHARM.CO.,LTD.
SHINTAXIME Vial 10 vial	Cefotaxime Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**SHIN POONG** **Korea**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	Push Here 10Vials For I.V., I.M. 1g SHINTAXIME Injection Cefotaxime sodium
Sianrex Tablets One blister of 9 tablets	Antimalarial kit, composed of 9 tablets, 6 tablets (round) each of artesunate 100mg, and 3	**Antimalarial medicines** Malaria الملاريا	**pharmacare** **Yemen**	The usual dose is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Sifloks 500 tablet 1strip*10tablet	Ciprofloxacin*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Zentiva** **Unknown**	250 to 750 mg twice daily depending on the severity and nature of the infection	Sifloks® 500 10 film coated tablets Broad spectrum antibiotic ZENTIVA
Silca Solution Bottle	Herbal extract	**Health Care** Mouth Wash الغسولات الفموية	**Unknown** **Unknown**	As directed	
Silymarin plus Soft Gelatin Capsules 20 cap	silymarin	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**SEDICO** **Egypt**	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	Silymarin plus

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Silymarin plus Capsules 20 ccs	Silymarin 140 mg or 70mg/Sofet gelatin capsule.	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**SEDICO** **Egypt**	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Simepar Capsules 40 cap	silymarin +vit b complex	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Mepha** **Unknown**	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Simepar Capsules 40 cap	Silymarin	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Unknown** **Unknown**	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
SIMETHICONE Drops 30 ml	actived dimethicone	**Gastro Intestinal drugs** Indigestion سوء الهضم	**MUP** **Egypt**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Simethicone Emulsion 30 ml	Semethicone	**Gastro Intestinal drugs** Indigestion سوء الهضم	**MUP** **Egypt**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Simva-Denk 20 Tablets 28 film coated tablet	simvastatin20mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Denk Pharma** **Germany**	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Simvagen 10 Tablets 30 tab	Simvastatin	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**RIYADH PHARMA** **Saudi Arabia**	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Simvagen 20mg tablet 30film coated tablet	simvastatin 20mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**RIYADH PHARMA** **Saudi Arabia**	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
simvalip 20 Tablets 28tablet	Simvastatin 20mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**BIOPHARM** **Yemen**	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Simvast 20 mg Tablets 28 tab	Simvastatin	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Julphar** **UAE**	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Simvast 40 mg Tablets 30 tab	Simvastatin 40 mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Julphar** **UAE**	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Simvatin 10 Tablets 30 tablet	simvastatin 10 mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Pharma International** **Jordan**	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Simvatin 20 Tablets 30 tab	simvastatin 20 mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Pharma International** **Jordan**	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Simvo-Denk 20 Tablets 30 tab	Simvastatin 20 mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Denk Pharma** **Germany**	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Sinarex Tablets 9 tab (6 +3)	Antimalarial kit of : Artesunate 100 mg + Sulfadoxine 500 mg + Ptrimethamine 25	**Antimalarial medicines** Malaria الملاريا	**Pharmacare** **Yemen**	The usual dose is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
SINAWET Syrup 120 ml	Herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**Sina Pharm** **Unknown**	As directed	
Sincomin Oral/drops 20 ml	Butamirate citrate 5 mg/ml with Vanila Flavour	**Respiratory drugs** Common Cold نزلات البرد	**Modern Pharama** **Yemen**	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Sincomin Oral / Solution 100 ml	Butamirate citrate 7.5 mg / 5 ml	**Respiratory drugs** Common Cold نزلات البرد	**Modern Pharama** **Yemen**	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Sincuf Syrup 120 ml	Butamirate citrate	**Respiratory drugs** Common Cold نزلات البرد	**Y.E.PHARMA** **Yemen**	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Sinecod Syrup 200 ml	Butamirate citrate	**Respiratory drugs** Common Cold نزلات البرد	**NOVARTIS** **Switzerland**	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Sinecod Drops 20 ml	Butamirate citrate	**Respiratory drugs** Common Cold نزلات البرد	**NOVARTIS** **Switzerland**	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Sinemet Tablets 20 tablets	Carbidopa/Levodopa tablet (25/250)mg	**Central Nervous system drugs** Parkinson's disease مرض الرعاش	**ALGORITHM** **Lebanon**	Minimum/Maximum Adult Daily Dose:2 - 8 Tablet, Sustained Action	
Sinerdol-150 Capsules 10 Capsules	Rifampicin 300mg + isoniazid 150mg	**Antibiotics** Tuberculosis (T.B) الدرن	**Unknown** **Unknown**	The usual dose of rifampicin is 600 mg daily by mouth	
SINOMOL INJECTION Ampoules 10 amp x 2 ml	Paracetamol 300 mg + Lignocaine 2 mg / 2 ml	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**Sinochem Ningbo** **China**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
sinopryl 10 Tablets 30 tab	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	usual oral dose is 5 -20 mg daily,	
Sinotaxim Vial 1 vila	Cefotaxime Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	
Sinotrim tablet 10strip*10tablet	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**ILDONG** **Korea**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Sinuven Adult N/D Adult Nasal / drops 10 ml	Oxymetazoline HCL 0.5%	**Respiratory drugs** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**ALPHA** **Syria**	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Sinuven Pedi/N/D Pediatric Nasal / drops 10 ml	Oxymetazoline HCL 0.25%	**Respiratory drugs** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**ALPHA** **Syria**	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	SINUVIN 0.50
Sipro 500 Tablets 1strip*10tablet	Ciprofloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**ASIA** **Syria**	250 to 750 mg twice daily depending on the severity and nature of the infection	
Siprodrogsan 500 tablet 14 Film Tablet	Ciprofloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Drogsan** **Unknown**	250 to 750 mg twice daily depending on the severity and nature of the infection	Siprodrogsan 500
SIRAGYL Tablets 2 tab	Metronidazole 125 mg + spiramycin 750000I.U	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Pharo Pharma** **Egypt**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
SIRAGYL FORTE Tablets 10 tab	Metronidazole 250 mg + soiramycin 1500000 I.U	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Pharo Pharma** **Egypt**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	SPIRAGYL FORTE
Sirdalud Tablets box of 30 tablets	Tizanidine Hydrochloride 2 mg	**Central Nervous system drugs** Muscle relaxation مرخيات العضلات	**NOVARTIS** **Switzerland**	4 mg, increased as required in steps of 2 to 4 mg, up to 36 mg daily.	
Sitaram-20 Tablets 20 tablets	Citalopram tablet 20mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Mediotic** **Unknown**	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	Sitaram 20 Citalopram

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Sizodon-3 Tablets 50 tablets	Risperidone tablet 3mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**SUN** **India**	2-4 mg daily	Risperidone Tablets 3 mg SIZODON 3 SUN
SizodonMD-2 Tablets 50 tablets	Risperidone tablet 2mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**SUN** **India**	2-4 mg daily	Risperidone Mouth Dissolving Tablets 2 mg SIZODON MD 2 SUN
Sleep- Fine Tablets 10 tab	Zaleplon 5 mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Shiba pharma** **Yemen**	The usual dose is 10 mg at bedtime	Shiba Pharma Sleep - Fine 5 mg
Sleep- Fine Tablets 10 tab	Zaleplon 10 mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Shiba pharma** **Yemen**	The usual dose is 10 mg at bedtime	Sleep - Fine 10mg Short-term treatment of insomnia Shiba Pharma
Slimcal Capsules 4 blister , each contains 21	Each capsule contains 120 mg of orlistat.	**Gastro Intestinal drugs** Obesity	**Pharmacare** **Yemen**	120 mg by mouth three times daily, immediately before, during, or up to 1 hour after meals	
Sobycor Tablets 30 tab	Bisoprolol Fumarate 2.5 mg / tab	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**KRKA** **India**	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	Sobycor 2.5 mg film-coated tablets
Sobycor Tablets 30 tab	Bisoprolol Fumarate5 mg / tab	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**KRKA** **India**	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	Sobycor 5 mg film-coated tablets

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Sodi vag Solution 200 ml	Sodium Bicarbonate 4% + Sodium carbonate 0.025%	**Health Care** Vaginal المهبل	**Shiba pharma** **Yemen**	As directed	Sodi vag Solution 4% Shiba Pharma
Sodi vag Solution 200 ml	Sodium Bicarbonate 2% + Sodium carbonate 0.025%	**Health Care** Vaginal المهبل	**Shiba pharma** **Yemen**	As directed	Sodi vag Solution 2% Shiba Pharma
Sodium Chloride Solution 15 ml	Sodium Chloride 5 %	**Antiseptic and Desinfectants** Eye العين	**Orchidia Pharma** **Egypt**	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	Sodium Chloride 5% Eye drops (B.P 2014) Sodium Chloride 5% Orchidia
Sodium nitroprusside Vial 1 vial	Sodium nitroprusside	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	The usual dose is 0.5 to 6 micrograms/kg per minute	SODIUM NITROPRUSSIDE FOR INJECTION USP NIPRESS For IV use only SAMARTH
Solamin Syrup 100 ml	Combination	**Respiratory drugs** Common Cold نزلات البرد	**Modern Pharama** **Yemen**	As directed	
Solcogyn Solution	acetic acid - nitric acid - zinc nitrare - oxalic acid	**Health Care** Vaginal المهبل	**MEDA** **Unknown**	As directed	سولكوجين محلول MEDA
Solcoseryl Gel 20 gm	Solcoseryl (Calf blood extract)	**Skin Disorders** Burns الحروق	**MEDA** **Unknown**	As directed	Solcoseryl jelly MEDA

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Solcoseryl Gel 5 gm	Solcoseryl comp	**Unknown** Eye العين	**Unknown** **Unknown**	As directed	Solcoseryl MEDA MEDA
Solcoseryl eye gel Gel 5 gm	Solcoseryl (Calf blood extract)	**Ophthalmic drugs** Eye العين	**Solco** **Switzerland**	As directed	Solcoseryl Eye-Gel
Solcoseryl ointment Ointment 20 gm	Solcoseryl (Calf blood extract)	**Skin Disorders** Burns الحروق	**MEDA** **Unknown**	As directed	Solcoseryl Ointment MEDA
Solofresh Solution 10 ml	Sodium Hyaluronate 0.2%	**Ophthalmic drugs** Eye العين	**Orchidia Pharma** **Egypt**	As directed	Solofresh Eye Lubricant
Solpadeine Tablets 24 tablets	Paracetamol 500mg+caffein 30mg+codein 8mg per tablet.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئات الأوجاع والحمى	**gskGlaxoSmithklin** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	Solpadeine Solpadeine
Solpadeine Tablets 24 soluble tablet	paracetamol+codeine phosphate +caffeine	**Non-Steroidal Anti-** Common Cold نزلات البرد	**glaxosmithkline** **UK**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	24 Solpadeine TABLETS STRONG FAST PAIN RELIEF
Solu-Medrol Powder for Solution Injection 1000 mg Sterile Powder	Methylprednisolone 1000 mg	**Corticosteroid** Inflammations الألتهابات	**Pfizer** **USA**	10 to 500 mg of methylprednisolone daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
SOLUS one A day Tablets 30 Tab	Multi vitamin and Menirals	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**LIFEPLAN** **Unknown**	As directed	
Solvin Syrup 120 ml	Bromhexine (2mg/ml)	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**ADCO** **Egypt**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
Solvin Tablets 20 tab	Bromhexine	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**ADCO** **Egypt**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
Solvin Drops Oral /Drops 15 ml	bromhexine (2 mg/ ml)	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**ADCO** **Egypt**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Solvin Tablets Tablets 20 tab	Bromhexine (8 mg)	**Respiratory drugs** Respiratory Disorders اضطرابات الجهاز التنفسي	**ADCO** **Egypt**	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
SomaCare Solution Bottle	Combination	**Antiseptic and Desinfectants** Antiseptic مطهر	**BioCare Pharma** **Egypt**	As directed	
Sompraz cap 14 caps	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**SUN Pharma** **India**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Soolan Pediatric Syrup 100 ml	Each 5 ml contains : Chlorphenamine Maleate 1mg + Phenylephrine Hydrochloride	**Antihistamines** Common Cold نزلات البرد	**Unknown** **Unknown**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Sopalgin Tablets 24 tabs	paracetamol 500 mg +codeine phosphate 8 mg +caffeine 30 mg	**NSAID** Common Cold نزلات البرد	**Modern Pharama** **Yemen**	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Soral Suppositoris 5 supp,	Tenoxicam 20mg supp.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**GLOBAL NAPI** **Egypt**	maximum dose 20 mg one time daily (for two weeks only)	
Sotilen Capsules 30 cap	Piroxicam 10 mg	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**Unknown** **Unknown**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Spasmcil Tablets 3 x 10 tab	Dicycloverine Hydrochloride	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**HUONS**	10 to 20 mg of dicycloverine hydrochloride is given 3 times daily, Children 10 mg three times daily.	
Spasmcil Tablets 2x1 tab	Secnidazole 1000 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Global Pharma** **Yemen**	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Spasmo Oral Paediatric Drops 15 ml	Homatropine methyl bromide	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Shaphaco** **Yemen**	9 - 12 drops Tid	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Spasmo - H Tablets 20 tabs	Homatropine methyl bromide 10 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Shaphaco** **Yemen**	9 - 12 drops Tid	Spasmo-H® Hyoscine Butylbromide Antispasmodic
Spasmo-Canulase Bitabs 20 Bitabs	Methexin+cellulose+pepsin+glutamic acid+pancreatin+NaHco3	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**NOVARTIS** **Switzerland**	once tab befor all meal *If acute taken two tabs	20 Bitabs Spasmo-Canulase® Bitabs®
Spasmocil Tablets 30 Tablets	Alerine citrate	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Huons** **Korea**	60 to 120 mg one to three times daily	Antispasmodics 30 Tabs (3 X 10 Tabs) SPASMCIL Tab. Huons Huons Co., Ltd
spasmocin Tablets 20 tabs	Hyoscine-N-Butylbromide 10 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Memphis** **Egypt**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	Spasmocin® Hyoscine - N - butylbromide 10 mg / Tablet 20 Tablets
Spasmocure Tablets 20 tabs	Drotaverine	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Alphamoun** **Egypt**	120 to 240 mg daily by mouth in divided doses.	Spasmocure®
Spasmocure Tablets 20 tabs	Drotaverine	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**APIC** **Egypt**	120 to 240 mg daily by mouth in divided doses.	SPASMOCURE® Tablets Broad Spectrum Spasmolytic APIC
SPASMO-DIGESTIN Tablets 30 tab	Methexin+cellulose+pepsin+glutamic acid+pancreatin+NaHco3	**Gastro Intestinal drugs** Indigestion سوء الهضم	**PHARCO** **Egypt**	once tab befor all meal *If acute taken two tabs	30 ENTERIC COATED TABLETS SPASMO-DIGESTIN PHARCO PHARMACEUTICALS

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Spasmokid Oral /Drops 20 ml	Hyoscyamine 0.125 mg / 1 ml	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Shiba pharma** **Yemen**	150 to 300 micrograms up to four times daily by mouth	Spasmokid Hyoscyamine Sulfate 0.125 mg / 1 ml Pediatric Oral Drops 20 ml Antispasmodic Shiba Pharma
Spasmoline Oral Paediatric Drops 15 ml	Homatropine methyl bromide	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**YEDCO** **Yemen**	9 - 12 drops Tid	
Spasmomen Dragees 30 Dragees	Otilonium Bromide 40 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**MENARINI** **Italy**	120 mg daily by mouth.	SPASMOMEN 30 dragées A. MENARINI
spasmopan Syrup Syrup 100 ml for bottle	Hyoscine- N-Butylbromide	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**APM** **Jordan**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
SPASMOSAFE Tablets 20 tabs	Drotaverine 60 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Modern Pharama** **Yemen**	120 to 240 mg daily by mouth in divided doses.	SPASMOSAFE
spasmoson Ampoules 10 amps	Hyoscine- N-Butylbromide	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Jayson** **Unknown**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	SPASMOSON 10 x 1 mL AMPOULES Hyoscine Butylbromide BP Jayson Pharmaceuticals Ltd
Spazmo-max Tablets 20 tab	Hyoscine-N-Butylbromide 10 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Shiba pharma** **Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	Spazmo-max® Hyoscine-N-Butylbromide Antispasmodic Shiba Pharma

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Spazmo-max Syrup 60 ml	Hyoscine-N-Butylbromide 5 mg / 5 ml	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Shiba pharma** **Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Spazmotek Ampoules 6 amp x 1 ml	Hyoscine Butylbromide 20 mg / ml	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Bilim** **Turkey**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Spazmotek plus Tablets 20 tabs	Hyoscine-N-Butylbromide 10 mg + paracetamol 500 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Bilim** **Turkey**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Spazomo-max Tablets 20 tabs	Hyoscine-N-Butylbromide 10 mg	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Shiba pharma** **Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
spectrum Tablets 30 tablets	High potency Multivitamin and Multimineral formula with beta carotene.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**CENTURY** **USA**	As directed	
Spedifen-400 Tablets 12 f.c.tablets	Ibuprofen f.c. tablet 400mg.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Zambon** **Unknown**	Oral doses of400 mg to 1.2 g daily .	
Spiradent Tablets 20 tab	Metronidazole 125mg + spiramycin 750000 I.U	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**BIOPHARM** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Spiradent Tablets 2strip*10tablet	Spiramycin 750,000 IU + Metronidazol 125 mg / tablet	**antibacterial** Dental الأسنان	**BIOPHARM** **Yemen**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Spiradent Tablets 20 tab	Spiramycin 759,600 IU + Metronidazole 125 mg	**Antibacterial** Toxoplasmosis الجرثومة الطفيلية	**Unknown** **Unknown**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Spiragyl Tablets 2strip*10tablet	Spiramycin 750.000 I u+ Metronidazol 125 mg / tablet	**Antibacterial** Dental الأسنان	**Pharo pharma** **Egypt**	750000\125 & 1500000\250	
Spiragyl Fort tablet 1strip*10tablet	Spiramycin 1500000 IU + / Metronidazol 250 mg	**antibacterial** Dental الأسنان	**Pharo pharma** **Egypt**	tap 750000\125 & 1500000\250	
Spiramed tablet 1strip*10tablet	Spiramycin*	**Antibacterial** Toxoplasmosis الجرثومة الطفيلية	**Modern Pharama** **Yemen**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Spiramycine tablet 1strip*10tablet	Spiramycin*	**Antibacterial** Toxoplasmosis الجرثومة الطفيلية	**BALSAM** **Syria**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Spiratin 1.5 Caplets 1strip*16 caplet	Spiramycin 1.5 M.I.U / caplets	**Antibacterial** Toxoplasmosis الجرثومة الطفيلية	**Shiba pharma** **Yemen**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Spiratin 3 Caplets 1strip*10 caplet	Spiramycin 3 M.I.U / caplets	**Antibacterial** Toxoplasmosis الجرثومة الطفيلية	**Shiba pharma** **Yemen**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Spirazine Tablets 1strip*20 tab	Spiramycin 750,000 .I.U + 125 mg / tablet	**Antibacterial** Toxoplasmosis الجرثومة الطفيلية	**Shiba pharma** **Yemen**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
SPIRAZOLE Tablets 20 tab	Metronidazole 125mg + siramycin 750000 I.U	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**BALSAM** **Syria**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Spirazole tablet 2strip*10tablet	Spiramycin+Metronidazol	**Antibacterial** Dental الأسنان	**BALSAM** **Syria**	tap 750000\125 & 1500000\250	
Spirex tablet 2strip*5tablet	Spiramycin*	**Antibacterial** Toxoplasmosis الجرثومة الطفيلية	**MUP** **Egypt**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Spirex Tablets 10 tab	Spiramycin	**Antibacterial** Toxoplasmosis الجرثومة الطفيلية	**Unknown** **Unknown**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Spirocare Tablets 10 tab	Each tablet contains spironolactone 100mg .	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Pharmacare** **Yemen**	One tablet one time or more daily (can be reached 400mg if directed by the physician)	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Spirulina Capsules Bottle	Silymarin	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**Unknown** **Unknown**	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Sporanex Capsules 14 Capsules	Itraconazole	**Antifungals** Dermatitis الألتهابات الجلدية	**Janssen-Cilag** **Switzerland**	100 - 200 mg daily as the type of fungi	
Sporanox Capsules Capsules 15 capsules	Itraconazole 100mg	**Antifungals** Dermatitis الألتهابات الجلدية	**Janssen-Cilag** **Switzerland**	100 - 200 mg daily as the type of fungi	
Sporanox Solutions Solution 150ml solusion oral	Itraconazole 10mg/ml	**Antifungals** Dermatitis الألتهابات الجلدية	**Janssen-cilag** **Sweden**	100 - 200 mg daily as the type of fungi	
Sporinex Tablets 4 Tabletes	Tinidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Unknown** **Unknown**	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm by mouth: Anaerobic	
Spplin Tablets 20 tab	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Sandoz** **Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
S-prazo tab 10 tabs	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Flaming - pharma = India** **Unknown**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
SR Ketoprofen	Capsules	10 Capsules	Ketoprofen 150 mg	**Nonsteroidal Anti-**	Analgesic مهدئ الأوجاع	**UNICHiMA**	**Syria**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
SR Ketoprofen	Capsules	10 cap	Ketoprofen	**Nonsteroidal Anti-**	Analgesic مهدئ الأوجاع	**Unknown**	**Unknown**	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
STALENE 200	Capsules	1x1 cap	Fluconazole 200 mg	**Antifungals**	Dermatitis الألتهابات الجلدية	**UNISON**	**Thailand**	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
STATIX 10	Tablets	30 tablets	Atorvastatin10mg	**Cardio Vascular System drugs**	Hyperlipidaemias زيادة الدهون في الدم	**NeoBiocon**	**UAE**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Stdoxin	tablet	1strip*10tablet	Ofloxacin*	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Stada**	**Unknown**	tab 400mg & 200mg	
Stellasil	Tablets	30 tablets	Trifluoperazine tablet 5mg	**Central Nervous system drugs**	Mental Disorders الأمراض العقلية	**KAHIRA PHARM**	**Egypt**	Minimum/Maximum Adult Daily Dose:10 - 40 mg (milligram) OR 1 - 4 Tablets.	
Sterema	Tablets	box	Prochlorperazine Malate 5mg / tab	**Gastro Intestinal drugs**	Nausea and vomiting الغثيان والطرش	**REMEDICA**	**Cyprus**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Stericef - 1gm Parentral inj 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Ipca** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Stericef - 250 mg Parentral inj 1vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Ipca** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Stilnox Tablets 20 Tablets	Zolpidem Tartrate	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Sanofi Aventis** **France**	10 mg taken immediately before retiring. In elderly or debilitated patients, treatment limited to a dose of 5 mg at night.	
Stimulan Syrup 1 gm / 5 ml	Piracetam 1g/5ml	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Stimulan Tablets 30 tab	Piracetam	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Storilat Tablets 50 Tablet	carbamazepin tablet 200 mg	**Central Nervous system drugs** Epilepsy الصرع	**REMEDICA** **Cyprus**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Strepsils Lozenges 24 lozenges	Different Lozenges Ingredients	**Antiseptic and Desinfectants** Common Cold نزلات البرد	**reckitt benckiser** **Unknown**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
stroka Tablets 20 tab	Clopidogrel bisulphate........75 mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**Apex Pharma** **Unknown**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Structum 500mg Capsules 60 caps	Chondrotin sulphate,Na 500mg	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Unknown** **Unknown**	As directed	Structum 500mg
Stugeron Tablets 25 tab	Cinnarizine	**Antihistamines** Vertigo الدوار او الدوخة	**Janssen-Cilag** **Sweden**	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Stugeron Tablets 50 tab	Cinnarizine	**Antihistamines** Vertigo الدوار او الدوخة	**Janssen** **Switzerland**	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	Stugeron 50 oral tablets janssen
Stugeron Tablets 50 tab	Cinnarizine	**Antihistamines** Vertigo الدوار او الدوخة	**Janssen-Cilag** **Switzerland**	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	Stugeron 50 comprimés oraux-oral tablets JANSSEN-CILAG
SUCRATE gel Gel 30 monodose bags of 5 ml	Each bags of 5 ml sucralfate suspension	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Lisapharma** **Egypt**	The usual dose is 1 g four times daily or 2 g twice daily for 4 to 8 weeks	SUCRATE gel ORAL ADMINISTRATION
Sucratec Tablets 30 tab	Glimepiride 2mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Neopharma** **UAE**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	Sucratec 30 Tablets

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Sucratec 3 Tablets 30 tab	Glimepiride 3mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Neo pharma** **Unknown**	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	 Sucratec 3 mg Glimepiride neopharma 30 Tablets
Sulba750 Vial 1 vial	Ampicillin Sodium/Sulbactam Sodium	**Antibiotics** الأصابات الميكروبية Microbial Infections	**ALPHA** **Syria**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	1 VIAL SULBA 750 IM IV
Sulfadiazine Silver Cream 250 gm	Sulfadiazine Silver 1%	**Antibacterial** Wounds Healing التئام الجروح	**Shiba pharma** **Yemen**	1% cream	Silver Sulfadiazine Cream USP كريم سلفاديازين الفضة 250gm للاستعمال الخارجي فقط For external use only Shiba Pharma
Sulptiac 200 Tablets 30 tabs	Amisulpride	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**SUN Pharma** **India**	*For acute psychotic episodes, oral doses between 400 mg/d and 800 mg/d * irritable bowel syndrem = tid	Comprimés d'Amisulpride à 200 mg SULPITAC 200 SUN
Sulptiac 400 Tablets 30 tabs	Amisulpride	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**SUN Pharma** **India**	*For acute psychotic episodes, oral doses between 400 mg/d and 800 mg/d * irritable bowel syndrem = tid	Comprimés d'Amisulpride à 400 mg SULPITAC 400 SUN
Super GC Capsules 30 capsules	Glucosamine + Chondrotin	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Power Health** **Unknown**	As directed	powerhealth super GC glucosamine & chondroitin 30
Super Joint Tablets 30 tab	Glucosamine + Chondrotin	**Osteoarthritis drugs** Osteoarthritis التهابات العظام	**Nutraveda** **Unknown**	As directed	Super Joint

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Super Sliming Capsules 30 capsules	Combination	**Gastro Intestinal drugs** Nutrition supplementation تغذية تكميلية	**Tri Pharma** **not present**	As directed	
SUPIM Tablets 2strip *10 tablet	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**BMP** **Thailand**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Supplin 500 mg Tablets 20 tab	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Sandoz** **Unknown**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Supra 25 Tablets 10 tab	Sildenafil citrate 25 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Shiba pharma** **Yemen**	25 - 100 mg depending on response, about one hour before sexual intercourse	
Supra 25 Tablets 4 tab	Sildenafil citrate 25 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Shiba pharma** **Yemen**	25 - 100 mg depending on response, about one hour before sexual intercourse	
Supra 50 Tablets 4 tab	Sildenafil citrate 50 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Shiba pharma** **Yemen**	25 - 100 mg depending on response, about one hour before sexual intercourse	
SUPRA F&S 50 Tablets 4 tab	Sildenafil Citrate	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Shiba pharma** **Yemen**	25 - 100 mg depending on response, about one hour before sexual intercourse	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
SUPRA VIT	Calcium + Vit c	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**Unknown** **Unknown**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	Calcium-C SUPRA VIT
Supradyn Capsules 30 Capsules	Multi vitamin and Menirals	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**BAYER** **Germany**	As directed	
Supranil Capsules 20 capsules	Clomipramine capsules 25mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Alphamoun** **Egypt**	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	
Supranil Capsules 20 capsules	Clomipramine Hydrochloride 25mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**ACAPI** **Unknown**	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	SUPRANIL 25 mg
Supravit Capsules 30 caps	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**YEDCO** **Yemen**	One capsule or more daily or as prescribed by the physician	Supravit MULTIVITAMINS
SUPRAX 100 Dry syrup 1 bottel* 60ml	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Hikma** **Jordan**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	SUPRAX 100 60 ml
SUPRAX 100 Dry syrup 30ml	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Hikma** **Jordan**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	SUPRAX 100 30ml

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Suprax Capsules capsul 1strip*8capsules	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Hikma** **Jordan**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Suprax TTT Dry syrup 1bottel*30ml	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Hikma** **Jordan**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	SUPRAX 100 30ml
SureCure Gel 30 gm	Adapalene	**Skin Disorders** Acne حب الشباب	**Jamjoum Pharma** **Saudi Arabia**	applied once daily at night as a 0.1% solution, cream, or gel to skin that has been cleansed and dried.	
Surgical Spirit Solution 60 ml	Surgical Spirit	**Antiseptic and Desinfectants** Antiseptic مطهر	**Shiba pharma** **Yemen**	Apply on the affected area using clean cotton	اسبرت جراحي Surgical Spirit B.P. 60 ml For external use only Shiba Pharma
Surgical Spirit Solution 100 ml	Surgical Spirit	**Antiseptic and Desinfectants** Antiseptic مطهر	**Shiba pharma** **Yemen**	Apply on the affected area using clean cotton	اسبرت جراحي Surgical Spirit B.P. 100 ml For external use only Shiba Pharma
Surgical Spirit Solution 100 ml	Castor Oil 2.5 % +Diethyl Phthalate 2.0 % +Methyl Salicylate 0.5 % +Industrial	**Antiseptic and Desinfectants** Antiseptic مطهر	**Pharmacare** **Yemen**	Apply on the affected area using clean cotton	100 ml Surgical spirit Pharmacare
susten 200 soft gelatin capsules toon	progesterone	**Gynaecology drugs** Amenorrhea انقطاع الطمث	**sun** **India**	:It is important to take each dose as directed. If you miss a dose, take it as soon as remembered. Do not "double-up" the dose to catch up. If more than one dose is missed,	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Sutrim syrup 1bottel*100ml	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Memphis** **Egypt**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Suvikan-20mg Tablets 28 film coated tablet	Rosuvastatin calcium 20.8mg(equivalnt to 20mgRosuvastatin)	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**HIKMA** **Jordan**	10 - 20 mg once daily	28 Suvikan 20 mg
Suzin Capsules 2 x 10 cap	Flunarizine Hydrochloride 5 mg	**Antihistamines** Migraine	**STANDARD CHEM** **Unknown**	is 5 to 10 mg daily, usually given at night to minimise the effects of drowsiness.	Suzin Standard Flunarizine 5mg Cap.
sylate-250 Tablets 20tablet	etamsylate250mg	**Antihaemorrhages** Haemorrhage النزيف	**RAF pharmaceutical** **Unknown**	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	SYLATE 250 Antihaemorrhage
sylate-500mg Tablets 20tablet	etamsylate 500mg	**Antihaemorrhages** Haemorrhage النزيف	**RAF PHARMACEUTICLE** **Unknown**	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	SYLATE 500 Antihaemorrhage
Synchrogit Tablets 20 tab	Domperidone 10 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**RAMEDA** **Egypt**	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	Synchrogit Domperidone 10 mg rameda 20 Tablets
Synclar - 500 tablet 2strip*7tablet	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**CIPLA** **India**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	2 x 7 Tablets Clarithromycin Tablets USP 500 mg Synclar-500 Cipla

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Synclar- 250 tablet 2strip*7tablet	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**CIPLA** **India**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	2 x 7 Tablets Clarithromycin Tablets USP 250mg Synclar-250 Cipla
Synclar-500 Tablets	Clarithromycin	**Antibiotics** Respiratory Disorders اضطرابات الجهاز التنفسي	**CIPLA** **India**	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	Clarithromycin Tablets USP 500mg Synclar-500 Cipla
SYNDOPA-275 Tablets 50 tablets	Carbidopa/Levodopa tablet (25/250)mg	**Central Nervous system drugs** Parkinson's disease مرض الرعاش	**SUN** **India**	Minimum/Maximum Adult Daily Dose:2 - 8 Tablet, Sustained Action	 Levodopa 250 mg & Carbidopa 25 mg Tablets BP SUN SYNDOPA 275
Systane Eye solution 30 vial x 10 ml	0.7 ml / vial	**Ophthalmic drugs** Eye العين	**Alcon** **Ireland**	As directed	Systane ULTRA UD 30 Alcon
Tabiclor Capsules 3 strip * 5capsules	Cefaclor	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Tabuk pharma** **Saudi Arabia**	tab 750mg & 375mg cap 500mg 250mg 125mg	Tabiclor 500 15 Capsules / 15 Gélules
Tabiclor Dry syrup 1bottel*75ml	Cefaclor	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Tabuk pharma** **Saudi Arabia**	tab 750mg & 375mg cap 500mg 250mg 125mg	
Talcef parentral inj 1Vial	Cefotaxime Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Ipca** **Unknown**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	1 g Talcef Cefotaxime for Injection USP I.M./I.V. Ipca

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Talizol Ampoules 1 amp + 1 vial solvent	Esomeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Vitalis** **USA**	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tamadol Capsules 10 cap	Tramadol Hydrochloride	**Opioid analgesics** Analgesic مهدئات الأوجاع	**Shiba pharma** **Yemen**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tambac 100 tablet 1strip*10tablet	Cefpodoxime Proxetil	**Antibiotics** الأصابات الميكروبية Microbial Infections	**CADILA** **India**	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Tambac 200 tablet 1strip*10tablet	Cefpodoxime Proxetil	**Antibiotics** الأصابات الميكروبية Microbial Infections	**CADILA** **India**	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Tambac 200 Tablets 10 tab	Cefpodoxime Proxetil	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Tamol 200 mg Tablets 10 tab	Tramadol Hydrochloride 200 mg	**Opioid analgesics** Analgesic مهدئات الأوجاع	**Hikma** **Jordan**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
tamoxifen Tablets 30	tamoxifen 20mg	**Gynaecology drugs** Infertility العقم	**WOCKHADT** **UK**	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 2 - 4 Tablet	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
tamoxifen ??? Tablets 30	tamoxifen 10 mg	**Gynaecology drugs** Infertility العقم	**WOCKHADT** **UK**	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 2 - 4 Tablet	Tamoxifen 10mg Film-Coated Tablets For oral use Tablets WOCKHARDT
Tamsiflow Capsules 30 cap	Tamsulosin Hydrochloride 0.4 mg	**Urinary tract drugs** Urinary Tract Infection اصابات الجهاز البولي	**Shiba pharma** **Yemen**	400 - 800 micrograms daily by mouth for up to 4 weeks	Tamsiflow For treatment of Benign Prostatic Hyperplasia Signs Shiba Pharma
Tamsulosin Capsules 30 cap	Tamsulosin Hydrochloride 0.4 mg	**Urinary tract drugs** Urinary Tract Infection اصابات الجهاز البولي	**Shaphaco** **Yemen**	400 - 800 micrograms daily by mouth for up to 4 weeks	 Salocin 0.4 Tamsulosin
TANTUM Mouth Wash 125 ml	Benzydamine hydrochloride	**Antiseptic and Desinfectants** Mouth Wash الغسولات الفموية	**EIPICO** **Egypt**	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	120 ml TANTUM VERDE Mouthwash & Gargle EIPICO
TANTUM ROSA Sachets 5 Sachets	Benzydamine hydrochloride	**Antiseptic and Desinfectants** Vaginal المهبل	**EIPICO** **Egypt**	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	5 SACHETS POWDER TANTUM ROSA GYNAECOLOGICAL ANTI-INFLAMMATORY AND ANALGESIC EIPICO
TANTUM VERDE Lozenges 20 Lozenges	Benzydamine hydrochloride	**Antiseptic and Desinfectants** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**EIPICO** **Egypt**	As directed	TANTUM VERDE P Benzydamine hydrochloride 20 Lozenges Anti-inflammatory & Analgesic for mouth and throat
TardyFeron Tablets 30 coated tablet	Ferrous sulphate 80 mg	**Vitamines and Menirals** Anaemia فقر الدم	**Pierr Fabre** **Unknown**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	Tardyferon 80 mg تارديفيرون

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Tardyferon 80 mg Tablets 30 coated tablets	Ferrous Sulfate	**Vitamines and Menirals** Anaemia فقر الدم	**Unknown** **Unknown**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Tavacin 500 mg Tablets 5 tab	Levofloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	Tab 500mg & 250mg Infu 500mg	
Tavanic Tablet 1strip*5tablet	Levofloxacin	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Sanofi Aventis** **France**	Tab 500mg & 250mg Infu 500mg	
Tazotalis Vial 1 vial	Piperacillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	intravenously; the usual dose is 3 to 4 g every 4 or 6 hours.	
Tears Guard Solution 10 ml	Hydroxy Propyl Methyl Cellulose 0.3 %	**Ophthalmic drugs** Eye العين	**Orchidia Pharma** **Egypt**	As directed	
Tefanyl Syrup 100 ml	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**JPM** **Jordan**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
TEFANYL 1 Tablets 30 tab	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**JPM** **Jordan**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Tegral 200 Tablets 50 tablet	carbamazepin tablet 200 mg	**Central Nervous system drugs** Epilepsy الصرع	**Interbat** **Egypt**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	TEGRAL 200 Carbamazepine 200 mg 50 Scored Tablets
Tegranol Tablets 50 Tablet	carbamazepin tablet 200 mg	**Central Nervous system drugs** Epilepsy الصرع	**Biopharm** **Yemen**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	Tegranol 200 50 scored tablets Carbamazepine 200 mg
Tegretol 200 Tablets 50 tab	Carbamazepin	**Central Nervous system drugs** Epilepsy الصرع	**Unknown** **Unknown**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	Tegretol CR 200 NOVARTIS
Tegretol 200 Tablets 50 tab	Carbamazepin	**Central Nervous system drugs** Epilepsy الصرع	**Unknown** **Unknown**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	Tegretol 200 NOVARTIS
Tegretol 200 mg Tablets 50 Tablet	carbamazepin tablet 200 mg	**Central Nervous system drugs** Epilepsy الصرع	**NOVARTIS** **Switzerland**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	Tegretol 200 carbamazepin
Tegretol 400 Divitabs 30 Divitabs	Carbamazepin 400 mg	**Central Nervous system drugs** Epilepsy الصرع	**NOVARTIS** **Switzerland**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	Tegretol CR 400 NOVARTIS
Tegretol CR 200mg Tablets 50 Tablet	carbamazepin tablet 200 mg	**Central Nervous system drugs** Epilepsy الصرع	**NOVARTIS** **Switzerland**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	Tegretol CR 200 NOVARTIS

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Tegretol CR 400mg	Tablets	50 Tablet	carbamazepin tablet 400 mg	**Central Nervous system drugs**	Epilepsy الصرع	**NOVARTIS**	**Switzerland**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	Tegretol CR 400 30 Divitabs 400 mg
Tegretol syrap	Syrup	100 ml	carbamazepin syrap 2%	**Central Nervous system drugs**	Epilepsy الصرع	**NOVARTIS**	**Switzerland**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	Tegretol 2% NOVARTIS
Tegrsed	Tablets	50 tablets	Carbamazepine 20o mg	**Central Nervous system drugs**	Epilepsy الصرع	**SEDICO**	**Egypt**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	Tegrsed Carbamazepine 200 mg
Tehral 200	Tablets	50 tab	Carbamazepin	**Central Nervous system drugs**	Epilepsy الصرع	**Unknown**	**Unknown**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	TEGRAL 200 50
Telfast 120 mg	Tablets	15 tab	Fexofenadine Hydrochloride	**Antihistamines**	Allergy الحساسية	**SANOFI**	**France**	by mouth in a dose of 120 mg daily either as a single dose or in two divided doses, Children30 mg twice daily	Telfast 120 mg SANOFI
Tenedone	Tablets	20 tab	Atenolol + Chlorthalidone	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**SIGMA**	**Egypt**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	Tenedone 50
TENIACID	Tablets	4 tab	Niclosamide 500 mg / tab	**Anthelmentic**	Tape Worms الدودة الشريطية	**BMP**	**Thailand**	Tapeworms: Single dose niclosamide 2 gm chewed tablets on empty stomach. Hymenolepis (H.Nana): 2 gm initially + 1 gm daily for 6 days	4 TABLETS TENIACID TABLETS 500 mg. For Tapeworm Treatment

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
tenoretic ??? Tablets 14tab	Atenolol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Unknown**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	TENORETIC tablets
Tenoretic ??? Tablets 28tab	Atenolol + Chlorthalidone	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Unknown**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	TENORETIC tablets
Tenormin ?? Tablets 28 tab	Atenolol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Unknown**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	TENORMIN tablets 50mg
tenormin ??? Tablets 28tab	Atenolol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Unknown**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
tenormin mite Tablets 30 tab	Atenolol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Unknown**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	Tenormin mite 50 mg AstraZeneca
Tenormin Tablets Tablets 14 TAB	Atenolol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Unknown**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	TENORMIN tablets 100mg
Tenox 20 Capsules 8 cap	Tenoxicam 20 mg / cap	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	maximum dose 20 mg one time daily (for two weeks only)	TENOX 20 20mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Tenoxam 20 Capsules 10 cap	Tenoxicam 20 mg	**NSAID** Analgesic مهدئات الأوجاع	**Shiba pharma** **Yemen**	maximum dose 20 mg one time daily (for two weeks only)	Tenoxam 20 Tenoxicam Shiba Pharma
Terbin Cream 15 gm	Terbinafine	**Antifungals** Dermatitis الألتهابات الجلدية	**GNP** **Unknown**	As directed	
testovirone depot ampole 3	testosterone enanthate	**Hormones** Sex Hormones هرمونات جنسية	**BAYER** **Germany**	by mouth in an initial dose of 120 to 160 mg daily for 2 to 3 weeks, f maintenance dose of 40 to 120 mg daily. intramuscular injection as oily solution at a dose of 1 g every	Testoviron Depot
Tetracycline Ointment 20 gm	Tetracycline	**Antibiotics** Dermatitis الألتهابات الجلدية	**Julphar** **UAE**	Cap 500 mg & 250mg	TETRACYCLINE 3% Skin Ointment
Tetracycline Ointment 4 gm	Tetracycline 1 %	**Antibiotics** Eye العين	**Unknown** **Unknown**	Cap 500 mg & 250mg	TETRACYCLINE
Tetracycline Capsule 10strip*10capsules	Tetracycline HCl	**Antibiotics** الأصابات الميكروبية Microbial Infections	**ADCO** **Egypt**	Cap 500 mg & 250mg	TETRACYCLINE The Arab Drug Company
Tetracycline 250 mg Capsules 10 x 10 cap	Tetracycline 250 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**ZMC** **China**	Cap 500 mg & 250mg	TETRACYCLINE 250MG

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Tetracycline Hydrochloride Ointment 14 gm	Tetracycline	**Antibiotics** الأصابات الميكروبية Microbial Infections	**ZHEJIANG** **China**	Cap 500 mg & 250mg	
Tetracycline skin Ointment 14 gm	Tetracycline 3%	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	Cap 500 mg & 250mg	
Theobid 200 Tablets Sustained Release 15 tab	Theophyllin 200 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Theobid-300 Sustained Release Tablets 15 tab	Theophyllin 300 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**CIPLA** **India**	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
three-B Tablets 20tablet	vitamineB1 100mg+vitamineB6 200mg+vitamineB12 200mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**BIOPHARM** **Yemen**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Three-B Amp Ampoules 5ampoules of 3 ml	vit B1 100mg+B6 200mg+B12 200Mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**BIOPHARM** **Yemen**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Three-B Tablets Tablets 20 Tablets	vit B1 100mg+B6 200mg+B12 200Mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**BIOPHARM** **Yemen**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Thri-B Tablets 20 Tablets	vit B1 100mg+B6 200mg+B12 200Mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**NILE CO.** **Egypt**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Thrombocid Suppositoris 10 supp	Pentosan Polysulfate Sodium + Guaiazulene	**Antihaemorrhages** Haemorrhoids البواسير		As directed	
Thymolyt Syrup 100 ml	thyme 250 mg	**Antiseptic and Desinfectants** Common Cold نزلات البرد	**Modern Pharama** **Yemen**	As directed	
Thymy Lozenges 12 pastills	lozenges+ thyme &ginger extract	**Antiseptic and Desinfectants** Common Cold نزلات البرد	**Pharo pharma** **Egypt**	As directed	
Thymy s lozenges 12 pastills	lozenges+ thyme &ginger extract	**Antiseptic and Desinfectants** Common Cold نزلات البرد	**Pharo pharma** **Egypt**	As directed	
Tiazol Tablets 4 f/c tab	Tinidazole 500 mg / tab	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبا	**Shiba Pharma** **Yemen**	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm by mouth: Anaerobic	Tiazol Antiprotozoal Shiba Pharma
TIBEZOLE 500 Tablets 10 tab	Orinidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبا	**Pharo Pharma** **Egypt**	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	TIBEZOLE 500 Ornidazole 500 mg Antiprotozoal & antibacterial PHARO PHARMA

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Tibezole 500 Tablets 10 tab	Ornidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Unknown** **Unknown**	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tidilor Syrup 100 ml	Loratadine 5 mg/ 5 ml	**Antihistamines** Allergy الحساسية	**PHARMA** **Unknown**	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tindaz Tablets 4 f/c tab	Tinidazole 500 mg / tab	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Pharmacare** **Yemen**	Amoebiasis: 2 gm is for 3-6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm : Anaerobic bacterial infections 2 gm followed by 1 gm daily	
Tobradex Drops 5 ml	Tobramycin	**Antibiotics** Eye العين	**Alcon** **Unknown**	As directed	
Tolux lozenges Lozenges 20 lozenges	Different Lozenges Ingredients	**Antiseptic and Desinfectants** Common Cold نزلات البرد	**MEDICO LABS** **Syria**	As directed	
TONIC-Z Capsules 20 capsules	Zink Sulfate 55.6 ,Ferrous Sulphate 150mg + Folic acid 500mcg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Unipharma** **Unknown**	As directed	
Topaamate-100 Tablets 10 tab	Topiramate 100 mg / tab	**Central Nervous system drugs** Epilepsy الصرع	**Unknown** **Unknown**	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Topamate-25 Tablets 10 tablets	Topiramate tablet 25mg	**Central Nervous system drugs** Epilepsy الصرع	**CIPLA** **India**	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	
Topamate-25 Tablets 10 tab	Topiramate	**Central Nervous system drugs** Epilepsy الصرع	**CIPLA** **India**	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	
Topirol-25 Tablets 30 tablets	Topiramate tablet 25mg	**Central Nervous system drugs** Epilepsy الصرع	**SUN** **India**	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	
Topirol-50 Tablets 30 tablets	Topiramate tablet 50mg	**Central Nervous system drugs** Epilepsy الصرع	**SUN** **India**	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	
Toplexil Syrup 150 ml	Oxomemazine Hydrochloride 0.33 mg/ml	**Respiratory drugs** Common Cold نزلات البرد	**Sanofi Aventis** **France**	by mouth in doses of 10 to 40 mg daily	
Topzol Cream 20 gm	Tioconazole 1%	**Antifungals** Dermatitis الألتهابات الجدلدية	**HIKMA** **Jordan**	it is used as pessaries or vaginal ointment usually as a single dose.	
Topzol-v Cream 20 gm	Tioconazole 2 %	**Antifungals** Vaginal المهبل	**HIKMA** **Jordan**	it is used as pessaries or vaginal ointment usually as a single dose.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
torfacol-10mg tablet 30coated tablet	atorvastatin10mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**JPM** **Jordan**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
torlex-10mg tablet 30film coated tablets	atorvastatin10mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**ALPHA** **Syria**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
TORMOXIN-500 Capsules 10 x 10 capsules	Amoxicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Torrent** **India**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
TORVACOL-10mg Tablets 30 tab	Atorvastatin Calcium	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**JPM** **Jordan**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
TORVACOL-40mg Tablets 30 coated tablet comperimes	Atorvastatin40mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**JPM** **Jordan**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
TORVAST 10 mg Tablets 30 tabs	Atorvastatin 10 mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Y.E.PHARMA** **Yemen**	Oral only.: ADULTS: PO 10 to 80 mg/day.	
TORVAST 20 mg Tablets 30 tabs	Atorvastatin 20 mg	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**Y.E.PHARMA** **Yemen**	Oral only.: ADULTS: PO 10 to 80 mg/day.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
tostonon Ampoules 1 amp	Testosterone Cypionate 250 mg / 1 ml	**Hormones** Sex Hormones هرمونات جنسية	**Unknown** **Unknown**	by mouth in an initial dose of 120 to 160 mg daily for 2 to 3 weeks, f maintenance dose of 40 to 120 mg daily. intramuscular injection as oily solution at a dose of 1 g every	
tot hema Syrup 20 ampule of 10ml	iron gluconate quantity equivalent in iron to50.00mg	**Vitamines and Menirals** Anaemia فقر الدم	**INNOTECH** **France**	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	
totamol Tablets 28 tab	Atenolol	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**WOCKHADT** **UK**	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
TOTAVIT Tablets 15 tab	Multi vitamin and Menirals + omega3	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**EGYPHAR** **Egypt**	As directed	
TOTAVIT Syrup 100 ml	Multi vitamin and Menirals + omega3	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**EGYPHAR** **Egypt**	As directed	
Tradol 50 Capsules 10 ca0	Tramadol Hydrochloride 50 mg	**Opioid analgesics** Analgesic مهدئات الأوجاع	**Modern Pharama** **Yemen**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
TradyFeron Tablets 30 coated tablets	Ferrous Sulfate 80mg coated tablet.	**Vitamines and Menirals** Anaemia فقر الدم	**FierreFabre** **Unknown**	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
TRAGESIC 50 Capsules 10 cap	Tramadol Hydrochloride 50 mg	**Opioid analgesics** Analgesic مهدئات الأوجاع	**Global Pharma** **Yemen**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tramadol Capsules 10 Cap	Tramadol Hydrochloride 50 mg /Capsule	**Opioid analgesics** Analgesic مهدئات الأوجاع	**PHARCO** **Egypt**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
TRAMADOL Ampoules 5 ampoules 2 ml	Tramadol Hydrochloride	**Opioid analgesics** Analgesic مهدئات الأوجاع	**AMRIYA PHARMA** **Egypt**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
TRAMADOL Ampoules 10 amp of 2ml	Each amp 2 ml contains 100 mg of tramadol	**Opioid analgesics** Analgesic مهدئات الأوجاع	**hameln** **Germany**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tramadol Ampoules 5 amp	Tramadol Hydrochloride 100 mg / 2 ml	**Opioid analgesics** Analgesic مهدئات الأوجاع	**BIOPHARM** **Yemen**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tramadol Ampoules 5 amp x 2 ml	Tramadol Hydrochloride 100 mg / 2 ml	**Opioid analgesics** Analgesic مهدئات الأوجاع	**KRKA** **India**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tramadol 50 mg Capsules 10 caps	Tramadol Hydrochloride 50 mg /cap.	**Opioid analgesics** Analgesic مهدئات الأوجاع	**BIOPHARM** **Yemen**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Tramal Drops 10 ml	Tramadol Hydrochloride	**Opioid analgesics** Analgesic مهدئات الأوجاع	**GRUNENTHAL** **Unknown**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tramal Capsules 10 cap	Tramadol Hydrochloride	**Opioid analgesics** Analgesic مهدئات الأوجاع	**GRUNENTHAL** **Unknown**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tramal 100 Ampoules 5 amp of 2 ml	Each amp contains 100 mg Tramadol Hydrochloride	**Opioid analgesics** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tramal Gelules Tablets 10 tab	Tramadol Hydrochloride	**Opioid analgesics** Analgesic مهدئات الأوجاع	**GRUNENTHAL** **Unknown**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tramal Retard Tablets 30 tab	Tramadol Hydrochloride	**Opioid analgesics** Analgesic مهدئات الأوجاع	**GRUNENTHAL** **Unknown**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
TRAMALGIN Tablets 20 tab	Unknown	**Opioid analgesics** Analgesic مهدئات الأوجاع	**OUBARY PHARMA** **Syria**	As directed	
TRAMZIC 100 Capsules 10 cap	Tramadol Hydrochloride 100 mg	**Opioid analgesics** Analgesic مهدئات الأوجاع	**RFA** **Yemen**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
TRAMZIC 50 Capsules 10 caps	Tramadol Hydrochloride	**Opioid analgesics** Analgesic مهدئات الأوجاع	**RFA** **Yemen**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	10 Capsules TRAMZIC 50 Tramadol Hcl 50 mg RFA
TRAMZIC 50 Capsules 10 cap	Tramadol Hydrochloride 50 mg	**Opioid analgesics** Analgesic مهدئات الأوجاع	**RFA** **Yemen**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	10 Capsules TRAMZIC 50 Tramadol HCl 50 mg
TRAMZIC Plus Tablets 20 tabs	Tramadol +paracetamol	**Opioid analgesics** Analgesic مهدئات الأوجاع	**RFA** **Yemen**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	20 Tablets TRAMZIC Plus Tramadol Hydrochloride + Paracetamol RFA
TRANEXAMIC ACID Ampoules 5 ml x 10 amp	Tranexamic Acid	**Antihaemorrhages** Haemorrhage النزيف	**SHIN POONG** **Korea**	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	TRANEXAMIC ACID Injection
tranexamic acid injection injection 5ml*10ampoules	tranexamic acid 500mg	**Antihaemorrhages** Haemorrhage النزيف	**SHIN POONG** **Korea**	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	TRANEXAMIC ACID Injection
Tranfib Tablets 10 tab	Tranexamic Acid	**Antihaemorrhages** Haemorrhage النزيف	**CIPLA** **India**	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	10 Tablets Tranexamic Acid Tablets BP 500 mg Tranfib Cipla
Tranfib Ampoules 5 x 5 ml	Tranexamic Acid	**Antihaemorrhages** Haemorrhage النزيف	**CIPLA** **India**	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	Tranexamic Acid Injection BP Tranfib Cipla

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Tratul Retard Tablets 10 tab	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**GEROT LANNACH** **Viena, Austria**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Travazol Cream 15 gm	Unknown	**Antifungals** Dermatitis الألتهابات الجلدية	**Bilim** **Turkey**	As directed	
Travisil Syrup 100 ml	herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**plethico** **Unknown**	As directed	
Travisil lozenges 16 Lozenges	Different Lozenges Ingredients	**Antiseptic and Desinfectants** Common Cold نزلات البرد	**Unknown** **Unknown**	As directed	
Travonorm Solution 5 ml	Travoprost 0.004%	**Ophthalmic drugs** Eye العين	**Orchidia Pharma** **Egypt**	As directed	
TRAZOL Tablets 20 tab	Metronidazole 250 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Modern Pharama** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
TRAZOL Suspension 100 ml	Metronidazole 200 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Modern Pharama** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Trazol Forte Tablets 20 tab	Metronidazole 500 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Modern Pharama** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
TRAZOL PLUS Tablets 20 tab	Metronidazole 200mg + diloxnaide 250 mg	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Modern Pharama** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Trazol Plus Suspension 100 ml	Metronidazole	**Antiprtozoal** Amoebiasis , Gardiasis جارديا واميبيا	**Modern Pharama** **Yemen**	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
trenaxa 500mg tablet 5*6tablets	Tranexamic acid	**Antihaemorrhages** Haemorrhage النزيف	**MACLEODS** **India**	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	
Trental Tablets 20 tab	Pentoxifylline	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**SANFOI** **Unknown**	400 mg three times daily by	
TRI - REGOL Tablets 21	ethiynilestradiol - levonorgesttrel	**Gynaecology drugs** Contraceptives موانع الحمل	**GEDON Richter** **HUNGARY**	one tablte daily from the frist day of menstution for 21 day	
TRIACTIN Tablets 20 tablet	Cyproheptadine Hydrochloride 4 mg / tab	**Antihistamines** Appetizer Stimulant منشطات الشهية	**KAHIRA PHARM** **Egypt**	1.5 mg daily by mouth either in three divided doses or as a single dose at night	

Trade name	Generic Name and Composition	Therapeutic Category	Manufactrer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Triamcinolone	Triamcinolone Acetonide	**Corticosteroid**	**Caspian**	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Ampoules		Dermatitis الألتهابات الجلدية	**IRAN**		
5 amp x 1 ml					
Triamcinolone	Triamcinolone Acetonide	**Corticosteroid**	**SHIN POONG**	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Ampoules		Inflammations الألتهابات	**Korea**		
5 amp x 1 ml					
Trianil-25	Clomipramine tablet 25mg	**Central Nervous system drugs**	**RAM PHARMA**	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	
Tablets		Mental Disorders الأمراض العقلية	**Jordan**		
30 Tablet					
Tri-B	Vitamin B1100 mg+ Vitamin B6 100 mg+Vitamin B121 mg	**Vitamines and Menirals**	**NILE CO.**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins Deficiency نقص فيتامينات	**Egypt**		
3 ampoules 3ml					
Tricefine	Ceftriaxone Sodium	**Antibacterial**	**Sothema**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأصابات البكتيرية	**Morocco**		
1vial					
Tricho vag	Acetic acid 2%	**Health Care**	**Shiba pharma**	As directed	
Solution		Vaginal المهبل	**Yemen**		
200 ml					
Trileptal 600	Oxcarbazepine	**Central Nervous system drugs**	**Unknown**	600 mg daily by mouth, given in 2 divided doses up to 2400 mg daily .- children 8 to 30 mg/kg by mouth daily	
Tablets		Epilepsy الصرع	**Unknown**		
50 F.C.T					

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose** الجرعة	**Product Picture** **صورة الدواء**
Trimedat Tablets 30 tab	Trimebutline maleate	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Unknown** **Unknown**	100 mg three times up to 600 mg daily by mouth in divided doses	
Tri-OMEGA Capsules 20 capsules	fish oil continig 500mg+EPA % +DHA 12%/cap.	**Vitamines and Menirals** Hyperlipidaemias زيادة الدهون في الدم	**Y.E.PHARMA** **Yemen**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Tritace 2.5 mg Tablets 14 tab	Ramipril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**SANOFI AVENTIS** **France**	1.25 - 5 mg once daily is given by mouth	
Tritace 5 mg Tablets 14 tab	Ramipril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**SANOFI AVENTIS** **France**	1.25 - 5 mg once daily is given by mouth	
Trittico Tablets 20 tablets	Trazodone tablet 50 mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**EIPICO** **Egypt**	Minimum/Maximum Adult Daily Dose:100 - 600 mg (milligram) OR 1 - 6 Tablet	
TriVag forte Vaginal Tablets 7 vaginal tablets.	Each vaginal Tablet contains Metronidazole 750 mg and Miconazole nitrate 200 mg.	**Health Care** Vaginal المهبل	**Pharmacare** **Yemen**	One tablet should be inserted into the vagina at night for 7 days. In recurrent cases, one tablet at night for 14 days .	
Tryptizol Tablets 30 Tablet	Amitriptyline tablet 25mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**ALGORITHM** **Lebanon**	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Tryptoline 10 mg	Tablets	100 Tablet	Amitriptyline tablet 10 mg	**Central Nervous system drugs**	Mental Disorders الأمراض العقلية	**KAHIRA PHARM**	**Egypt**	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	TRYPTOLINE
TRYPTOLINE 25 mg	Tablets	30 tablet	Amitriptyline 25 mg	**Central Nervous system drugs**	Mental Disorders الأمراض العقلية	**KAHIRA PHARM**	**Egypt**	In the treatment of depression, amitriptyline hydrochloride is given by mouth initially in a daily dose of 50 to 75 mg in divided doses (or as a single dose at night).	TRYPTOLINE
Tryptophen10	Tablets	20 coated tablet	Amitriptyline tablet 10 mg	**Central Nervous system drugs**	Mental Disorders الأمراض العقلية	**IBN-HYYANpharm**	**Syria**	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	20 Film Coated Tablets TRYPTOPHEN 10 AMITRIPTYLINE
Tullin-D	Soft Gelatin Capsules	20 cap	pseudoephedrine +paracetamol+chloraphiniramine	**Respiratory drugs**	Common Cold نزلات البرد	**ASIA**	**Syria**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
TULLIN-D	Soft Gelatin Capsules	20 S.G.C	Pseudoephedrine	**Respiratory drugs**	Common Cold نزلات البرد	**ASIA**	**Syria**	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Tusil	Syrup	125 ml	Dextromethorphan 7.5 mg + psedoephedrine 15 mg + Chlorpheniramine 1 mg	**Respiratory drugs**	Common Cold نزلات البرد	**Shifa**	**Syria**	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Tuspel	Syrup	100 ml	Pseudoephedrine + Guaifenesin	**Respiratory drugs**	Common Cold نزلات البرد	**andoco remedies lid**	**Unknown**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	TUSPEL 100 ml COUGH SYRUP

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Tussifen without codiene	Syrup	120 ml	Pseudoephedrine + Guaifenesin ?????? للتأكد من المكونات	**Respiratory drugs**	Common Cold نزلات البرد	**APM**	**Jordan**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tussifin with codeine	Syrup	120 ml	Codiene phosphate + Chlorpheniramine + Glyceryl + Potassium citrate + sodium	**Respiratory drugs**	Common Cold نزلات البرد	**APM**	**Jordan**	As directed	
TUSSIflu	Syrup	120 ml	Chlorphenamine Maleate 4 mg + Dexamethasone 6.25 mg	**Antihistamines**	Common Cold نزلات البرد	**RFA**	**Yemen**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tussilar	Syrup	125 ml	Dextromethorphan + Chlorpheniramine + Ephedrine + Guaifensine	**Respiratory drugs**	Common Cold نزلات البرد	**KAHIRA PHARM**	**Egypt**	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Tussilar	Oral/drops	15 ml	Dextromethorphan	**Respiratory drugs**	Common Cold نزلات البرد	**KAHIRA PHARM**	**Egypt**	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Tussilar	Tablets	20 tab	dextromethorphan	**Respiratory drugs**	Common Cold نزلات البرد	**KAHIRA PHARM**	**Egypt**	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Tussimax	Syrup	100 ml	Dextromethorphan + Chlorpheniramine + Ephedrine + Guaifensine	**Respiratory drugs**	Common Cold نزلات البرد	**Shiba pharma**	**Yemen**	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Tussin Syrup 100 ml	Calcium	**Antihistamines** Common Cold نزلات البرد	**YEDCO** **Yemen**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tussinor Syrup 100 ml	Chlorphenamine Maleate 4 mg + Dexamethasone 6.25 mg	**Antihistamines** Common Cold نزلات البرد	**Global Pharma** **Yemen**	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tussivan Syrup Syrup 125 ml	Chloropheniramine 2 mg + phenylephrine 5 mg +ephedrine 5 mg +codiene phosphate 8 mg	**Respiratory drugs** Common Cold نزلات البرد	**MISR** **Egypt**	As directed	
Tusskan TTT Syrup 100 ml	Pseudoephedrine + guaifenesin+diphenhydramine	**Respiratory drugs** Common Cold نزلات البرد	**HIKMA** **Jordan**	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Twinzol Solution 5 ml	Dorzolamide Hydrochloride 2% + Timolol 0.5%	**Ophthalmic drugs** Eye العين	**Orchidia Pharma** **Egypt**	three times daily; or twice dailyis recommended when used with a beta blocker.	
Tymer Solution 5 ml	Gatifloxacin	**Antibacterial** Eye العين	**Jamjoom Pharma** **Saudi Arabia**	by mouth, or by intravenous infusion as a 2 mg/mL solution over 60 minutes, The usual adult dose is 400 mg once daily, 0.3% eye drops for the treatment of bacterial	
Tymer suspension 5 ml	Gatifloxacin	**Antibacterial** Eye العين	**Unknown** **Unknown**	by mouth, or by intravenous infusion as a 2 mg/mL solution over 60 minutes, The usual adult dose is 400 mg once daily, 0.3% eye drops for the treatment of bacterial	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Tyrotab Lozenges	Tyrothircin 1mg + Tetracaine HCL 0.1 mg	**Antiseptic and Desinfectants** Common Cold نزلات البرد	**PHARMEDIC JSC**	As directed	
Ulcedex tab 25 tabs	Chlordiazepoxide +Clidinium Bromide	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**Pharmadex** **Unknown**	Chlordiazepoxide up to 30 mg daily in divided doses.	
Ulcinorm Tablets 100 tabs	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**AUROBINDO** **Unknown**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	ULCINORM 150 Ranitidine Tablets USP 150 mg
Ulgel susp 120 ml	dimethicone +	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Unknown** **Unknown**	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Ulgel Solution 170 ml	A combination of aluminium and magnesium hydroxides and sulfates.	**Gastro Intestinal drugs** Indigestion سوء الهضم	**Alembic** **Unknown**	2 g by mouth	
Ulstop Capsules 14 caps	Omeprazole	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**PHARCO** **Egypt**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Ultac-150 Tablets 100 tabs	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**CIPLA** **India**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	Ultac-150 Cipla

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Ultop hard Capsules 14 caps	Omeprazole 20 mg / cap	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**KRKA** **India**	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	Ultop hard 20 mg gastro-resistant capsules Omeprazole 14 hard gastro-resistant capsules Oral use KRKA
Ultradex.G Cream 40 gm	Unknown	**Skin Disorders** Dermatitis الألتهابات الجلدية	**MEDICO LABS** **Syria**	As directed	
Ultraflox -500 Tablets 1strip*10taplet	Ciprofloxacin 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Bal pharma** **Unknown**	250 to 750 mg twice daily depending on the severity and nature of the infection	Ultraflox-500 Ciprofloxacin Tablets USP 500 mg
Ultraflox IV Infusion Bottle 1bottel*100ml	Ciprofloxacin 200 mg /100 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Bal pharma** **Unknown**	250 to 750 mg twice daily depending on the severity and nature of the infection	100 ml Ultraflox IV Ciprofloxacin Injection USP STERILE, NON PYROGENIC SINGLE DOSE CONTAINER FOR INTRAVENOUS INFUSION ONLY
Ultra-Omega-3 Capsules 60 capsules	Omega-3 Fish Oil 540 mg+Cod Liver Oil 540 mg+ EPA 116 mg + DHA 106 mg Vitami D (as	**Vitamines and Menirals** Hyperlipidaemias زيادة الدهون في الدم	**VITABIOTICS** **Unknown**	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	VITABIOTICS ultra Omega-3 Fish Oil Capsules 60% Omega-3 NORWAY VISION, BRAIN & HEART FUNCTION
Ultravit-M Syrup 200 ml syup	Ascorbic Acid)50 mg/ml +D3 400 IU/ml Vitamin A2000 IU/ml+ B1 0.5 mg/ml, B2 0.5 mg/ml, B6	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**ASIA** **Syria**	As directed	Ultravit-M Syrup
Unicam-20 Capsules 10 capsules.	Piroxicam capsule 20mg.	**Nonsteroidal Anti-** Antipyretic - Analgesic مهدئ الأوجاع والحمى	**United** **Jordan**	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	UNICAM 20 Piroxicam 20mg 10 Capsules United

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Unicefin Vial 1 vial	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Uniceftam Capsules 20 cap	Piracetam	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**Unknown** **Unknown**	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
UNICRON Tablets Tablets 30 tab	Gliclazide 80 mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**UNICHiMA** **Unknown**	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Unidox capsules 1strip*10capsules	Doxycycline	**Antibiotics** الأصابات الميكروبية Microbial Infections	**United** **Jordan**	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
UNIMAX Tablets 10 tab	Meloxicam	**Non-Steroidal Anti-** Analgesic مهدئة الأوجاع	**SUN Pharma** **India**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Uniphyllin Capsules 20 cap	Theophyllin 150 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**UNICHiMA** **Syria**	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
uniphyllin 150 Capsules 20 capsules	Theophylline 150 mg / cap	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**UNICHIMA** **Syria**	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Unispa Tablets 20 tabs	Drotaverine	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**UNICHiMA** **Syria**	120 to 240 mg daily by mouth in divided doses.	
Unispira tablet 1strip*10tablet	Spiramycin*	**Antibacterial** Toxoplasmosis الجرثومة الطفيلية	**UNICHiMA** **Syria**	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
univan Capsules 20 cap	Valsartan	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Oral doses 80 - 160 mg once daily	
UNOCRON Tablets 30 tab	Gliclazide	**Antidiabetics** Diabetes Mellitus أمراض السكري	**EGYPHAR** **Egypt**	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
UNTANO Cream 30 gm	Unknown	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	
Uri soda Sachets 10 Sachets	Sodium citrate + sodium bicarbonate + tartaric acid + citric acid	**Urinary tract drugs** Urinary Tract Infection اصابات الجهاز البولي	**CIPLA** **India**	about 1 to 5 g of sodium bicarbonate in water	
URICARE Sachets 12 sachet	Combination	**Urinary tract drugs** Urinary Tract Infection اصابات الجهاز البولي	**Global Pharma** **Yemen**	As directed	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
URICOL	Sachets	12 sachet	Combination	**Urinary tract drugs**	Urinary Tract Infection اصابات الجهاز البولي	**PHARCO**	**Egypt**	As directed	
URIKIN	Sachets	12 Sachets	Hexamine 500 mg + Piprazine 190. mg + Khelline 1.83 mg	**Urinary tract drugs**	Urinary Tract Infection اصابات الجهاز البولي	**Modern Pharama**	**Yemen**	1- 2 Sachets three to four times daily	يوريكين URIKIN
URINEX	Soft Gelatin Capsules	24 Enteric Coated Cap.	Pinene 31 mg + Camphene 15 mh + Borneol 10 mg …etc.	**Urinary tract drugs**	Urinary Tract Infection اصابات الجهاز البولي	**PHARCO**	**Egypt**	one capsule 3-4 times daily taken half hour before meals	
Uripan	Syrup	120 ml	Oxybutynin syrup 120gm	**Urinary tract drugs**	Nocturnal Enuresis	**ADWIA**	**Egypt**	5 mg two or three times daily by mouth, increased to 5 mg four times daily if required	Uripan Syrup
Uripan	Tablets	20 tab	Oxybutynin Hydrochloride	**Urinary tract drugs**	Urinary Tract Infection اصابات الجهاز البولي	**ADWIA**	**Egypt**	5 mg two or three times daily by mouth, increased to 5 mg four times daily if required	20 Tablets Uripan Oxybutynin
Urisept	Sachets	12 Sachets	Hexamine + Piprazine + Khelline	**Urinary tract drugs**	Urinary Tract Infection اصابات الجهاز البولي	**Shiba pharma**	**Yemen**	1- 2 Sachets three to four times daily	Urisept يوريسبت Shiba Pharma
URISpas	Tablets	30 tablets	Flavoxate tablet 200mg.	**Antispasmodic**	Urinary Tract Infection اصابات الجهاز البولي	**ALGORITHM**	**Lebanon**	usual dose is 200 mg by mouth three times daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
UROPIMID capsules 2strip*10capsules	Pipemidic acid	**Antibacterial** Urinary Tract Infection اصابات الجهاز البولي	**CT Lap** **Unknown**	Cap 400mg	 UROPIMID 400 20 CAPSULES PIPEMIDIC ACID
Ursochol cap Capsules 20 cap	ursodeoxycholic acid 250 mg	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**MUP** **Egypt**	13 - 15 mg/kg/ d for 12 -24 months	Ursochol micronized 20 capsules
Ursofalk Capsules 20 cap	ursodeoxycholic acid 250 mg	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**MINA PHARMA** **Unknown**	13 - 15 mg/kg/ d for 12 -24 months	Ursofalk MINAPHARM
ursoflor Capsules 20 cap	ursodeoxycholic acid	**Gastro Intestinal drugs** hepatic disorers	**Sa.Sa Pharm** **Unknown**	13 - 15 mg/kg/ d for 12 -24 months	 ursoflor 300mg capsules A05AA02 ursodeoxycholic acid
Ursoflor 300 mg Capsules 20 cap	ursodeoxycholic acid 300 mg	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**So.Se.PHARM** **Unknown**	13 - 15 mg/kg/ d for 12 -24 months	ursoflor 300mg capsules A05AA02 ursodeoxycholic acid
Ursogal-300 Capsules 20 capsule	Ursodeoxycholic acid capsule 300mg.	**Gastro Intestinal drugs** hepatic disorers	**SIGMA** **Egypt**	13 - 15 mg/kg/ d for 12 -24 months	Ursogall 300 SIGMA
Ursogall 300 Capsules 20 cap	ursodeoxycholic acid 300 mg	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**SIGMA** **Egypt**	13 - 15 mg/kg/ d for 12 -24 months	Ursogall 300 Ursodeoxycholic acid 300 mg 20 Capsules SIGMA

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
USIX Tablets 30 tab	Furosemide 40 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**RFA** **Yemen**	40 to 80 mg daily by mouth, For children, the usual dose by mouth is 1 to 3 mg/kg daily up to a maximum of 40 mg daily	
V 2 plus Capsules 24 s.G cap	vit(A,D3,E,B1,B2, B6,B12,C)And menirals	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**PHARCO** **Egypt**	As directed	
Vagi balance Solution 200 ml	Acetic acid 1.25%	**Health Care** Vaginal المهبل	**Shiba pharma** **Yemen**	As directed	
Vagi-Atheer Solution 200 ml	Chlorhexidine + Cetrimide + Menthol + Glycerine	**Health Care** Vaginal المهبل	**Atheer** **Yemen**	20 ml diluted with one liter of warm water and wash two times daily	
Vagi-Atheer Solution 200 ml	Chlorhexidine + Cetrimide + Menthol + Glycerine	**Health Care** Vaginal المهبل	**Atheer** **Yemen**	20 ml diluted with one liter of warm water and wash two times daily	
Vagilisse Solution bottle	Antiseptic	**Antiseptic and Desinfectants** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	
Vagyl Sachets 10 Sachets	Sodium chloride + Sodium carbonate	**Antiseptic and Desinfectants** Vaginal المهبل	**MUP** **Egypt**	As directed	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Valacyclovir Tablets 14 tab.	Valacyclovir 500mg	**Antivirals** Viral Infections الأصابات الفيروسية	**MBTC** **Unknown**	Minimum/Maximum Adult Daily Dose:1000 - 6000 mg (milligram) OR 2 - 12 Tablet	VALCYCLOVIR 500 mg MBTC
Valian-X Soft Gelatin Capsules 3 X 10 S.G. Capsules	Valerian + melissa	**Health Care** Anxiety, Insumnea الأرق والقلق	**MEGA We Care** **Unknown**	As directed	
valium Tablets 25 tablets of 5mg	diazepam	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**ROCHE** **Germany**	Severe anxiety in oral doses of 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults :Diazepam 10 to 20 mg (I.V 5 mg/minute) or infusion every 15 min for up	Valium Diazepam 5 mg
Valiuzam Tablets 20 tab	Diazepam	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Unknown** **Unknown**	Severe anxiety in oral doses of 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults :Diazepam 10 to 20 mg (I.V 5 mg/minute) or infusion every 15 min for up	20 Tablets Valiuzam® Diazepam 5mg
Valokeen Selica Gel 30 gm	Combination	**Antifungals** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	
Valricaps Capsules 20 cap	Valerian	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Unknown** **Unknown**	As directed	
Valtec CR-200 Tablets 10 tab	Valproic Acid&Na valproate tablet 200mg	**Antiepileptics** Epilepsy الصرع	**CIPLA** **India**	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	VALTEC CR-200 Cipla

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Valtec CR-500 Tablets 10 tablets	Valproic Acid&Na valproate tablet 500mg	**Central Nervous system drugs** Epilepsy الصرع	**CIPLA** **India**	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	Sodium Valproate & Valproic Acid Controlled Release Tablets VALTEC CR-500 Cipla
Vanbiotic Vial 1 vial	Vancomycin	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطرة	**Unknown** **Unknown**	500 mg of vancomycin every 6 hours or 1 g every 12 hours. For Children 10- 15 mg/kg every 12 hours	Vanbiotic Vancomycin 500 mg 1 Vial + 1 Ampoule Vitalis
Vancolon Vial 1 vial	Vancomycin	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطرة	**Julphar** **UAE**	500 mg of vancomycin every 6 hours or 1 g every 12 hours. For Children 10- 15 mg/kg every 12 hours	Vancolon 0.5g
Vancotech-1000 Vial 1 vial	Vancomycin	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطرة	**Unknown** **Unknown**	500 mg of vancomycin every 6 hours or 1 g every 12 hours. For Children 10- 15 mg/kg every 12 hours	Vancomycin Hydrochloride for Injection USP VANCOTECH -1000
VANLID Vial 1 vial	Vancomycin	**Antibiotics** Serious M. Infections الأصابات الميكروبية الخطرة	**Unknown** **Unknown**	500 mg of vancomycin every 6 hours or 1 g every 12 hours. For Children 10- 15 mg/kg every 12 hours	
Varcovit B12 Capsules 24 cap	essential phospholipids+vit b1,b2,b12,E	**Gastro Intestinal drugs** Hepatic Disorders اضطرابات الكبد	**PHARCO** **Egypt**	Adluts : 1800mg/daily(divaded into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divaded into 3 doses).	FARCOVIT B12 LIPOTROPIC
vassco dipine Tablets 30 tab	Amlodipine	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	VASCO DIPINE Amlodipine 5 mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
VASTAREL 20 mg Tablets 60 tab	Trimetazidine Hydrochloride	**Cardio Vascular System drugs** Angina الذبحة الصدرية	**Servier** **Denmark**	40 to 60 mg is given daily by mouth in divided doses.	VASTAREL 20 mg
VASTAREL MR Tablets 30 tab	Trimetazidine Hydrochloride	**Cardio Vascular System drugs** Angina الذبحة الصدرية	**Servier** **Denmark**	40 to 60 mg is given daily by mouth in divided doses.	VASTAREL MR
vazkor Tablets 20 tab	Amlodipine	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
VB Complex Ampoules 10 ampoules x 2 ml	Vit.B1 20mg+Vit.B6 2mg + Riboflavine 2mg+ nicotinamide 30mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**SHAPHAR** **China**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	10 Amps X 2 ml VB Complex Injection I.M. & I.V. Vitamin B Complex
V-D3 Solution 10 ml	Vitamin D Substances	**Vitamines and Menirals** Ricketsia الكساح	**Razi Pharma** **Syria**	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Vectavir Cream 1 tube	Penciclovir 1%	**Antivirals** Viral Infections الأصابات الفيروسية	**Unknown** **Unknown**	It is applied topically as a 1% cream every 2 hours during waking hours for 4 days in the treatment of herpes labialis	Vectavir cream
Vental Tablets 20 tab	Salbutamol 2 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**ADCO** **Egypt**	2 -4 mg / or 2 buffs *qid	20 Tablets Vental (Salbutamol) The Arab Drug Company

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Vental Inhaler 200 Inhalations	Salbutamol 0.1 mg/dose	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**ADCO** **Egypt**	2 -4 mg / or 2 buffs *qid	
Ventol Syrup 100 ml	Each 5 ml contains Salbutamol 2 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**Shiba pharma** **Yemen**	2 -4 mg / or 2 buffs *qid	
Ventol 4 Tablets 20 tab	Salbutamol	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**Shiba pharma** **Yemen**	2 -4 mg / or 2 buffs *qid	
Ventolin Tablets 100 tab	Salbutamol 2 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**gsk glaxosmithkline** **UK**	2 -4 mg / or 2 buffs *qid	
Ventolin Tablets 100 tab	salbutamol 2 mg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**gsk glaxosmithkline** **UK**	2 -4 mg / or 2 buffs *qid	
Ventolin Inhaler 200 dose	salbutamol 100 mcg	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**GlaxoWellcome** **Unknown**	2 -4 mg / or 2 buffs *qid	
Ventolin Syrup 150 ml	salbutamol 2 mg/ 5 ml	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**gsk glaxosmithkline** **UK**	2 -4 mg / or 2 buffs *qid	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Verapamail	Tablets		Verapamil	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**Unknown**	**Unknown**	Oral doses 120 to 480 mg daily in 3 or 4 divided doses	
VERBEN	Tablets	2 x 1 tab	Albendazole 400 mg	**Anthelmentic**	Common Worms الديدان الشائعة	**Unknown**	**Unknown**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
VERBEN	Tablets	1 tab	Albendazole 400 mg	**Anthelmentic**	Common Worms الديدان الشائعة	**SHIN POONG**	**Korea**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Verdol	Solution	250 ml	Combination	**Antiseptic and Desinfectants**	Antiseptic مطهرات	**Unknown**	**Unknown**	As directed	
Verine	Tablets	30 tabs	mebeverine	**Gastro Intestinal drugs**	Abdominal Spasm آلام البطن	**SIGMACO**	**Saudi Arabia**	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Vermed	Suspension	30 ml	Mebendazole 100 mg	**Anthelmentic**	Common Worms الديدان الشائعة	**Modern Pharama**	**Yemen**	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Vermed	Tablets	6 tabs	Mebendazole 100 mg	**Anthelmentic**	Common Worms الديدان الشائعة	**Modern Pharama**	**Yemen**	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Vermox Tablets 48 tab	Mebendazole	**Anthelmentic** Common Worms الديدان الشائعة	**Janssen** **Switzerland**	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Vermox Suspension 30 ml	Mebendazole 2%	**Anthelmentic** Common Worms الديدان الشائعة	**JANSSEN-CILAG** **Belgium**	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Vertizin-75 Capsules 20 cap	Cinnarizine	**Antihistamines** Vertigo الدوار او الدوخة	**RAM PHARMA** **Jordan**	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Vfend Tablets 14 Film tab.	Voriconazole 50mg	**Antifungals** Fungal Infections الأصابات الفطرية	**Pfzer** **Unknown**	200 - 300 mg twice daily	
VG-Norm Solution 200 ml	Combination	**Antiseptic and Desinfectants** Feminine wash الغسولات الأنثوية	**PIXEL** **Unknown**	As directed	
Vibramycin Tablets 1strip*10 tablet	Doxycycline	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Pfizer** **USA**	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Vibrocil Gel Gel /tube 12 gm	Dimetindene maleate + neomycin	**Antihistamines** Allergy الحساسية	**NOVARTIS** **Switzerland**	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture** **صورة الدواء**
Vibrocil N/D Nasal /drops 15 ml	Dimetindene maleate + neomycin	**Antihistamines** Common Cold نزلات البرد	**NOVARTIS** **Switzerland**	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Vibrocil N/Spray Nasal / Spray 10 ml	Dimetindene maleate + neomycin	**Antihistamines** Common Cold نزلات البرد	**NOVARTIS** **Switzerland**	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Vibron Nasal Drops 15 ml	Dimetindene maleate 0.25 mg + phenyla	**Antihistamines** Common Cold نزلات البرد	**Modern Pharama** **Yemen**	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Vibronas Nasal / Spray 15ml	Dimetindene maleate + neomycin	**Antihistamines** Common Cold نزلات البرد	**Global Pharma** **Yemen**	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Vibronas Gel 15 g	Dimetindene maleate + neomycin	**Antihistamines** Common Cold نزلات البرد	**Global Pharma** **Yemen**	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Vibsix 300 Ampoules 5 amp x 2 ml	Vitamine B6 = Pyridoxine Hydrochloride 300 mh / 3 ml	**Vitamines and Menirals** Neuritis; vitamin B deficiency	**Unknown** **Unknown**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
VIDROP Drops 15 ml	Vitamin D Substances	**Vitamines and Menirals** Ricketsia الكساح	**Unknown** **Unknown**	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Vifenac Ampoules 10 ampoules	Diclofenac Sodium ampoule 75mg/3ml.	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**Vitalis** **USA**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Vigamox Eye drops 1bottel*5ml	Moxifloxacin HCl*	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Alcon** **Unknown**	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
Vikadic Ampoules 10 amp x 1 ml	Phytomenadione 10 mg / ml	**Antihaemorrhages** Haemorrhage النزيف	**Caspian** **IRAN**	Typical doses of phytomenadione are 0.5 to 5 mg by slow intravenous injection or up to 5 mg orally	
Vinor Tablets 20 tab	Meclozine Hydrochloride 25 mg + Pyridoxine 50 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Global Pharma** **Unknown**	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Viramed Cream 20 gm	Acyclovir	**Antivirals** Eye العين	**MEDICO LABS** **Syria**	1 g t.i.d., 7 days.	
Viramed 400 Tablets 20 film coated tablets	Acyclovir 400mg	**Antivirals** Viral Infections الأصابات الفيروسية	**MEDICO LABS** **Syria**	1 g t.i.d., 7 days.	
Viranet ؟؟؟ 10 tap.	Valacyclovir	**Antifungals** Fungal Infections الأصابات الفطرية	**Kampel martian** **Unknown**	200 - 300 mg twice daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Virovir Tablets 1 x 6 tab.	Famciclovir 250mg	**Antivirals** Viral Infections الأصابات الفيروسية	**FDC** **Unknown**	250 mg three times daily, or 750 mg once daily, for 7 days	1 x 6 Tablets Famciclovir Tablets 250 mg VIROVIR 250
Visalgine Tablets 15 tabs	Tiemonium	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**Biomed = syria** **Unknown**	2 tabs (100 -300) mg bid	Visalgine Anti Spasmodic 15 F.C. Tabs.
Viscor 20 Tablets 30 tab	Simvastatin	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**NP** **Unknown**	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	Viscor 20 Simvastatin Tablets 20 mg NP
Visionace original Capsules 30 cpsules	Vit,A vit.E ,vit.C , capper+manganese sulphate+zinc+,selenium +	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**VITABIOTICS** **Unknown**	As directed	visionace original Bilberry normal vision VITABIOTICS
Visionace plus Capsules 30 cpsules	Vit,A vit.E ,vit.C , capper+manganese sulphate+zinc+,selenium +	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**VITABIOTICS** **Unknown**	As directed	
Vit.A Capsules 20 cap	vit. A 5000 IU	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**PHARCO** **Egypt**	An intramuscular dose of 100 000 units every 2 to 4 months has been suggested.	فيتامين أ PHARCO
Vita C Ampoules 10 Ampoules	Ascorbic acid 500mg/ ampoule.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Shanghai pharmaceutical** **China**	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	Vita C Injection I.V. Vitamin C

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Vita globin Solution 200 ml	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Vitane pharma** **Germany**	As directed	Vita globin
Vitacal Syrup 120ml	Each 5 ml contains: Calcium Levulinate 50 mg+Vitamin D3 1,000 IU + Vitamin B12 10	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**EVA PHARMA** **Egypt**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Vitacap Capsules 30 capsuies	Multi vitamin and Menirals	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**MEGA** **Thailand**	As directed	VITACAP VITAMIN & MINERAL SUPPLEMENT
VITACID CALCIUM Tablets 10 Effer, tablets	Calcium + Vit C 1000mg+800mg/Effer, tab.	**Vitamines and Menirals** Common Cold نزلات البرد	**CID** **Egypt**	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	VITACID CALCIUM
VITADAY Tablets 50 Tablets	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Pharmetics** **Unknown**	As directed	
Vitadol - D Ampoules 1 ml amp	Vitamin D Substances	**Vitamines and Menirals** Ricketsia الكساح	**HANSEL** **Unknown**	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
vitaferrol syripe 120ml syripe	iron+vitamine	**Vitamines and Menirals** Anaemia فقر الدم	**EVA PHARMA** **Egypt**	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	VITAFERROL

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
vitaferrol capsule 20capsule	ferrous fumarate350mg+cyanocobalamin7.5 mg+folic acid1mg+ascorbic	**Vitamines and Menirals** Anaemia فقر الدم	**EVA PHARMA** **Egypt**	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	Vitaferrol Hematinic & General Tonic
Vitaferrol Capsules 30 capsules.	Ferrous Fumarate 350 mg , Cyanocobalamin 7.5 mcg,Folic Acid1mg,Ascorbic Acid150	**Vitamines and Menirals** Anaemia فقر الدم	**EVA-PHARMA** **Unknown**	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	Vitaferrol Hematinic & General Tonic
VITALJECT Ampoules 3 amp x 10 ml	Vitamin B Substances	**Vitamines and Menirals** Neuritis; vitamin B deficiency	**Unknown** **Unknown**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
VITAM Syrup syrup	Multi vitamin and Menirals	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**PHARCO** **Egypt**	As directed	
Vitamax plus capsule 10 capsule	vitamin,amino acids,mineral,ginseng,royal jelly	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**GlaxoWellcome** **Unknown**	As directed	Vitamax Plus With Antioxidants GlaxoWellcome
VITAMEDINE CO Ampoules 10 ampoules	Vit. B Complex ampule.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Kunming Pharma** **Unknown**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	VITAMEDINE B Co
Vitamin A Soft Gelatin Capsules 24 cap	Vitamin A	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**PHARCO** **Egypt**	An intramuscular dose of 100 000 units every 2 to 4 months has been suggested.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Vitamin A+E Capsules 24 S.G capsules.	Vit A 30000 IU+ E70mg /capsule	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**PHARCO** **Egypt**	As directed	
Vitamin B6 amp 10 amps	pyridoxine	**Gastro Intestinal drugs** Nausea and vomiting الغثيان و الطرش	**Jinlling pharmaceutical** **China**	Dietary Deficiency : ADULTS: PO/IM/IV 10 to 20 mg/day for 3 wk. Or oral once a day	
Vitamin c Ampoules 10 ampoules	Ascorbic acid 1000mg/ ampoule.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Normon** **Spain**	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
VITAMIN C Tablets 20 Effervescent tab	Vitamin c 240mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**hansal** **Unknown**	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Vitamin C Sachets 10 Sachets	Ascorbic acid 1 gm / Sachets	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Shiba pharma** **Yemen**	25 to 250 mg daily in divided doses	
Vitamin -c Sachets 10 Sachets	Vitamin c 1000 mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Global Pharma** **Yemen**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
VITAMIN C GALENICA Tablets 10 Effervescent tab	Vitamin c 1000mg/ Effervescent tab.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**GALENICA** **Unknown**	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Vitamin C-Sedico Tablets eff. Tabl	Ascorbic acid	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**SEDICO** **Egypt**	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	Vitamin C-SEDICO
Vitamin D3 Capsules 14 cap	Vitamin D 50, 000 I.U	**Vitamines and Menirals** Ricketsia الكساح	**BOSCOGEN** **USA**	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
VITAMIN E Capsules 24 caps	Vit.E (tocopherols) 100 mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**PHARCO** **Egypt**	40 to 50 mg	
VITAMIN E Capsules 30 S.G.C	Vitamin E 400 I.U	**Unknown** Vitamins Deficiency نقص فيتامينات	**SUN Naturals** **Unknown**	40 to 50 mg	SUN Naturals VITAMIN E 400 I.U.
VITAMIN E soft Capsules 20 caps	Vit.E (tocopherols) 400 I.U/capsule.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**HUONS** **Korea**	40 to 50 mg	20Caps. K.M. VITAMIN E Soft Cap. Vitamin E 400 I.U. Huons
Vitamine B complex Ampoules 10 amp x 2 ml	Vitamin B Substances	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**NCPC** **China**	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Vitamount Syrup 120 ml	vit,A 1800I.U,vit.E 30I.U,vit.C 60mg,vit.B1 2.5mg,vit.B2 1.7mg,vit.vit.B3	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Amoun pharmaceutical** **Unknown**	As directed	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Vitane Syrup 200ml	vit.A ,vit.D3,vit.E , vit.B1,vit.B12,vit.B12,vit.B6, vit.C,niacinamid,lysin	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Vitane pharma** **Germany**	As directed	
Vitane Oral /Drops 30 ml	Multi Vitamines	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Vitane pharma** **Germany**	As directed	
VITA-PHOS Elixir 200ml elixir	vit(B1+B2+B6+nicotinamide+calcium glycerophosphate +sodium glycerophosphate	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**mataria .egypt** **Egypt**	As directed	
Vitarenew Tablets 30 Tablets	Unknown	**Skin Disorders** Dermatitis الألتهابات الجلدية	**Unknown** **Unknown**	As directed	
vitazinc Capsules 30 cap	zinc gluconate,vit.A,vit.E	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**EIPICO** **Egypt**	As directed	
Vit-C Tablets 10 tab	Ascorbic acid	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Medical Bahri** **Syria**	25 to 250 mg daily in divided doses	
VIT-G Capsules 24 caps	Multivitamins-minerals	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Global Pharma** **Yemen**	One capsule or more daily or as prescribed by the physician	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
VITIX Tablets 30 tab	vitamins (C, E, B9, B12) and minerals (Selenium, Copper, Zinc)	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**ACM** **Unknown**	As directed	
VITONA Capsules 12 cap	Multi vitamin and Menirals + omega3	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**EIPICO** **Egypt**	As directed	
Vitop Capsules 30 cpsules	Multi vitamin and minerals.	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**MISR** **Egypt**	As directed	
vitron Capsules 30 cap	Multivitamins-minerals	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Mepha** **Unknown**	As directed	
ViVA Capsules 7 capsules	ginsing 50mg,garlic 15mg, fat solubl vit. 4 type, water solubl vit. 9 type,phsphlipid,mi	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Alpha chem advanced** **Unknown**	As directed	
Vokam Tablets 2 x 10 tabs	Diclofenac Potassium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Y.S.P.** **Malaysia**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Voldic-K Tablets 20 tablets	Diclofenac Potassium tablet 50 mg.	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**PHARMA INTERNATIO** **Jordan**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Volna-k Tablets 10 tab	Diclofenac Potassium	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**STANDARD CHEM** **China**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Voltack 25 mg Tablets 20 tab	Diclofenac Sodium	**NSAID** Analgesic مهدئات الأوجاع	**BIOPHARM** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Voltack 50 mg Tablets 20 tab	Diclofenac Sodium	**NSAID** Analgesic مهدئات الأوجاع	**Y.E.PHARMA** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	Voltack 50 mg Diclofenac sodium
Voltages Ampoules	Diclofenac	**Non-Steroidal Anti-** Analgesic مهدئات الأوجاع	**Unknown** **Unknown**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Voltagesic-50 Tablets 20 Enteric coated tablets.	Diclofenac Sodium tablet 50mg.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**ALPHA** **Syria**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	VOLTAGESIC 50
Voltaren Emulgel 50 g	Diclofenac Sodium 1 % gel.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**NOARTIS** **Switzerland**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	Voltaren Emulgel
Voltaren Ampoules 5 ampoules	Diclofenac Sodium ampoule 75mg/3ml.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**NOARTIS** **Switzerland**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	Voltaren 75mg/3ml

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Voltaren 100 mg Tablets	Diclofenac Potassium	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**NOVARTIS** **Switzerland**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Voltaren D 50 Tablets 20 tab	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**NOVARTIS** **Switzerland**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Voltaren Retard Tablets 10 tab	Diclofenac Sodium 10 mg	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**NOVARTIS** **Switzerland**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Voltaren Retard 100 Tablets 10 tab	Diclofenac Sodium	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**NOVARTIS** **Switzerland**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Voltaren SR Tablets 10 tablets	Diclofenac Sodium tablet 75mg	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**NOVARTIS** **Switzerland**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Voltfast-50 Sachets 30 sachets	Diclofenac Potassium sachet with powder for oral solution containing 50mg.	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**NOVARTIS** **Switzerland**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Voltine Gel 30 gm	Diclofenac dieyhylamine 1%.	**NSAID** Analgesic مهدئ الأوجاع	**Shaphaco** **Yemen**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Voltine Tablets 20 Disp tablet	Diclofenac Potassium 50 mg	**NSAID** Analgesic مهدئ الأوجاع	**Shaphaco** **Yemen**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	Voltine 50 DT Diclofenac 50mg
Voltine Ampoules 5 amp	Diclofenac Potassium 75 mg/ 3 ml	**NSAID** Analgesic مهدئ الأوجاع	**Shaphaco** **Yemen**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	Voltine 75 mg/3 ml antirheumatic anti-inflammatory analgesic
Voltine Suppositoris 5 supp	Diclofenac Potassium 12.5 mg	**NSAID** Analgesic مهدئ الأوجاع	**Shaphaco** **Yemen**	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	Voltine 12.5 mg Children antirheumatic anti-inflammatory analgesic
Vomin Tablets 20 tabs	Meclozine 25 mg + Pyrodixine 50 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Modern Pharama** **Yemen**	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	VOMIN Tablets 20 Tablets
VOMIN Tablets 20 tabs	Meclozine 25 mg + Pyrodixine 50 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Modern Pharama** **Yemen**	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	فومين VOMIN
Vominore Tablets 20 tabs	Meclozine + Pyrodixine	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**JPM** **Jordan**	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	JPM VOMINORE 20 THE JORDANIAN PHARMACEUTICAL MANUFACTURING CO.
Vomistop Capsules 20 caps	Meclozine 25 mg + Pyrodixine 50 mg	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**Shiba pharma** **Yemen**	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	 Vomistop 20 Capsules Antinausea and Antiemetic Shiba Pharma

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Vomitin amp 10 amps 2 ml	metoclopramide	**Gastro Intestinal drugs** Nausea and vomiting الغثيان والطرش	**NIDA** **Thailand**	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Voriconazole Vial 1 vial	Voriconazole 200mg	**Antifungals** Fungal Infections الأصابات الفطرية	**Sandoz** **Unknown**	200 - 300 mg twice daily	
Votrex Ampoules 5 ampoules	Diclofenac Sodium ampoule 75mg/3ml.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**HIKMA** **Jordan**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
VOTREX Retard Tablets 10 tablets	Diclofenac Sodium tablet 100mg	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**HIKMA** **Jordan**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
VovoNorm 1mg Tablets 30 tab	Repaglinide 1mg	**Antidiabetics** Diabetes Mellitus أمراض السكري	**Novo Nordisk** **Denmark**	Minimum/Maximum Adult Daily Dose:2 - 10 mg (milligram) OR 2 - 10 Tablet	
Vurdon Ampoules 5 ampoules	Diclofenac Sodium ampoule 75mg/3ml.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Help pharmaceutical** **Unknown**	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
warfa 5 mg Tablets 100tablet	warfarin sodium5mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**national company** **Unknown**	3 - 10 mg daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Warfarin 5 mg Tablets 100 tab	Warfarin Sodium 5 mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**Unknown** **Unknown**	3 - 10 mg daily	
Warimazol Vag 1% Cream 35 gm / 1 tube	Clotrimazole 1%	**Antifungals** Dermatitis الألتهابات الجلدية	**Walter Ritter** **Germany**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	WARIMAZOL VAG 1%
Warimazol Vag 200 mg Tablets 3 vaginal tablets	Clotrimazole	**Antifungals** Vaginal المهبل	**Unknown** **Unknown**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	WARIMAZOL VAG 200 MG
Warimazole derm 1% Cream 20 gm/ tube	Clotrimazole 20g	**Antifungals** Dermatitis الألتهابات الجلدية	**Walter Ritter** **Germany**	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	WARIMAZOL DERM 1%
Warm-Up Gel	Unknown	**Skin Disorders** Muscle relaxation مرخيات العضلات	**Unknown** **Unknown**	As directed	
welcain Vial 50 ml of 2% / vial	Lidocaine 2%	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**SHAPHAR** **Unknown**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Welcain Ampoules 10 amp	Lidocaine	**Central Nervous system drugs** Anaesthetics Local التخدير الموضعي	**SHAPHAR** **Unknown**	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
welcynon-250	injection	6ampoule of 2ml	etamsylate-250mg	**Antihaemorrhages**	Haemorrhage النزيف	**shaphar**	**Unknown**	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Welmox 500 mg	capsules	10strip*10capsules	Amoxicillin 500 mg	**Antibiotics**	الأصابات الميكروبية Microbial Infections	**CSPC**	**China**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Welpime	Vial		Cefepime Hydrochloride 500 mg / vial	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**Unknown**	**Unknown**	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	
Welstan	Tablets	20 tab	Mefenamic Acid 500 mg	**Nonsteroidal Anti-**	Analgesic مهدئ الأوجاع	**WOM**	**China**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Welstan Forte	Tablets	20 tab	Mefenamic Acid	**Nonsteroidal Anti-**	Analgesic مهدئ الأوجاع	**SHANDONG**	**China**	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Weltac	Tablets	100 F.C. tablets	Ranitidine 150 mg	**Gastro Intestinal drugs**	Peptic ulcer قرحة المعدة	**WOM**	**China**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
WONTIZEM Retard	Tablets	20 tab	Diltiazem Hydrochloride	**Cardio Vascular System drugs**	Hypertension ارتفاع ضغط الدم	**KGMP**	**Korea**	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Xaltec Tablets 10 tab	Levocetirizine	**Antihistamines** Allergy الحساسية	**BORG** **Egypt**	by mouth in a dose of 5 mg once daily.	
xanax0.25 Tablets 30 tablets	Alprazolam tablet 0.25mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Pfizer** **USA**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
xanax0.5 Tablets 30 tablets	Alprazolam tablet 0.5mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Pfizer** **USA**	Oral only; Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Xantid Tablets 100 tabs	Ranitidine 150 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**ACI** **Bangladesh**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Xefo-8 Tablets Tablets 10 f.c. tablet	Lornoxicam f.c. tablet 8mg/tab	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Nycomed** **Viena, Austria**	Adult: PO- Pain: 8-16 mg/day. Max: 24 mg/day. Osteoarthritis, Rheumatoid arthritis: 12 mg/day in 2 -3 divided doses, up to 16 mg/day. IV/IM- Pain: 8 mg 1-2	
Xefo-8 Vial Vial 1 vail	Lornoxicam vail 8mg/Vail.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Nycomed** **Viena, Austria**	Adult: PO- Pain: 8-16 mg/day. Max: 24 mg/day. Osteoarthritis, Rheumatoid arthritis: 12 mg/day in 2 -3 divided doses, up to 16 mg/day. IV/IM- Pain: 8 mg 1-2	
Xyex Tablets 20 tab	Levocetirizine5 mg / tab	**Antihistamines** Allergy الحساسية	**Shiba pharma** **Yemen**	by mouth in a dose of 5 mg once daily.	

Trade name	Dosage forms	Package	Generic Name and Composition	Therapeutic Category	Disease	Manufactrer	Country	Dose الجرعة	Product Picture صورة الدواء
Xylo-Comod	Nasal / Spray	15 ml	Unknown	**Respiratory drugs**	Common Cold نزلات البرد	**URSAPHARMA**	**Unknown**	As directed	
Xylo-Comod	Nasal Drops	15 ml	Xylometazoline Hydrochloride	**Respiratory drugs**	Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Unknown**	**Unknown**	As directed	
Xylomet	Nasal Drops	15 ml	Xylometazoline Hydrochloride	**Respiratory drugs**	Common Cold نزلات البرد	**Unknown**	**Unknown**	As directed	
Xyzal	Tablets	30 tab	Levocetirizine	**Antihistamines**	Allergy الحساسية	**UCB**	**Unknown**	by mouth in a dose of 5 mg once daily.	
Yagra 50	Tablets	4 tab	Sildenafil Citrate 50 mg/ tablet	**Sex Stimulants**	Sex Stimulants منشطات جنسية	**Global Pharma**	**Yemen**	25 - 100 mg depending on response, about one hour before sexual intercourse	
Yasmin	Tablets	21 tablet	drospirenone 3.000 mg -- ethinylestradiol 0.030	**Gynaecology drugs**	Contraceptives موانع الحمل	**BAYER**	**Germany**	one tablte daily from the frist day of menstution for 21 day	
Yedcoflox 500	tablet	10 tabs	Levofloxacin 500 mg	**Antibacterial**	Bacterial Infections الأصابات البكتيرية	**YEDCO**	**Yemen**	Tab 500mg & 250mg Infu 500mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Yedcomine Adult Syrup 100 ml	Diphenhydramin 14 mg + Ammonium chloride 135 mg + Sodium citrate 57 mg + Menthol	**Respiratory drugs** Common Cold نزلات البرد	**YEDCO** **Yemen**	25 to 50 mg three or four times daily. for children 6.25 to 25 mg three or four times daily	
Yedcomine child Syrup 100 ml	Diphenhydramin+ sodium citrate	**Respiratory drugs** Common Cold نزلات البرد	**YEDCO** **Yemen**	25 to 50 mg three or four times daily. for children 6.25 to 25 mg three or four times daily	
Yedconazole Cream 15 g	Miconazole Nitrate 2 %	**Antifungals** Vaginal المهبل	**YEDCO** **Yemen**	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Yedcopan Tablets 30 tabs	Hyoscine- N-Butylbromide	**Gastro Intestinal drugs** Abdominal Spasm آلام البطن	**YEDCO** **Yemen**	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Yedcotrim Suspension 100 ml	Co-trimoxazole	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**YEDCO** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Yedcotrim Tablets 100 tabs	Co-trimoxazole	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**YEDCO** **Yemen**	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Yostiretic Tablets 10 tablets	Amiloride + Hydrochlorothiazide	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	Oral only : Adults: Initial: 5–10 mg/d. Maximum: 20 mg/d.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Youcare Vial 1vial	Ceftriaxone Sodium 1 gm	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Youcare** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Z Mox 500 Capsules 10 x 10 cap	Amoxicillin	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Aurobindo** **India**	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Zaclofen 10 Tablets 100 tablets	Baclofen 10 mg / tab	**Muscle relaxations** Hiccup الفهقة او الفواق	**Zahravi** **Unknown**	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	
ZADIPHEN Tablets 20 tab	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**Unknown** **Unknown**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Zadiphen Tablets 20 tablet	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**IBN Al Haytham** **Syria**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Zaditen Syrup Syrup 100 ml	Ketotifen Fumarate1 mg/5 ml	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**NOVARTIS** **Switzerland**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Zaditen Tablets Tablets 30 tab	Ketotifen Fumarate 1 mg	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**NOVARTIS** **Switzerland**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Zaditofin Tablets 20 tab	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**Domina** **Unknown**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Zadro Syrup 50 ml	Cefadroxil 250 mg/5ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	1 to 2 g daily as a single dose or in two divided doses.	
Zadro 500 Capsules 10 caps	Cefadroxil 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**RFA** **Yemen**	1 to 2 g daily as a single dose or in two divided doses.	
Zafixime Vial 1 vial	Cefotaxime Sodium 1 gm	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**ZAFA** **Pakistan**	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	
Zain Tablets 4 tab	Vardenafil 10 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Shaphaco** **Yemen**	10 mg taken about 25 minutes to one hour before sexual intercourse.	
Zalastin Nasal / Spray 15 ml	Unknown	**Antihistamines** Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	**Unknown** **Unknown**	As directed	
Zaldiar Tablets 10 tab	Tramadol Hydrochloride	**Opioid analgesics** Analgesic مهدئ الأوجاع	**GRUNENTHAL** **Unknown**	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Zantac 150 mg Tab Tablets 60 tabs	Ranitidine 150 mg / tablet	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**gsk glaxosmithkline** **UK**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Zantac 75 mg Tab Tablets 12 tab	Ranitidine	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**gsk glaxosmithkline** **UK**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	ZANTAC 75 LONG LASTING RELIEF FROM INDIGESTION & HEARTBURN
Zatin Tablets 20 tab	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**Shiba pharma** **Yemen**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	Zatin 20 Tablets Ketotifen Shiba Pharma
Zatin Syrup 100 ml	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**Shiba pharma** **Yemen**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	Zatin Shiba Pharma
Zatin Syrup Syrup 100 ml syr	Ketotifen Fumarate	**Respiratory drugs** Bronchitis التهاب الشعب الهوائية	**Shiba pharma** **Yemen**	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Zaxime 400 Capsules 10 capsules	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	Zaxime 400 Cefixime
ZEBEN Suspension 20 ml	Albendazole	**Anthelmentic** Common Worms الديدان الشائعة	**MEDREICH** **Unknown**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	ZEBEN ALBENDAZOLE SUSPENSION 20

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
ZEBEN Tablets 2 Coated Tablets	Albendazole	**Anthelmentic** Common Worms الديدان الشائعة	**MEDREICH** **Unknown**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	ZEBEN COATED ZEBEN
Zecuf Syrup 100 ml	Herbal extract	**Respiratory drugs** Common Cold نزلات البرد	**UNIQUE** **India**	As directed	
Zedex 40 Tablets 20 tab	Famitidine 40 mg / tablet	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**ALPHA** **Syria**	*40 mg once time daily . * 20 mg bid	ZEDEX 40 Famotidine
Zednad Dry syrup 1bottel*50ml	Cefuroxime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Diamond** **Unknown**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Zeffix Tablets 28 tab	Lamivudine	**Antivirals** Hepatic Disorders اضطرابات الكبد	**GlaxoWellcome** **Unknown**	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	Zeffix Lamivudine 100mg 28 tablets GlaxoWellcome
Zelax-10 Caplets 30 caplets	Escitalopram tablet 10mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**JOSWE** **Jordan**	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Zelcom Syrup 30 ml for bottle	Lactulose 3.5 mg / 5 ml	**Gastro Intestinal drugs** Constipation الأمساك	**AC Pharma** **Saudi Arabia**	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
ZELOXIM Tablets 20 tablets.	meloxicom7.5mg/tablet.	**Nonsteroidal Anti-** Analgesic مهدئات الأوجاع	**Bilim** **Turkey**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
ZEMAN SX Soft Gelatin Box of 3 strips, each of 10 capsules.	magnesium 83.52 mg,zinc 5.58 mg,vit B6 1.935 mg,L-carnitine L-tartrate146.8	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Mega Lifesciences** **Unknown**	As directed	
ZENNAMED 125 Dry syrup 1bottel*60ml	Cefuroxime 125 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Medeco labs** **Unknown**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily-By injection the usual adult dose is 750 mg of cefuroxime	
ZENNAMED 250 Suspension 1bottel*60ml	Cefuroxime 250 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Medeco laps** **Unknown**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily-By injection the usual adult dose is 750 mg of cefuroxime	
Zenon Suspension 100 ml	Cefuroxime 125 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Unknown** **Unknown**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily-By injection the usual adult dose is 750 mg of cefuroxime	
zenoril -10 Tablets 28 tab	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Unknown** **Unknown**	usual oral dose is 5 -20 mg daily,	
ZENTEL Suspension 20 ml	Albendazole	**Anthelmentic** Common Worms الديدان الشائعة	**gsk glaxosmithkline** **UK**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Zentel Tablets 2 Tablets	Albendazole 200 mg /tab	**Anthelmentic** Common Worms الديدان الشائعة	**CIPLA** **India**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
ZENTIDIN Ampoules 10 amps x 2 ml	Ranitidine 50 mg / 2 ml	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**CSPC** **China**	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	ZENTIDIN Inj. Ranitidine HCl Injection
Zepam-3 Tablets 20 tablets	Bromazepam tablet 3mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق والقلق	**Shiba pharma** **Yemen**	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily . For elderly should not exceed 3 mg daily in divided doses.	Zepam 3 Bromazepam Shiba Pharma
Zepid-3 Tablets 3* 10 tablets	Risperidone tablet 3mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**pil** **Unknown**	2-4 mg daily	ZEPID-3 Risperidone pil Tablets U.S.P. 3mg
Zepitol CR200 Tablets 30 S.R.Tablet	carbamazepin tablet 200 mg	**Central Nervous system drugs** Epilepsy الصرع	**sun** **India**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	Carbamazepine Controlled Release Tablets 200 mg ZEPTOL CR 200 SUN
Zeptol 200 Tablets	Carbamazepin	**Central Nervous system drugs** Epilepsy الصرع	**SUN** **India**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	ZEPTOL 200 SUN
ZEPTOL CR 200 Tablets	Carbamazepin	**Central Nervous system drugs** Epilepsy الصرع	**SUN Pharma** **India**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	Carbamazepine Controlled Release Tablets 200 mg ZEPTOL CR 200 SUN

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Zeptol CR400 Tablets 30 Tablet	Carbamazepin Tablet 400mg	**Central Nervous system drugs** Epilepsy الصرع	**sun** **India**	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	ZEPTOL CR 400 SUN
Zertan Oral Drops 20 ml	Cetirizine Hydrochloride 10 mg /1 ml	**Antihistamines** Allergy الحساسية	**Shiba pharma** **Yemen**	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	Zertan 20 ml Oral Drops Anti-allergic Antihistamine Shiba Pharma
Zertan Syrup 100 ml	Cetirizine Hydrochloride 5 mg / 5 ml	**Antihistamines** Allergy الحساسية	**Shiba pharma** **Yemen**	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	Zertan 5 mg / 5 ml 100 ml Syrup Anti-allergic Antihistamine Shiba Pharma
Zertan Tablets 20 tab	Cetirizine Hydrochloride 10 mg /tab	**Antihistamines** Allergy الحساسية	**Shiba pharma** **Yemen**	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	Zertan Shiba Pharma
Zespira Tablets 28 F.C.Tablets	Montelukast Sodium	**Respiratory drugs** Bronchial Asthma الربو الشعبي	**Bilim** **Turkey**	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Zestopril -10 Tablets 20 tab	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Modern Pharama** **Yemen**	usual oral dose is 5 -20 mg daily,	زيستوبريل ١٠ ZESTOPRIL
Zestopril- 5 Tablets 20 tab	Lisinopril	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**Modern Pharama** **Yemen**	usual oral dose is 5 -20 mg daily,	ZESTOPRIL 5 5 mg Lisinopril Antihypertensive

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Zestoretic-20 Tablets 28 tab	Lisinopril 20 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Unknown**	usual oral dose is 5 -20 mg daily,	ZESTORETIC-20
zestril 10 Tablets 28 tab	Lisinopril 10 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Unknown**	usual oral dose is 5 -20 mg daily,	ZESTRIL 10mg
Zestril 20 Tablets 28 tab	Lisinopril 20 mg	**Cardio Vascular System drugs** Hypertension ارتفاع ضغط الدم	**ASTRAZENECA** **Unknown**	usual oral dose is 5 -20 mg daily,	ZESTRIL 20mg
Zidovudine Syrup 240ml	Zidovudine 50mg/5ml	**Antivirals** Viral Infections الأصابات الفيروسية	**NDC** **Unknown**	Adults : 500 to 600 mg daily in divided doses , Children 360 to 480 mg/m2 daily in divided doses	Zidovudine Syrup
Zidovudine Tablets 60 tab.	Zidovudine 300mg	**Antivirals** Viral Infections الأصابات الفيروسية	**NDC** **Unknown**	Adults : 500 to 600 mg daily in divided doses , Children 360 to 480 mg/m2 daily in divided doses	Zidovudine Tablets USP 300mg
Zimaks Syrup Dry syrup 1bottel*50ml	Cefixime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Bilim** **Turkey**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Zimaks Tablets Tablets 1strip*5 Film Tablet	Cefixime 400 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Bilim** **Turkey**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	Zimaks 400mg

Trade name Dosage forms Package	**Generic Name and Composition**	**Therapeutic Category** **Disease**	**Manufactrer** **Country**	**Dose الجرعة**	**Product Picture صورة الدواء**
Zimasafe Capsules 1strip*6capsule	Cefixime 400 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	
Zimasafe Suspension 60 ml	Cefixime 100 mg /5ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	Children 8 mg/kg daily as an oral suspension as a single dose or in two divided doses	
Zimasafe Suspension 30 ml	Cefixime 100 mg /5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	Children 8 mg/kg daily as an oral suspension as a single dose or in two divided doses	
Zimasafe 200 Capsules 8 caps	Cefixime 200 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	
ZINAROX Tablets 10 tabs	Cefuroxime 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Global Pharma** **Yemen**	Oral doses for adults are 250 to 500 mg twice daily	
ZINAROX Tablets 10 tabs	Cefuroxime 250 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Global Pharma** **Yemen**	Oral doses for adults are 250 to 500 mg twice daily	
Zinaxil Dry syrup 1bottel*60ml	Cefuroxime 125 mg /5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	Infants and children 10 mg/kg twice daily to a maximum of 250 mg daily.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Zinaxil Tablets 10 F.C. Tablets	Cefuroxime 250 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	Oral doses for adults are 250 to 500 mg twice daily, children 10-20 mg/kg twice daily to a maximum of 250 mg daily	
Zinaxil 500 Tablets 10 F.C. Tablets	Cefuroxime 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Modern Pharama** **Yemen**	Oral doses for adults are 250 to 500 mg twice daily	
Zinc Oxide Ointment 30 gm / tube	Zinc Oxide	**Health Care** Dermatitis الألتهابات الجلدية	**Shaphaco** **Yemen**	Topically as once or twice daily ,	
Zinc Oxide Ointment 20 gm / tube	Zinc Oxide 10 gm + hystatin 100000 i.u / 100 gm	**Health Care** Dermatitis الألتهابات الجلدية	**Modern Pharama** **Yemen**	Topically as once or twice daily ,	
Zink Sulfate Tablets 90 tab	Zink Sulfate 200mg	**Vitamines and Menirals** Vitamins Deficiency نقص فيتامينات	**Health Aid** **Thailand**	As directed	
Zinnacef Vial 1 vial	Cefuroxime 750 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**GlaxoWellcome** **Unknown**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Zinnat - 500 mg Tablets 10 tablets	Cefuroxime 500 mg	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**glaxosmithkline** **UK**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Zinnat 250 mg Tablet 1strip*10Tablet	Cefuroxime 250 mg / tab	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**gsk glaxosmithkline** **UK**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Zinnat Suspension Suspension	Cefuroxime 250 mg / 5 ml	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**gsk glaxosmithkline** **UK**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Zinnat syrup Suspension 1bottel*125ml	Cefuroxime	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**gsk glaxosmithkline** **UK**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Zinoximor Tablets 2strip*7 tablet	Cefuroxime 250 mg / tab	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Tabuk pharma** **Saudi Arabia**	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
ZISROCIN Dry syrup 1bottel*30 ml	Azithromycin 100 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**EGYPHAR** **Egypt**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Zithrokan Suspension 15 ml	Azithromycin 200 mg / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Unknown** **Unknown**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Zithrokan Capsules Hard Gelatin Capsules 1strip*3 capsules	Azithromycin 500 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Hikma** **Jordan**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Zithrokan Syrup Dry syrup 1bottel*15ml	200 mg Azithromycin / 5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Hikma** **Jordan**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Zithromax Suspension 300 mg / 7.5 ml	300 mg / 7.5 ml	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Pfizer** **USA**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Zithromax 250 Capsules 6 capsules	250 mg	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Pfizer** **USA**	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
ZITHROX Suspension 1bottel*15ml	Azithromycin 200 mg / 5 nl	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shiba pharma** **Yemen**	Dry syrup 300mg & 200mg	
ZITHROX Capsules 6 cap	Azithromycin 250 mg /cap	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shiba pharma** **Yemen**	500mg & 250mg	
ZITHROX Tablets 3 f/c tablets	Azithromycin 500 mg /tab	**Antibiotics** الأصابات الميكروبية Microbial Infections	**Shiba pharma** **Yemen**	500mg & 250mg	
ZOCOR 40 mg Tablets 30 tab	Simvastatin	**Cardio Vascular System drugs** Hyperlipidaemias زيادة الدهون في الدم	**MSD** **USA**	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
ZODIXAM Tablets 20 Tablets	Meloxicam tablet 7.5 mg .	**Non-Steroidal Anti-** Analgesic مهدئ الأوجاع	**OUBARY PHARMA** **Syria**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
ZODIXAM Forte Tablets 20 tablets.	Meloxicam tablet 15 mg .	**Nonsteroidal Anti-** Analgesic مهدئ الأوجاع	**OUBARY PHARMA** **Syria**	Osteoarthrosis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Zokacef Tablets 10 tab	Ceftriaxone Sodium	**Antibacterial** Bacterial Infections الأصابات البكتيرية	**Hammi** **Unknown**	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Zolam-0.25 Tablets 30 tablets	Alprazolam tablet 0.25mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق و القلق	**RAM PHARMA** **Jordan**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Zolam-0.5 Tablets 30 tablets	Alprazolam tablet 0.5mg	**Central Nervous system drugs** Anxiety, Insumnea الأرق و القلق	**RAM PHARMA** **Jordan**	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Zollipak Capsules 10 caps	Lansoprazole 30 mg	**Gastro Intestinal drugs** Peptic ulcer قرحة المعدة	**SEDICO** **Egypt**	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Zolofet Tablets 15 tablets	Sertraline tablet 50mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**pfizer** **USA**	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
Zosert-50 Tablets 30 tablet	Sertraline tablet 50mg	**Central Nervous system drugs** Mental Disorders الأمراض العقلية	**SUN** **India**	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	Sertraline Hydrochloride Tablets 50 mg Zosert 50 SUN
Zovirax Tablets 4 Tab.	Acyclovir 200mg	**Antivirals** Viral Infections الأصابات الفيروسية	**Unknown** **Unknown**	1 g t.i.d., 7 days.	Aciclovir Tablets IP 200 mg Zovirax 200
Zovirax cream Cream 1 tube 2 gm	Acyclovir cream 5% w/w	**Antivirals** Viral Infections الأصابات الفيروسية	**gsk glaxosmithkline** **UK**	1 g t.i.d., 7 days.	Zovirax Cream 5% w/w (Acyclovir) 2 grams gsk GlaxoSmithKline
Ztrax 400 Tablets 1 chewable tablet	Albendazole 400 mg / tab	**Anthelmentic** Common Worms الديدان الشائعة	**STADA**	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	1 chewable tablet Ztrax 400 1 STADA
ZWAG Tablets 4 tab	Sildenafil Citrate 50 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Shaphaco** **Yemen**	25 - 50 - 100 mg depending on response, about one hour before sexual intercourse	
ZWAGRA Tablets 10 tab	Sildenafil Citrate 25 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Shaphaco** **Yemen**	25 - 50 - 100 mg depending on response, about one hour before sexual intercourse	 ZWAGRA 25mg
ZWAGRA Tablets 2 tab 4 tab 20 tab	Sildenafil Citrate 50 mg	**Sex Stimulants** Sex Stimulants منشطات جنسية	**Shaphaco** **Yemen**	25 - 50 - 100 mg depending on response, about one hour before sexual intercourse	ZWAGRA 50mg

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
ZYCAL Tablets 30 softabs	Calcum,Vit-D3,Minerals	**Vitamines and Menirals** Osteoarthritis التهابات العظام	**ZYNOVA** **Unknown**	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Zyllt 75mg Tablets 28 Film Coated Tablet	Clopidogrel 75mg	**Cardio Vascular System drugs** Thrombosis الجلطات	**KRKA** **India**	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Zyloric Tablets 50 tablet	allopurinol 100mg	**Hyperuricaemia** Gout النقرس	**aspen** **Ireland**	100 to 300 up to 600 mg	
Zymogen Forte Tablets 20 tabs	Pepsin+analase5000IU+Lipase800 mg+protease 500IU+ox bile 20 mg+hemicelluose	**Gastro Intestinal drugs** Indigestion سوء الهضم	**NILE CO.** **Egypt**	tid during or after meal	
Zyracin Tablets 20 tab	Cetirizine Hydrochloride 10 mg	**Antihistamines** Allergy الحساسية	**Global Pharma** **Yemen**	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Zyracin Syrup 60 ml	Cetirizine Hydrochloride 5 mg /5 ml	**Antihistamines** Allergy الحساسية	**Global Pharma** **Yemen**	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
بدون اسم تجاري	Atracurium Besilate	**Central Nervous system drugs** Anaesthetics General التخدير العام	**Unknown** **Unknown**	IV only.: Adults IV bolus: 0.25–0.35 mg/kg. Adults IV infusion: 9–10 µg/kg.	ضع صورة الدواء بنفس هذا الرقم

Trade name Dosage forms Package	Generic Name and Composition	Therapeutic Category Disease	Manufactrer Country	Dose الجرعة	Product Picture صورة الدواء
سيدالاك Syrup 120 ml	Lactulose	Gastro Intestinal drugs Constipation الأمساك	Unknown Unknown	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
سينا ويت Syrup 120 ml	Herbal extract	Respiratory drugs Common Cold نزلات البرد	Sina Pharma Unknown	As directed	
ليوكائين Spray 100 ml	Lidocaine 10 gm + Cetrimide 0.07 gm / 100 ml	Central Nervous system drugs Anaesthetics Local التخدير الموضعي	Unknown Unknown	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
ميداسين T Solution 30 ml	Clindamycin	Antibiotics Anaerobic Infections الميكروبات اللاهوائية	Unknown Unknown	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
نيوموكس Capsules 10strip*10capsules	Amoxicillin*	Antibiotics الأصابات الميكروبية Microbial Infections	Neo pharma Unknown	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
هيبوزار Suppositoris 20 supp	Losartan potassium 50 mg	Cardio Vascular System drugs Hypertension ارتفاع ضغط الدم	Unknown Syria	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.